

FORM

42

Rev  
01/21State of Colorado  
Energy & Carbon Management Commission1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

OGCC RECEPTION

Receive Date:

12/05/2023

Document Number:

403614502

## FIELD OPERATIONS NOTICE

The Form 42 shall be submitted as required by Rule, Notice to Operators, Policy, or Condition of Approval.  
A Form 42 Update shall be submitted to revise the scheduled date or time on a previous Form 42 - Advance Notice of Field Operations.  
A Form 42 Update must be for the same well, location, or facility and for the same Field Operation as a previous Form 42.  
NOTE: Operator's Contact for Advance Notices of Field Operations should be available 24 hours a day, 7 days a week and should have the most current scheduling information for the operation. Operator's Contact for other notices should be able to respond to questions regarding the reported information.

Update of a previous Form 42 Notice NOEntity InformationOGCC Operator Number: 96850Contact Person: Chuck SmithCompany Name: TEP ROCKY MOUNTAIN LLCPhone: (970) 9480118Address: 1058 COUNTY ROAD 215Fax: ( )City: PARACHUTE State: CO Zip: 81635Email: liquidunloads@terraep.comAPI #: 05 - 045 - 17257 - 00Facility ID: 298567Location ID: 335038Facility Name: HONEA 24-01C☐ Submit By Other OperatorSec: 19Twp: 7SRange: 93WQtrQtr: LOT 2Lat: 39.426470Long: -107.822550NOTICE OF WELL LIQUIDS UNLOADING – Prior Notice RequiredStart Date: 11/30/2023

Check appropriate box for timing of notice below. (Only 1 box may be checked.)

☐ 48 HOUR NOTICE

OR

☒ 2 HOUR NOTICE. Start Time: 12:06 (HH:MM)Is the estimated duration of the Well Liquids Unloading anticipated to last for longer than one day? No

If YES, describe the estimated anticipated duration of these operations:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct and complete.

Print Name: Shuree SimpsonEmail: liquidunloads@terraep.com

Signature: \_\_\_\_\_

Title: \_\_\_\_\_

Date: 12/05/2023