

State of Colorado Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 11/03/2023 Document Number: 403581184

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

OGCC Operator Number: 10633 Contact Person: James Miller Company Name: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (720) 984-7460 Address: 555 17TH STREET SUITE 3700 Email: jmiller@civiresources.com City: DENVER State: CO Zip: 80202 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No [ ]

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 323309 Location Type: Production Facilities Name: WARDELL B-63N65W Number: 7SESE County: WELD Qtr Qtr: SESE Section: 7 Township: 3N Range: 65W Meridian: 6 Latitude: 40.235297 Longitude: -104.700378

Description of Corrosion Protection

Crestone pipelines are covered in a protective external coating. Flowlines are subject to thorough inspections and fabrication standards during installation to minimize coating and pipe defects. Crestone maintains a chemical program to reduce internal corrosion. If a flowline is found to lack integrity, Crestone will investigate, report, and remediate any spills in accordance with the 900 series rules.

Description of Integrity Management Program

Crestone flowlines are pressure tested prior to placing flowlines into service. Flowlines are tested on an annual basis in accordance with COGCC 1104 series rules. If a flowline is found to lack integrity, Crestone will investigate the root cause, as well as report and remediate any spills in accordance with the 900 series rules. All repairs will be completed in accordance with COGCC 1102 Series rules.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

N/A

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473302 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 332688 Location Type: Well Site   
Name: WARDELL-63N65W Number: 7SWNE  
County: WELD No Location ID  
Qtr Qtr: NWNE Section: 7 Township: 3N Range: 65W Meridian: 6  
Latitude: 40.243400 Longitude: -104.701520

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 02/14/2005  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473297 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 332608 Location Type: Well Site   
Name: WARDELL 7A-63N65W Number: 7SWSE  
County: WELD No Location ID  
Qtr Qtr: SWSE Section: 7 Township: 3N Range: 65W Meridian: 6  
Latitude: 40.234082 Longitude: -104.703292

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Native Materials Date Construction Completed: 01/01/2003  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Pre-Abandonment Notice**

Date: 12/03/2023

**Pre-Abandonment 30-day Notice**

- Removed per Rule 1105.d.(2)
- Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:
  - A. A surface owner agreement executed by a surface owner allows abandonment in place.
  - B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
  - C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
  - D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
  - E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
  - F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
  - G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
  - H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.
- Abandoned In Place per Rule 1105.d.(3)

**Description of Pre-Abandonment Notice:**

The flowline serving the WARDELL 7A 3 (05-123-17610) will be removed in its entirety via the open trench method. Once the flowline is removed, the trench will be backfilled and the land surface will be graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473299 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 332206 Location Type: Well Site

Name: WARDELL-63N65W Number: 7SESE

County: WELD No Location ID

Qtr Qtr: SESE Section: 7 Township: 3N Range: 65W Meridian: 6

Latitude: 40.233857 Longitude: -104.698518

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 05/02/2004

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: 07/28/2023

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

The flowline serving the WARDELL 44-7 (05-123-21969) will be removed in its entirety via the open trench method. Once the flowline is removed, the trench will be backfilled and the land surface will be graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473301 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 332623 Location Type: Well Site   
Name: WARDELL-63N65W Number: 7NESE  
County: WELD No Location ID  
Qtr Qtr: NESE Section: 7 Township: 3N Range: 65W Meridian: 6  
Latitude: 40.237589 Longitude: -104.699844

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Native Materials Date Construction Completed: 10/30/2000  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Pre-Abandonment Notice**

Date: 12/03/2023

**Pre-Abandonment 30-day Notice**

Removed per Rule 1105.d.(2)

Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:

- A. A surface owner agreement executed by a surface owner allows abandonment in place.
- B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
- C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
- D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
- E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
- F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
- G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
- H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.

Abandoned In Place per Rule 1105.d.(3)

**Description of Pre-Abandonment Notice:**

The flowline serving the WARDELL 7A-1 (05-123-17602) will be removed in its entirety via the open trench method. Once the flowline is removed, the trench will be backfilled and the land surface will be graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473300 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 332623 Location Type: Well Site  No Location ID  
 Name: WARDELL-63N65W Number: 7NESE  
 County: WELD  
 Qtr Qtr: NESE Section: 7 Township: 3N Range: 65W Meridian: 6  
 Latitude: 40.237589 Longitude: -104.699844

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
 Bedding Material: \_\_\_\_\_ Date Construction Completed: 11/04/2006  
 Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
 Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Pre-Abandonment Notice**

Date: 12/03/2023

**Pre-Abandonment 30-day Notice**

Removed per Rule 1105.d.(2)

Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:

- A. A surface owner agreement executed by a surface owner allows abandonment in place.
- B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
- C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
- D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
- E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
- F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
- G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
- H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.

Abandoned In Place per Rule 1105.d.(3)

**Description of Pre-Abandonment Notice:**

The flowline serving the WARDELL 6-4-7 (05-123-27291) will be removed in its entirety via the open trench method. Once the flowline is removed, the trench will be backfilled and the land surface will be graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473298 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 332608 Location Type: Well Site

Name: WARDELL 7A-63N65W Number: 7SWSE

County: WELD No Location ID

Qtr Qtr: SWSE Section: 7 Township: 3N Range: 65W Meridian: 6

Latitude: 40.234082 Longitude: -104.703292

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 10/23/2006

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Pre-Abandonment Notice**

Date: 12/03/2023

**Pre-Abandonment 30-day Notice**

Removed per Rule 1105.d.(2)

Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:

- A. A surface owner agreement executed by a surface owner allows abandonment in place.
- B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
- C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
- D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
- E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
- F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
- G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
- H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.

Abandoned In Place per Rule 1105.d.(3)

**Description of Pre-Abandonment Notice:**

The flowline serving the WARDELL 6-8-7 (05-123-24166) will be removed in its entirety via the open trench method. Once the flowline is removed, the trench will be backfilled and the land surface will be graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473296 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 329616 Location Type: Well Site

Name: WARDELL 7A-63N65W Number: 7NWSE

County: WELD No Location ID

Qtr Qtr: NWSE Section: 7 Township: 3N Range: 65W Meridian: 6

Latitude: 40.237490 Longitude: -104.702943

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: Native Materials Date Construction Completed: 02/04/2002

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: 04/21/2023

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

The flowline (12317609\_FL) serving the WARDELL 7A 2 (05-123-17609) was removed in its entirety via the open trench method. The trench was backfilled and the land surface graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473295 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 332608 Location Type: Well Site   
Name: WARDELL 7A-63N65W Number: 7SWSE  
County: WELD No Location ID  
Qtr Qtr: SWSE Section: 7 Township: 3N Range: 65W Meridian: 6  
Latitude: 40.234082 Longitude: -104.703292

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 03/07/2007  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Pre-Abandonment Notice**

Date: 12/03/2023

**Pre-Abandonment 30-day Notice**

Removed per Rule 1105.d.(2)

Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:

- A. A surface owner agreement executed by a surface owner allows abandonment in place.
- B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
- C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
- D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
- E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
- F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
- G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
- H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.

Abandoned In Place per Rule 1105.d.(3)

**Description of Pre-Abandonment Notice:**

The flowline serving the WARDELL 4-6-7 (05-123-24119) will be removed in its entirety via the open trench method. Once the flowline is removed, the trench will be backfilled and the land surface will be graded.

**OPERATOR COMMENTS AND SUBMITTAL**

Comments

Form 44 filed to report PRE-ABANDONMENT notification. The following flowlines will be removed in their entirety:  
12317602\_FL: service the WARDELL 7A-1 (05-123-17602)  
12317610\_FL: service the WARDELL 7A 3 (05-123-17610)  
12324119\_FL: services the WARDELL 4-6-7 (05-123-24119)  
12324166\_FL: service the WARDELL 6-8-7 (05-123-24166)  
12327291\_FL: services the WARDELL 6-4-7 (05-123-27291)

GIS data has previously been submitted. It is anticipated that abandonment operations will start on or about 12/03/2023.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 11/03/2023 Email: flowlines@civiresources.com

Print Name: Stephany Olsen Title: Sr. Regulatory Analyst

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ **Director of COGCC** Date: \_\_\_\_\_

## Conditions of Approval

**COA Type**

**Description**

--	--

## Attachment Check List

**Att Doc Num**

**Name**

--	--

Total Attach: 0 Files

## General Comments

**User Group**

**Comment**

**Comment Date**

		Stamp Upon Approval
--	--	------------------------

Total: 0 comment(s)