
GOF
Main Pass
Main Pass



GOF

Repeat Pass

Operator: Gulf of Mexico Offshore
Well: Gulf of Mexico Offshore
Field: Gulf of Mexico Offshore
Company: Gulf of Mexico Offshore
Date: 2/1/2000 Time: 0:00
Depth Reference: Rotary Table
Elevation: 0.00 Ft

Tool	Serial	Run	Log Time	Log Date	Log Speed	Log Interval
Gamma Ray	0000	1	0:00	2/1/2000	0	0

Tool	Serial	Run	Log Time	Log Date	Log Speed	Log Interval
Gamma Ray	0000	1	0:00	2/1/2000	0	0

Sensor	Offset (ft)	Description	Length (ft)	O.D. (in)	Weight (lb
		CHD-AES (000001) Cable Head	1.04	1.69	2.00
CCL	13.54	CCL-tecko (2.75CCL) 2.75 logging ccl	1.83	2.75	20.00
		CENT-Overbody	2.00	4.50	3.00
TEMP	10.15				
		PROBE-RBT-DIGITAL-RBL-DCT (140139_DD1) Probe 2 3/4" Radii Bond with Temp-Corrosion Package	9.21	2.75	105.00
WVFS8	7.85				
WVFS7	7.85				
WVFS6	7.85				
WVFS5	7.85				
WVFS4	7.85				
WVFS3	7.85				
WVFS2	7.85				
WVFS1	7.85				
WVFCAL	7.85				
WVF3FT	7.85				
WVF5FT	6.85				
HEADVOLT	3.67				
		CENT-Overbody	2.00	4.50	3.00
		GR-probe 2.75 (GO4)	3.67	2.75	100.00
GR	1.13				



Dataset: PDC_Hen_10N_RCBL_111123_Final.db: field/well/run1/Main
Total length: 15.75 ft
Total weight: 233.00 lb
O.D.: 4.50 in

Calibration Report

Database File C:\ProgramData\Warrior\Data\PDC_Hen_10N_RCBL_111123_Final\PDC_Hen_10N_RCBL_111123_Final.c
Dataset Pathname Main
Dataset Creation Sat Nov 11 12:40:10 2023

Gamma Ray Calibration Report

Serial Number: GO4
Tool Model: probe 2.75
Performed: Thu Aug 31 10:27:41 2023

Calibrator Value: 207.0 GAPI

Background Reading: 104.6 cps
Calibrator Reading: 353.0 cps

Sensitivity: 0.8335 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number: 140139_DD1
Tool Model: RBL-DCT

Calibration Casing Diameter: 5.500 in
Calibration Depth: 5.517 ft

Master Calibration, performed Thu Nov 9 13:58:59 2023:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.015	0.706	0.500	71.921	103.247	-1.002
CAL	0.757	0.755				
5'	0.021	0.690	0.500	71.921	106.776	-1.769
SUM						
S1	0.009	0.703	0.000	100.000	144.131	-1.360
S2	0.014	0.706	0.000	100.000	144.549	-2.012
S3	0.014	0.713	0.000	100.000	142.912	-1.954
S4	0.014	0.725	0.000	100.000	140.503	-1.926
S5	0.015	0.723	0.000	100.000	141.254	-2.116
S6	0.013	0.705	0.000	100.000	144.612	-1.938
S7	0.016	0.713	0.000	100.000	143.442	-2.318
S8	0.013	0.708	0.000	100.000	143.939	-1.915

Air Zero Calibration, performed Thu Nov 9 13:59:27 2023:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.014	0.000	0.001
5'	0.020	0.000	0.002
SUM			
S1	0.011	0.000	-0.002
S2	0.014	0.000	-0.000
S3	0.014	0.000	-0.000
S4	0.014	0.000	-0.000
S5	0.014	0.000	0.001
S6	0.014	0.000	-0.001
S7	0.015	0.000	0.001
S8	0.014	0.000	-0.001

Temperature Calibration Report

Serial Number: 140139_DD1
Tool Model: RBL-DCT
Performed: Fri Nov 10 06:17:51 2023

	Reference		Reading	
Low Reference:	0.00	degF	0.00	degF
High Reference:	1.00	degF	1.00	degF

Gain: 0.90
Offset: 0.00
Delta Spacing 1

Company	PDC Energy		
Well	Hen 10N		
Field	Wattenberg		
County	Weld		
State	Colorado	Country	