

OIL AND GAS CONSERVATION COMMISSION **DEPARTMENT OF NATURAL RESOURCES** **OF THE STATE OF COLORADO**

File in duplicate for Patented and Federal lands.
 File in triplicate for State lands.

RECEIVED

JUL 5 1974



00599671

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
 Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. Xenia West No. 3-5	
2. NAME OF OPERATOR LVO Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR Box 2848, Tulsa, Oklahoma 74101		7. UNIT AGREEMENT NAME Xenia West Unit	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface C NE/4 NW/4 Sec. 11-2N-54W, 6th Meridian At proposed prod. zone J Sand		8. FARM OR LEASE NAME Jake M. Miller	
14. PERMIT NO.		9. WELL NO. No. 5	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4464 RT		10. FIELD AND POOL, OR WILDCAT Xenia West Unit	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA C NE NW 11-2N-54W	
		12. COUNTY Washington	13. STATE Colorado

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Date of work July 16, 1974

Proposed plugging procedure working from bottom up:

- 1) Cover perforation 4757-4802' with sand. ✓
- 2) Spot 5 sack cement plug on top of sand.
- 3) Load hole with mud.
- 4) Shoot and recover 2400 to 3600' of 4 1/2" production string.
- 5) Place 5 sack cement plug at production string shot point.
- 6) Place 15 sack cement plug at surface casing landing point.
- 7) Place 10 sack cement plug at top of surface casing.
- 8) Cut off pipe, weld cap and erect marker.

DVR	
FJP	
HHM	✓
JAM	✓
JJD	✓

18. I hereby certify that the foregoing is true and correct

SIGNED Kenneth A. MillerTITLE District Production Engineer DATE July 2, 1974

(This space for Federal or State office use)

APPROVED BY D. V. Rogers

TITLE _____

DATE JUL 9 1974CONDITIONS OF APPROVAL, IF ANY: 277

DIRECTOR
 U. S. DEPT. OF COMMERCE

X