

Cement Verification Report - Cementer's Well Service, Inc.

P.O. BOX 336220 • GREELEY, CO 80633 • (970) 353-7299 • FAX (970) 353-7712



COGCC Operator Guidance **RULE #308.A.B(2)A.ii**

CLIENT: PDC Energy	Cementer's FIELD TICKET #	300470-D
--------------------	------------------------------	----------

Requested Operator Guidance:

Well Name & Number	Lease	Hen	Well No.	18N
--------------------	-------	-----	----------	-----

Well API Number	05-123-51794
-----------------	--------------

Job Date	6/23/23	Time on	6:30	6/23/23	24 hr time
----------	---------	---------	------	---------	------------

Job Type	New Well Surface
----------	------------------

Cementing Company	Cementer's Well Service, Inc	Contact	Nate Kvamme - 303-324-4296
-------------------	------------------------------	---------	----------------------------

Ambient conditions	clear	73	temp deg F
--------------------	-------	----	------------

Slurry Description	
--------------------	--

a) Purpose	Surface - 9 5/8" 36# CSG, 13 1/2" hole
------------	--

b) Cement Class	Type I / II
-----------------	-------------

c) Cement Yield	1.61	cuft / sk
-----------------	------	-----------

d) Cement Density	13.9	PPG
-------------------	------	-----

e) Number of sks	726	sks (94# equiv)
------------------	-----	-----------------

f) Mix Fluid Type	
-------------------	--

Water / Cement	8.5	Gal / sk
----------------	-----	----------

g) Slurry mixed	208.0	BBLs slurry
-----------------	-------	-------------

h) Additives used	1.50% CaCl2	3.00% Bentonite
-------------------	-------------	-----------------

Total Water Used	304.7	BBLs H2O
------------------	-------	----------

i) Displacement Fluid Vol	127.8	BBLs H2O
---------------------------	-------	----------

j) Method of Placement	
------------------------	--

k) Set Depth	1,695	feet (ft)
--------------	-------	-----------

l) Stage tool depth	n/a
---------------------	-----

m) Float Collar Depth	1,653	feet (ft)
-----------------------	-------	-----------

n) Designed Top of Cement	n/a	to surface
---------------------------	-----	------------

o) Centralizer depths	-	feet (ft)
-----------------------	---	-----------

Charts - (pressure, density, pump rate)

Landed Plug @	1,598	psi	Final Lift Pressure @	375	psi
---------------	-------	-----	-----------------------	-----	-----

Cement Density (as weighed during job) @	13.9	PPG
--	------	-----

Job notes

a) Plug down	<input checked="" type="radio"/> Y / <input type="radio"/> N	Time	8:51	24 hr time
--------------	--	------	------	------------

b) Floats held	<input checked="" type="radio"/> Y / <input type="radio"/> N		6/23/23
----------------	--	--	---------

c) Full Returns	<input checked="" type="radio"/> Y / <input type="radio"/> N	Lost Circulation	<input checked="" type="radio"/> Y / <input type="radio"/> N
-----------------	--	------------------	--

d) Cement to surface	<input checked="" type="radio"/> Y / <input type="radio"/> N	40.0	BBLs to surface
----------------------	--	------	-----------------

e) If no returns, top off	n/a	BBLs
---------------------------	-----	------

f) Top off detail	
-------------------	--

g) Additional Detail	0
----------------------	---

	0
--	---

Cementer's Well Service, Inc.

P.O. BOX 336220 • GREELEY, CO 80633 • (970) 353-7299 • FAX (970) 353-7712



PDC Energy

Surface Casing Pressure Test - Cement Job Graph

COMPANY DETAILS


Date	6/23/23	API #	05-123-51794	Well No.	18N
County	Weld	State	CO	Lease	Hen

Client PDC Energy
 Contact / email DJ.Drillrig3@pdce.com

JOB DETAILS

TIME ON	6:30	6/23/23	Depth	1,705	ft.	Pressure Test @	1,598	psi
START TIME	7:22	6/23/23	Bottom of Surface	1,695	ft.	10 min	1,586	psi
END TIME	9:30	6/23/23	Plug Landed @	1,653	ft.	20 min	1,572	psi
			Plug Landed @	8:51	24 hr	30 min	1,561	psi

SUMMARY GRAPH





Centralizer Depths

Well Name: Hen 18N

Surface, Set Depth: 1,710.3ftKB

API 05123517940000		Surface Legal Location SWNE 8 4N 64W		Field Name Wattenberg		State CO		Well Configuration Type Horizontal	
Ground Elevation (ft) 4,779.00	Original KB Elevation (ft) 4,807.50	KB-Ground Distance (ft) 28.50	Spud Date 9/19/2023 20:30	Rig Release Date 9/22/2023 13:00	On Production Date	Abandon Date			

Casing Run Tally												
Run #	Ref #	Item Des	OD (in)	Wt (lb/ft)	Grade	Run?	Len (ft)	Centralized?	Ext Jw/ry	Connections	Top (ftKB)	Cum Len (ft)
2	1	Casing joints	9 5/8	36.00	J-55	Yes	42.18	Yes		LT&C	1,666.7	43.63
4	2	Casing joints	9 5/8	36.00	J-55	Yes	42.20	Yes		LT&C	1,623.2	87.14
5	3	Casing joints	9 5/8	36.00	J-55	Yes	42.19	Yes		LT&C	1,581.0	129.33
9	7	Casing joints	9 5/8	36.00	J-55	Yes	40.38	Yes		LT&C	1,414.0	296.31
13	11	Casing joints	9 5/8	36.00	J-55	Yes	41.17	Yes		LT&C	1,251.8	458.47
17	15	Casing joints	9 5/8	36.00	J-55	Yes	41.05	Yes		LT&C	1,088.1	622.20
21	19	Casing joints	9 5/8	36.00	J-55	Yes	41.02	Yes		LT&C	925.8	784.54
25	23	Casing joints	9 5/8	36.00	J-55	Yes	40.48	Yes		LT&C	763.6	946.75
29	27	Casing joints	9 5/8	36.00	J-55	Yes	40.96	Yes		LT&C	600.0	1,110.34
33	31	Casing joints	9 5/8	36.00	J-55	Yes	35.24	Yes		LT&C	443.3	1,267.05
37	35	Casing joints	9 5/8	36.00	J-55	Yes	40.52	Yes		LT&C	281.1	1,429.25
41	39	Casing joints	9 5/8	36.00	J-55	Yes	41.06	Yes		LT&C	116.9	1,593.43
42	40	Casing joints	9 5/8	36.00	J-55	Yes	40.36	Yes		LT&C	76.5	1,633.79