

FORM  
5A

Rev  
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

403606802

Date Received:

11/30/2023

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96850	4. Contact Name: Jeff Kirtland
2. Name of Operator: TEP ROCKY MOUNTAIN LLC	Phone: (263) 263-2736
3. Address: 1058 COUNTY ROAD 215	Fax:
City: PARACHUTE State: CO Zip: 81635	Email: jkirtland@terraep.com

5. API Number 05-045-24564-00	6. County: GARFIELD
7. Well Name: Leverich	Well Number: SR 323-13
8. Location: QtrQtr: LOT 3 Section: 13 Township: 7S Range: 94W Meridian: 6	
9. Field Name: RULISON	Field Code: 75400

## Completed Interval

FORMATION: WILLIAMS FORK - CAMEO Status: PRODUCING Treatment Type: HYDRAULIC FRACTURING  
Treatment Date: 09/15/2023 End Date: 09/25/2023 Date this Formation was Completed: 11/02/2023  
Perforations Top: 7932 Bottom: 10496 No. Holes: 312 Hole size: 35/100 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

131,448 bbls of Slickwater; 2,563,725 of Proppant; 3252 gals of Biocide

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 131525 Max pressure during treatment (psi): 7658  
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.43  
Type of gas used in treatment: Min frac gradient (psi/ft): 0.65  
Total acid used in treatment (bbl): 0 Number of staged intervals: 13  
Recycled or Reused Fluids used in treatment (bbl): 131448 Flowback volume recovered (bbl): 39594  
Fresh water used in treatment (bbl): 77 Disposition method for flowback: RECYCLE  
Total proppant used (lbs): 2563725

Fracture stimulations must be reported on [FracFocus.org](https://www.fracfocus.org)

### Test Information:

11/02/2023 Hours: 24 Bbl oil: 0 Mcf Gas: 1007 Bbl H2O: 0  
Date Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 1007 Bbl H2O: 0 GOR:   
Test Method: FLOWING Casing PSI: 1747 Tubing PSI: 1183 Choke Size: 24/64  
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1078 API Gravity Oil: 0  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 10240 Tbg setting date: 09/28/2023 Packer Depth:   
Reason for Non-Production:   
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt   
\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Ashley Noonan  
Title: Sr. Regulatory Analyst Date: 11/30/2023 Email: anoonan@terraep.com

## Attachment List

Att Doc Num	Name
403606802	FORM 5A SUBMITTED
403611607	WELLBORE DIAGRAM

Total Attach: 2 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Passed Completion review	12/28/2023

Total: 1 comment(s)