

State of Colorado  
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403634104

Date Received:

12/21/2023

## FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

1 of 1 CAs from the FIR responded to on this Form

1 CA Completed  
0 Factual Review Request

### OPERATOR INFORMATION

OGCC Operator Number: 100322

Name of Operator: NOBLE ENERGY INC

Address: 2001 16TH STREET SUITE 900

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: \_\_\_\_\_

Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_

Email: \_\_\_\_\_

Additional Operator Contact:

Contact Name

Phone

Email

\*

[rbucogccinspectionreports@chevron.onmicrosoft.com](mailto:rbucogccinspectionreports@chevron.onmicrosoft.com)

### COGCC INSPECTION SUMMARY:

FIR Document Number: 707602124

Inspection Date: 11/29/2023

FIR Submit Date: 12/01/2023

FIR Status: \_\_\_\_\_

### Inspected Operator Information:

Company Name: NOBLE ENERGY INC

Company Number: 100322

Address: 2001 16TH STREET SUITE 900

City: DENVER State: CO Zip: 80202

### LOCATION - Location ID: 414330

Location Name: TREBOR B Number: 11-18 County: WELD

Qtrqr: SWNE Sec: 11 Twp: 5N Range: 64W Meridian: 6

Latitude: 40.417270 Longitude: -104.517037

### FACILITY - API Number: 05-123- -00 Facility ID: 414323

Facility Name: TREBOR B Number: 11-18

Qtrqr: SWNE Sec: 11 Twp: 5N Range: 64W Meridian: 6

Latitude: 40.417270 Longitude: -104.517037

### CORRECTIVE ACTIONS:

1 ☒ CA# 188779

Corrective Action: \*Remove, manage, & control overgrown vegetation around wellsite.

Date: 01/02/2024

Comply with Rule 606.c.

Corrective Action date: 01/02/2024. (30-days).

See photo #1.

\*Please attach photo(s) to FIRR to verify Corrective Action(s) have been resolved.

Response: CA COMPLETED

Date of Completion: 12/08/2023

Operator  
Comment:

Complied with Rule 606.c.

COGCC Decision: Approved via an AMI

COGCC Representative: Reference:  
Follow-up Field Inspection Report doc #707602206, dated: 12/29/2023. This AMI inspection confirms that,  
\*\*Overgrown vegetation at wellsite NOW mitigated as of 12/08/2023. See photo(s) #1, 2.  
Operator photo #2 attached to verify compliance.  
Corrective Action(s): Resolved.

OPERATOR COMMENT AND SUBMITTAL

Comment: Complied with Rule 606.c. Please see attached pictures.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Javier Pellacani

Signed: \_\_\_\_\_

Title: HSE

Date: 12/21/2023 2:57:13 PM

**ATTACHMENT LIST**

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403634104	FIR RESOLUTION SUBMITTED
403634111	Location Photo

Total Attach: 2 Files