

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403640240

Date Received:

12/29/2023

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

1 of 1 CAs from the FIR responded to on this Form

1 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 100322

Name of Operator: NOBLE ENERGY INC

Address: 2001 16TH STREET SUITE 900

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Phone

Email

Binschus, Chris

chris.binschus@state.co.us

rbucogccinspectionreports@chevron.onmicrosoft.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 713900116

Inspection Date: 11/17/2023

FIR Submit Date: 12/05/2023

FIR Status: _____

Inspected Operator Information:

Company Name: NOBLE ENERGY INC

Company Number: 100322

Address: 2001 16TH STREET SUITE 900

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 328891

Location Name: TANIA BLUE-63N64W Number: 2SESW County: WELD

Qtrqtr: SESW Sec: 2 Twp: 3N Range: 64W Meridian: 6

Latitude: 40.248620 Longitude: -104.520340

FACILITY - API Number: 05-123-00 Facility ID: 248784

Facility Name: TANIA BLUE Number: D 2-14

Qtrqtr: SESW Sec: 2 Twp: 3N Range: 64W Meridian: 6

Latitude: 40.248620 Longitude: -104.520340

CORRECTIVE ACTIONS:

1 ☒ CA# 188878

Corrective Action: Comply with Rule 1004. Reseed disturbance areas using a seed mixture requested by the surface owner, or a mixture prescribed by the local county NRCS. Establish vegetation with total perennial, non-invasive uniform plant cover of at least eighty (80) percent of reference area levels. Ensure erosion controls are implemented to stabilize the seeded soil. Operator shall continue to monitor and manage this site until the location meets Rule 1004 standards, including stormwater and weed management.

Date: 11/17/2023

Response: CA COMPLETED

Date of Completion: 12/28/2023

complied with rule 1004

Approved pending re-inspection

Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC standards.

OPERATOR COMMENT AND SUBMITTAL

complied with rule 1004 please see attached photo

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Isaiah Flores

HSE

Date: 12/29/2023 12:39:42 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403640240	FIR RESOLUTION SUBMITTED
403640244	pic

Total Attach: 2 Files