

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
403565660

Date Received:
10/19/2023

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

3 of 3 CAs from the FIR responded to on this Form

3 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 10749

Name of Operator: SIMCOE LLC

Address: 1199 MAIN AVE SUITE 101

City: DURANGO State: CO Zip: 81301

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Phone

Email

General

sjninspections@ikavenergy.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 714000033

Inspection Date: 09/28/2023

FIR Submit Date: 10/11/2023

FIR Status: _____

Inspected Operator Information:

Company Name: SIMCOE LLC

Company Number: 10749

Address: 1199 MAIN AVE SUITE 101

City: DURANGO State: CO Zip: 81301

LOCATION - Location ID: 325351

Location Name: CRAIG UT-M34N9W Number: 16SEnw County: _____

Qtrqr: SEnw Sec: 16 Twp: 34N Range: 9W Meridian: M

Latitude: 37.194267 Longitude: -107.834668

FACILITY - API Number: 05-067-00 Facility ID: 325351

Facility Name: CRAIG UT-M34N9W Number: 16SEnw

Qtrqr: SEnw Sec: 16 Twp: 34N Range: 9W Meridian: M

Latitude: 37.194267 Longitude: -107.834668

CORRECTIVE ACTIONS:

1 ☒ CA# 183732

Corrective Action: Remove debris from location.

Date: 09/28/2023

Response: CA COMPLETED

Date of Completion: 10/18/2023

Operator Comment: Weeds mechanically removed from location.

COGCC Decision: Approved pending re-inspection

Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an

COGCC Representative: acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.

2 ☒ CA# 183733

Corrective Action: Comply with rule 1003.f and 606.c

Date: 09/28/2023

Response: CA COMPLETED

Date of Completion: 10/18/2023

Operator Comment: Weeds mechanically removed from location.

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.

3 ☒ CA# 183734

Corrective Action: Comply with Rule 1002.f. Install or repair required BMPs per Rule 1002.f. BMP's shall be maintained until the facility is abandoned and final reclamation is achieved pursuant to rule 1004. Areas will require additional reclamation and stabilization pursuant to 1003 rules.

Date: 09/28/2023

Response: CA COMPLETED

Date of Completion: 10/18/2023

Operator Comment: Stormwater BMPs and erosion channels repaired and stabilized.

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.

OPERATOR COMMENT AND SUBMITTAL

Comment: CA complete. See attached photos.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Grace Bryson

Signed: _____

Title: Permitting Specialist I

Date: 10/19/2023 9:41:08 AM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

Document Number	Description
-----------------	-------------

403565660	FIR RESOLUTION SUBMITTED
403565671	Craig 1 & 3, CA complete photos

Total Attach: 2 Files