

FORM

42

Rev  
01/21State of Colorado  
Energy & Carbon Management Commission1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

OGCC RECEPTION

Receive Date:

01/08/2024

Document Number:

403647761

## FIELD OPERATIONS NOTICE

The Form 42 shall be submitted as required by Rule, Notice to Operators, Policy, or Condition of Approval. A Form 42 Update shall be submitted to revise the scheduled date or time on a previous Form 42 - Advance Notice of Field Operations. A Form 42 Update must be for the same well, location, or facility and for the same Field Operation as a previous Form 42.

NOTE: Operator's Contact for Advance Notices of Field Operations should be available 24 hours a day, 7 days a week and should have the most current scheduling information for the operation. Operator's Contact for other notices should be able to respond to questions regarding the reported information.

Update of a previous Form 42 Notice YESEntity InformationOGCC Operator Number: 10583Contact Person: Alex CoreyCompany Name: PETRO OPERATING COMPANY LLCPhone: (713) 408-7174Address: 9033 E EASTER PLACE SUITE 112Fax: ( )City: CENTENNIAL State: CO Zip: 80112-2105Email: Alex.corey@iptenergyservices.comAPI #: 05 - 123 - 52228 - 00Facility ID: 485245Location ID: 484897Facility Name: LG Everist 05☐ Submit By Other OperatorSec: 30Twp: 2NRange: 66WQtrQtr: NWNWLat: 40.113360Long: -104.825970NOTICE OF HYDRAULIC FRACTURING TREATMENT – 48-hour notice requiredDate of Treatment: 02/02/2024Time: 08:00 (HH:MM)Anticipated Date of Flowback: 12/15/2024Is the estimated duration of the Hydraulic Fracturing Treatment of this Well anticipated to last for longer than one day? Yes

If YES, describe the estimated anticipated duration of these operations:

~4 days

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct and complete.

Print Name: Jessica DonahueEmail: jdonahue@ardorenvironmental.com

Signature: \_\_\_\_\_

Title: Compliance SpecialistDate: 01/08/2024