



# TECHNOLOGY LABORATORY, INC.

## CENTRE PROFESSIONAL PARK

1012 Centre Avenue  
Fort Collins, Colorado 80526  
(970) 490-1414

### CERTIFICATE OF ANALYSIS

Fritzler Resources  
300 E Burlington Ave  
Fort Morgan, CO 80701

Sample ID: Scott Federal

Laboratory ID: C6076-01

Sampled: 11/16/23

Received: 11/17/23


Project No.: Scott Federal

Matrix: Water

<u>CAS Number</u>	<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>MDL</u>	<u>Method</u>	<u>Date Analyzed</u>
N/A	Nitrate+Nitrite as N (Calc)	0.421	mg/L	0.05	Calculation	11/20/23
84145-82-4	Nitrate-N	0.421	mg/L	0.1	EPA-300.0	11/17/23
14797-65-0	Nitrite-N	< 0.05	mg/L	0.05	EPA-300.0	11/17/23
98059-61-1	Phosphate Ortho	< 0.3	mg/L	0.3	EPA-365.1	11/17/23

Katrina L. Alsum  
Laboratory Director  
Technology Laboratory, Inc.

The results contained in this report  
relate only to those items tested.



W.O. NUMBER C6076

# CHAIN-OF-CUSTODY REPORT

COMPANY NAME		Fritzler Resources Inc.	
PROJECT MANAGER		Gene Fritzler	
PROJECT NUMBER			
PROJECT LOCATION OR NAME		Scott Federal	
SAMPLER'S SIGNATURE		<i>[Signature]</i>	
DATE/TIME SAMPLED		11/16 2:47	
SAMPLE ID		01 Scott Federal	
SAMPLE MATRIX: SOIL (S) AIR (A)		✓	
AQUEOUS (W) OTHER (O)			
NUMBER OF CONTAINERS			
BTEX / MTBE / TPH			
TEPH (DRO)			
OIL & GREASE			
8260 (TOTAL / TCLP)			
8270 / PAH (TOTAL / TCLP)			
pH / TSS / TDS			
RCRA 8 METALS (TOTAL / TCLP / DISSOLVED)			
React. / Ignite. / Corr. / Paint Filt.			
BTEX/TVPH Emissions Vapor			
BTEX Soil Vapor			
TO-14 / TO-15 / TVPH Vapor			
BOD / COD			
PCBs			
Total B, Ba, Fe, Mn, Se, Sr			
Bromide, Chloride, Fluoride,			
Sulfate, Ortho-phosphate, Nitrate,			
Nitrite, NO <sub>3</sub> +NO <sub>2</sub> (Ce-C)		X	
Total Ca, Mg, K, Na			
226Ra and 228 Ra (sent to external Lab)			
See Table 3-1			
HOLD AFTER ANALYSIS			
HOLD, DON'T ANALYZE			

ANALYSIS REQUESTED

Sample Preservative:

LOGGED IN BY: *IF*

☒ ≤ 6° C    ☐ None    ☐ Other  
☐ Acid    ☐ Filtered

DISCHARGE PERMIT? YES NO

COMMENTS: *[Signature]*

RELINQUISHED BY: *[Signature]*

COMPANY: *FR*

RELINQUISHED BY:

COMPANY:

PAGE \_\_\_\_ OF \_\_\_\_

TURNAROUND TIME

☐ Normal (≤10 Working Days)  
☒ 3 Day (1.5 x Normal Rates)  
☐ Next Day (2 x Normal Rates)  
☐ Same Day (4 x Normal Rates)

RECEIVED BY: *Diane Foster*

COMPANY: *TL*

RECEIVED BY:

COMPANY:

DATE: 11/17

TIME: 1:45

DATE: 11-17-23

TIME: 1:45