



Proposed P&A WBD


Well Name: COCKROFT USX A11-03

Original Hole [Land]

MD (ftKB)

Vertical schematic (proposed)

-575.1
 -574.1
 -545.3
 -541.7
 -540.7
 -539.4
 -537.4
 -301.8
 0.0
 9.8
 852.4
 854.0
 1,054.1
 1,943.9
 2,344.2
 2,346.1
 2,443.9
 2,544.0
 6,383.9
 6,578.4
 6,592.8
 6,890.1
 6,897.0
 6,904.5
 6,919.0
 6,931.1
 7,055.1
 7,069.6
 7,070.5
 7,084.6
 7,086.0



Balanced Plug (Tubing and Annulus), Plug - Balanced, 1/16/2024 00:00 (Surface Plug); 10-1054; 2024-01-16; 245 sks in annulus, 80 sks in csg, 325 sks total.

1,054.0-1,054.0ftKB on 1/16/2024 00:00 (Perforated); 1054-1054; 2024-01-16

Balanced Plug (Tubing and Annulus), Plug - Balanced, 1/16/2024 00:00 (Courtesy Plug); 1944-2444; 2024-01-16; 155 sks through CICR, 35 sks on top, 190 sks total.

1,944.0-1,944.0ftKB on 1/16/2024 00:00 (Perforated); 1944-1944; 2024-01-16

4 in, Cement Retainer, 1/16/2024 00:15; 2344-2346; 4; 2024-01-16 00:15

2,444.0-2,444.0ftKB on 1/16/2024 00:00 (Perforated); 2444-2444; 2024-01-16