

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403653685

Date Received:

01/12/2024

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 10456

Name of Operator: CAERUS PICEANCE LLC

Address: 1001 17TH STREET #1600

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Romana Cowden

Phone

720-951-5895

Email

COGCC.inspections@caerusoilandgas.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 696205432

Inspection Date: 12/05/2023

FIR Submit Date: 12/06/2023

FIR Status: _____

Inspected Operator Information:

Company Name: CAERUS PICEANCE LLC

Company Number: 10456

Address: 1001 17TH STREET #1600

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 445862

Location Name: Mesa Number: P24-697 County: _____

Qtrqr: SESE Sec: 24 Twp: 6S Range: 97W Meridian: 6

Latitude: 39.502986 Longitude: -108.161794

FACILITY - API Number: 05-045- -00 Facility ID: 445862

Facility Name: Mesa Number: P24-697

Qtrqr: SESE Sec: 24 Twp: 6S Range: 97W Meridian: 6

Latitude: 39.502986 Longitude: -108.161794

CORRECTIVE ACTIONS:

1 ☒ CA# 188921

Corrective Action: Install caps/plugs. Clean/remove impacts due to improper hose storage to Table 915-1 cleanup concentrations.

Date: 12/05/2023

Response: CA COMPLETED

Date of Completion: 12/29/2023

Operator
Comment: Complete.

COGCC Decision: Approved pending re-inspection

COGCC Representative:	Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.		
2	<input checked="" type="checkbox"/> CA# 188922		
Corrective Action:	Comply with Rule 605.e	Date: <u>12/05/2023</u>	
Response:	CA COMPLETED	Date of Completion: <u>12/29/2023</u>	
Operator Comment:	Sign was installed.		
COGCC Decision:	Approved pending re-inspection		
COGCC Representative:	Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.		

<u>OPERATOR COMMENT AND SUBMITTAL</u>	
Comment:	
I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.	
Print Name: <u>Romana Cowden</u>	Signed: _____
Title: <u>EHS</u>	Date: <u>1/12/2024 2:27:36 PM</u>

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403653685	FIR RESOLUTION SUBMITTED

Total Attach: 1 Files