

Location

Overall Good:

Emergency Contact Number:

Comment:

Corrective Action:

Date: _____

Overall Good:

Spills:

Type	Area	Volume			

In Containment: No

Comment:

Multiple Spills and Releases?

Fencing/:

Type WELLHEAD

Comment: metal shed

Corrective Action:

Date:

Equipment:

corrective date

Type: Bradenhead

1

Comment: Plumbed to surface

Corrective Action:

Date:

Venting:

Yes/No NO

Comment:

Corrective Action:

Date:

Flaring:

Type

Comment:

Corrective Action:

Date:

Inspected Facilities

Facility ID: 460663 Type: WELL API Number: 123-49501 Status: SI Insp. Status: SI

Underground Injection Control

UIC Violation: _____ Maximum Injection Pressure: _____

UIC Routine

Inj./Tube: Pressure or inches of Hg _____ Previous Test Pressure _____ MPP _____
 (e.g. 30 psig or -30" Hg) Inj Zone: DJINJ
 TC: Pressure or inches of Hg _____ Previous Test Pressure _____ Last MIT: 08/09/2019
 Brhd: Pressure or inches of Hg _____ Previous Test Pressure _____ AnnMTReq: _____

Comment: This well will be due for MIT on 8/9/2024. This well is not associated with a injection facility.

Corrective Action: _____ Date: _____

Method of Injection: _____

Test Type: _____ Tbg psi: _____ Csg psi: _____ BH psi: _____

Insp. Status: _____

Comment: _____

Corrective Action: _____ Date: _____

Idle Well

Purpose: Shut In Temporarily Abandoned Reminder: _____

Comment: SI

Corrective Action: _____ Date: _____

BradenHead

Date of Last Brhd Test: 06/08/2023 Annual Brhd Completed? Yes

Last Brhd Test Results Initial Surf Csg Pressure: 0 Fluid Type: _____

End Surf Csg Pressure: 0

Comment: _____

Corrective Action: _____ Date: _____

COGCC Comments

Comment	User	Date
At time of inspection location appears to be in compliance with ECMC rules. At time of inspection weather conditions were cold, clear, calm.	medinaj	01/24/2024

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
699505306	Inspection pictures	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6409221