

**FORM  
INSP**

Rev  
X/20

**State of Colorado  
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:

02/07/2024

Submitted Date:

02/16/2024

Document Number:

709100213

**FIELD INSPECTION FORM**

Loc ID: 431817 Inspector Name: Heibel, Krystal On-Site Inspection:  2A Doc Num: \_\_\_\_\_

**Status Summary:**

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED

**Operator Information:**

OGCC Operator Number: 100322  
Name of Operator: NOBLE ENERGY INC  
Address: 2001 16TH STREET SUITE 900  
City: DENVER State: CO Zip: 80202

**Findings:**

- 9 Number of Comments
- 4 Number of Corrective Actions
- Corrective Action Response Requested

**ANY CORRECTIVE ACTION(S) FROM PREVIOUS INSPECTIONS THAT HAVE NOT BEEN ADDRESSED ARE STILL APPLICABLE**

**Contact Information:**

| Contact Name     | Phone          | Email   | Comment               |
|------------------|----------------|---|-----------------------|
| Kyle Waggoner    |                | kyle.waggoner@state.co.us                         |                       |
| Krystal Heibel   |                | krystal.heibel@state.co.us                        |                       |
| Bonkiewicz, Mike | (970) 625-1494 | mbonkiewicz@nobleenergyinc.com                    | District Manager      |
| ,                |                | NBL_DJBU_Inspections@NB LENERGY.COM               | ALL INSPECTIONS       |
| Dougherty, Tesla |                | tesla.dougherty@chevron.com                       | Regulatory Specialist |
| ,                |                | rbucogccinspectionreports@chevron.onmicrosoft.com | All Inspections       |

**Inspected Facilities:**

| Facility ID | Type     | Status | Status Date | Well Class | API Num | Facility Name             | Insp Status |
|-------------|----------|--------|-------------|------------|---------|---------------------------|-------------|
| 431817      | LOCATION | AC     |             |            | -       | SHABLE FEDERAL LB 29-62HN | EI          |

**General Comment:**

On Feb 7, 2024, ECMC Environmental Unit Staff Krystal Heibel inspected the Shable Federal LB location (Location ID:431817).  
Two active remediation projects:  
Remediation Project #27521 and 25719 are associated with wellhead decommissioning  
Remediation Project #27735 is associated with decommissioning the Shable Federal location (ID: 431817)  
This is an environmental inspection. Photo documentation enclosed. Any corrective actions from previous inspections that have not been addressed are still applicable.

**Location**

Overall Good:

**Signs/Marker:**

|                    |   |       |            |
|--------------------|---|-------|------------|
| Type               | TANK LABELS/PLACARDS  |       |            |
| Comment:           | Two underground storage tanks located within tank battery do not appear to contain tank and container labels. |       |            |
| Corrective Action: | Comply with Rule 605.h.   | Date: | 05/16/2024 |

Emergency Contact Number:

|                    |                      |  |                            |
|--------------------|----------------------|--|----------------------------|
| Comment:           | <input type="text"/> |  |                            |
| Corrective Action: | <input type="text"/> |  | Date: <input type="text"/> |

**Good Housekeeping:**

|                    |  |       |            |
|--------------------|--|-------|------------|
| Type               | WEEDS  |       |            |
| Comment:           | Weeds located within the tank battery's secondary containment area.                                    |       |            |
| Corrective Action: | Comply with Rule 606   | Date: | 02/23/2024 |
| Type               | UNUSED EQUIPMENT   |       |            |
| Comment:           | Unused equipment (pipes, tarps, fittings, chemical drums, secondary containment bins) located on site. |       |            |
| Corrective Action: | Comply with Rule 606.  | Date: | 03/16/2024 |
| Type               | WEEDS  |       |            |
| Comment:           | Staff observed weeds covered the facility entrance signage.  |       |            |
| Corrective Action: | Comply with Rule 606   | Date: | 02/23/2024 |

Overall Good:

**Spills:**

| Type | Area | Volume |  |  |
|------|------|--------|--|--|
|      |      |        |  |  |

In Containment: No

Comment:

Multiple Spills and Releases?

**Venting:**

|                    |  |       |  |
|--------------------|--|-------|--|
| Yes/No             |  |       |  |
| Comment:           |  |       |  |
| Corrective Action: |  | Date: |  |

**Flaring:**

|                    |  |       |  |
|--------------------|--|-------|--|
| Type               |  |       |  |
| Comment:           |  |       |  |
| Corrective Action: |  | Date: |  |

**Inspected Facilities**

Facility ID: 431817 Type: LOCATION API Number: - Status: AC Insp. Status: EI

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

| Document Num | Description | URL   |
|--------------|-------------|---|
| 709100214    | Photos      | <a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6432309">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6432309</a> |