

FORM
5A

Rev
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

403553122

Date Received:

11/30/2023

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 10633	4. Contact Name: Elaine Winick
2. Name of Operator: CRESTONE PEAK RESOURCES OPERATING LLC	Phone: (303) 294-7806
3. Address: 555 17TH STREET SUITE 3700	Fax:
City: DENVER State: CO Zip: 80202	Email: ewinick@civiresources.com
5. API Number 05-123-51945-00	6. County: WELD
7. Well Name: Cosslett East Federal	Well Number: 1A-22H-H168
8. Location: QtrQtr: SENE Section: 22 Township: 1N Range: 68W Meridian: 6	
9. Field Name: WATTENBERG	Field Code: 90750

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: HYDRAULIC FRACTURING
Treatment Date: 07/31/2023 End Date: 08/23/2023 Date this Formation was Completed: 11/10/2023
Perforations Top: 8523 Bottom: 18129 No. Holes: 3523 Hole size: 36/100 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

Frac'd Niobrara with 60 stage plug and perf:
7242623 total lbs proppant pumped: 434247 lbs 40/70 mesh and 6808376 lbs 100 mesh;
321528 total bbls fluid pumped: 297091 bbls gelled fluid, 178 bbls recycled water, 23511 bbls fresh water and 748 bbls 15% HCl Acid.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 321528 Max pressure during treatment (psi): 8974
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.34
Type of gas used in treatment: Min frac gradient (psi/ft): 0.80
Total acid used in treatment (bbl): 748 Number of staged intervals: 60
Recycled or Reused Fluids used in treatment (bbl): 178 Flowback volume recovered (bbl): 0
Fresh water used in treatment (bbl): 23511 Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 7242623

Fracture stimulations must be reported on [FracFocus.org](https://fracfocus.org)

Test Information:

11/21/2023 Hours: 24 Bbl oil: 495 Mcf Gas: 1363 Bbl H2O: 278
Date Calculated 24 hour rate: Bbl oil: 495 Mcf Gas: 1363 Bbl H2O: 278 GOR: 2754
Test Method: FLOWING Casing PSI: 2008 Tubing PSI: 1394 Choke Size: 20/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1300 API Gravity Oil: 38
Tubing Size: 2 + 3/8 Tubing Setting Depth: 8541 Tbg setting date: 10/21/2023 Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

TPZ 470 FNL & 431 FWL

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Elaine Winick
Title: Completions Tech Date: 11/30/2023 Email: ewinick@civiresources.com

Attachment List

Att Doc Num	Name
403553122	FORM 5A SUBMITTED
403611152	WELLBORE DIAGRAM

Total Attach: 2 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)