



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

27 March 2023

Bruce Smith
Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction, CO 81506
RE: Rule 411

Enclosed are the results of analyses for samples received by the laboratory on 02/09/23 12:10. This data replaces the previous report (See case narrative). The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads "Jeremy D. Allen".

Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-17

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-22-15



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Tompkins MW-1	2302099-01	Water	02/08/23 13:20	02/09/23 12:10	
Tompkins Gully	2302099-02	Water	02/08/23 11:05	02/09/23 12:10	
Revell Spr	2302099-03	Water	02/08/23 10:40	02/09/23 12:10	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

The CAB result included in the data section was calculated with the Silicon result included. The CAB result attached to the report was calculated manually excluding the Silicon result.

3/27/23: This work order has been reissued to report BTEX, TPH, and PAH to the MDL. This replaces the previously issued report dated 2302099 GAL FINAL 02 28 23 1417.

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

Tompkins MW-1

2302099-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
General Chemistry									
Alkalinity, Total as CaCO3*	248	10.0	6.06	mg/L	1	02/20/23 16:51	2320 B		JDA
Alkalinity, Hydroxide as CaCO3*	<6.06	10.0	6.06	mg/L	1	02/20/23 16:51	2320 B	U	JDA
Alkalinity, Carbonate as CaCO3*	<6.06	10.0	6.06	mg/L	1	02/20/23 16:51	2320 B	U	JDA
Alkalinity, Bicarbonate as CaCO3*	248	10.0	6.06	mg/L	1	02/20/23 16:51	2320 B		JDA
Bromide	<0.0274	0.100	0.0274	mg/L	1	02/20/23 20:22	EPA300.0	U	AES
Cation/Anion Balance	17.9	-100	-100	%	1	02/28/23 11:22	Calculation		JDA
Chloride*	3.87	1.00	0.0555	mg/L	1	02/20/23 20:22	EPA300.0		AES
Conductivity*	523	1.00		umho/cm@25 C	1	02/10/23 09:36	2510 B		AES
Fluoride*	0.223	0.100	0.00971	mg/L	1	02/20/23 20:22	EPA300.0		AES
Chromium VI, Dissolved	<0.00512	0.0100	0.00512	mg/L	1	02/10/23 15:00	3500-Cr B	HI, U	AES
Nitrate as N*	1.37	0.020	0.008	mg/L	1	02/10/23 10:22	EPA300.0		AES
Nitrate+Nitrite as N by IC	1.37	0.0400	0.0119	mg/L	1	02/10/23 10:22	EPA300.0		AES
Nitrite as N*	<0.004	0.020	0.004	mg/L	1	02/10/23 10:22	EPA300.0	U	AES
pH*	7.80			pH Units	1	02/10/23 09:33	EPA150.1		AES
pH Temperature, degrees C	17.5			pH Units	1	02/10/23 09:33	EPA150.1		AES
Phosphorus, Total	<0.0245	0.0500	0.0245	mg P/L	1	02/17/23 13:07	EPA365.1	U	AES
Sulfate*	24.9	1.00	0.124	mg/L	1	02/20/23 20:22	EPA300.0		AES
Total Dissolved Solids*	290	10.0		mg/L	1	02/13/23 11:00	EPA160.1		AES
Dissolved Metals by ICP									
Boron	<0.122	0.300	0.122	mg/L	1	02/14/23 21:16	EPA200.7	U	AES
Calcium*	31.5	0.100	0.024	mg/L	1	02/14/23 21:16	EPA200.7		AES
Iron*	<0.036	0.050	0.036	mg/L	1	02/14/23 21:16	EPA200.7	U	AES
Magnesium*	29.6	0.100	0.031	mg/L	1	02/14/23 21:16	EPA200.7		AES
Potassium*	2.35	1.00	0.065	mg/L	1	02/14/23 21:16	EPA200.7		AES
Silicon	15.2	0.500	0.032	mg/L	1	02/14/23 21:16	EPA200.7		AES
Sodium*	40.8	1.00	0.106	mg/L	1	02/14/23 21:16	EPA200.7		AES
Strontium*	0.654	0.100	0.004	mg/L	1	02/14/23 21:16	EPA200.7		AES
Dissolved Metals by ICPMS									
Arsenic*	0.0060	0.0005	0.0002	mg/L	1	02/13/23 13:27	EPA200.8		AES
Barium*	0.178	0.0005	0.0003	mg/L	1	02/13/23 13:27	EPA200.8		AES
Cadmium*	<0.00003	0.0005	0.00003	mg/L	1	02/13/23 13:27	EPA200.8	U	AES
Chromium*	0.0047	0.0010	0.0004	mg/L	1	02/13/23 13:27	EPA200.8		AES
Chromium III, Dissolved	<10.0	10.0	5.12	ug/L	1	02/13/23 13:27	Calculation		AES
Copper*	0.0015	0.0005	0.00008	mg/L	1	02/13/23 13:27	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

Tompkins MW-1

2302099-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Lead*	<0.00009	0.0005	0.00009	mg/L	1	02/13/23 13:27	EPA200.8	U	AES
Manganese*	0.0001	0.0005	0.00009	mg/L	1	02/13/23 13:27	EPA200.8	J	AES
Nickel*	0.0012	0.0005	0.0002	mg/L	1	02/13/23 13:27	EPA200.8		AES
Selenium*	0.0037	0.0010	0.0006	mg/L	1	02/13/23 13:27	EPA200.8		AES
Silver*	<0.00009	0.0002	0.00009	mg/L	1	02/13/23 13:27	EPA200.8	U	AES
Zinc*	0.0101	0.0020	0.0003	mg/L	1	02/13/23 13:27	EPA200.8		AES

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	768	1000	295	ug/L	0.1	02/17/23 14:36	8015B	J	MS
DRO >C10-C28*	1050	1000	670	ug/L	0.1	02/17/23 14:36	8015B		MS
EXT DRO >C28-C36	<670	1000	670	ug/L	0.1	02/17/23 14:36	8015B	U	MS

Surrogate: 1-Chlorooctane			79.9 %	48.8-131		02/17/23 14:36	8015B		MS
Surrogate: 1-Chlorooctadecane			87.8 %	60.1-141		02/17/23 14:36	8015B		MS

VOLATILES BY GC/MS

Benzene*	<0.09	0.5	0.09	ug/L	1	02/20/23 14:55	8260B	U	MS
Toluene*	<0.07	0.5	0.07	ug/L	1	02/20/23 14:55	8260B	U	MS
Ethylbenzene*	<0.09	0.5	0.09	ug/L	1	02/20/23 14:55	8260B	U	MS
m+p - Xylene*	<0.5	1	0.5	ug/L	1	02/20/23 14:55	8260B	U	MS
o-Xylene*	<0.07	0.5	0.07	ug/L	1	02/20/23 14:55	8260B	U	MS
Total Xylenes*	<0.5	2	0.5	ug/L	1	02/20/23 14:55	8260B	U	MS
1,3,5-Trimethylbenzene	<0.03	0.5	0.03	ug/L	1	02/20/23 14:55	8260B	U	MS
1,2,4-Trimethylbenzene	<0.03	0.5	0.03	ug/L	1	02/20/23 14:55	8260B	U	MS
Naphthalene*	<0.04	0.5	0.04	ug/L	1	02/20/23 14:55	8260B	U	MS

Surrogate: Dibromofluoromethane			102 %	82.4-141		02/20/23 14:55	8260B		MS
Surrogate: Toluene-d8			100 %	87.1-110		02/20/23 14:55	8260B		MS
Surrogate: 4-Bromofluorobenzene			96.2 %	76.4-114		02/20/23 14:55	8260B		MS

Polynuclear Aromatic Compounds by GC/MS

Naphthalene*	<0.1	1	0.1	ug/L	0.98	02/21/23 20:13	8270C	U	MS
2-Methylnaphthalene*	<0.07	1	0.07	ug/L	0.98	02/21/23 20:13	8270C	U	MS
1-Methylnaphthalene	<0.07	0.5	0.07	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Acenaphthylene*	<0.07	1	0.07	ug/L	0.98	02/21/23 20:13	8270C	U	MS

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

Tompkins MW-1

2302099-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

Polynuclear Aromatic Compounds by GC/MS

Acenaphthene*	<0.08	1	0.08	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Fluorene*	<0.03	1	0.03	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Phenanthrene*	<0.08	1	0.08	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Anthracene*	<0.08	1	0.08	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Carbazole*	<0.1	1	0.1	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Fluoranthene*	<0.06	1	0.06	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Pyrene*	<0.08	1	0.08	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Benzo[a]anthracene*	<0.06	1	0.06	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Chrysene*	<0.06	1	0.06	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Benzo[b]fluoranthene*	<0.1	1	0.1	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Benzo[k]fluoranthene*	<0.07	1	0.07	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Benzo[a]pyrene*	<0.04	0.2	0.04	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Indeno[1,2,3-cd]pyrene*	<0.04	1	0.04	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Dibenz[a,h]anthracene*	<0.4	1	0.4	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Benzo[g,h,i]perylene*	<0.3	1	0.3	ug/L	0.98	02/21/23 20:13	8270C	U	MS
Surrogate: Nitrobenzene-d5			77.6 %	20.3-96.6		02/21/23 20:13	8270C		MS
Surrogate: 2-Fluorobiphenyl			66.2 %	18.9-97.9		02/21/23 20:13	8270C		MS
Surrogate: Terphenyl-d14			62.7 %	14.7-112		02/21/23 20:13	8270C		MS

Cation/Anion Balance 17.88

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

Tompkins Gully

2302099-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO3*	310	10.0	6.06	mg/L	1	02/20/23 16:51	2320 B		JDA
Alkalinity, Hydroxide as CaCO3*	<6.06	10.0	6.06	mg/L	1	02/20/23 16:51	2320 B	U	JDA
Alkalinity, Carbonate as CaCO3*	28.0	10.0	6.06	mg/L	1	02/20/23 16:51	2320 B		JDA
Alkalinity, Bicarbonate as CaCO3*	282	10.0	6.06	mg/L	1	02/20/23 16:51	2320 B		JDA
Bromide	0.121	0.100	0.0274	mg/L	1	02/20/23 21:25	EPA300.0		AES
Cation/Anion Balance	14.7	-100	-100	%	1	02/28/23 11:22	Calculation		JDA
Chloride*	5.67	1.00	0.0555	mg/L	1	02/20/23 21:25	EPA300.0		AES
Conductivity*	602	1.00		umho/cm@25 C	1	02/10/23 09:36	2510 B		AES
Fluoride*	0.278	0.100	0.00971	mg/L	1	02/20/23 21:25	EPA300.0		AES
Chromium VI, Dissolved	<0.00512	0.0100	0.00512	mg/L	1	02/10/23 15:00	3500-Cr B	HI, U	AES
Nitrate as N*	0.317	0.020	0.008	mg/L	1	02/10/23 10:03	EPA300.0		AES
Nitrate+Nitrite as N by IC	0.317	0.0400	0.0119	mg/L	1	02/10/23 10:03	EPA300.0		AES
Nitrite as N*	<0.004	0.020	0.004	mg/L	1	02/10/23 10:03	EPA300.0	U	AES
pH*	8.22			pH Units	1	02/10/23 09:33	EPA150.1		AES
pH Temperature, degrees C	18.9			pH Units	1	02/10/23 09:33	EPA150.1		AES
Phosphorus, Total	0.0278	0.0500	0.0245	mg P/L	1	02/17/23 13:08	EPA365.1	J	AES
Sulfate*	27.5	1.00	0.124	mg/L	1	02/20/23 21:25	EPA300.0		AES
Total Dissolved Solids*	365	10.0		mg/L	1	02/13/23 11:00	EPA160.1		AES

Dissolved Metals by ICP

Boron	<0.122	0.300	0.122	mg/L	1	02/14/23 21:19	EPA200.7	U	AES
Calcium*	41.5	0.100	0.024	mg/L	1	02/14/23 21:19	EPA200.7		AES
Iron*	<0.036	0.050	0.036	mg/L	1	02/14/23 21:19	EPA200.7	U	AES
Magnesium*	32.7	0.100	0.031	mg/L	1	02/14/23 21:19	EPA200.7		AES
Potassium*	2.59	1.00	0.065	mg/L	1	02/14/23 21:19	EPA200.7		AES
Silicon	15.8	0.500	0.032	mg/L	1	02/14/23 21:19	EPA200.7		AES
Sodium*	51.1	1.00	0.106	mg/L	1	02/14/23 21:19	EPA200.7		AES
Strontium*	0.727	0.100	0.004	mg/L	1	02/14/23 21:19	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0071	0.0005	0.0002	mg/L	1	02/13/23 13:28	EPA200.8		AES
Barium*	0.104	0.0005	0.0003	mg/L	1	02/13/23 13:28	EPA200.8		AES
Cadmium*	<0.00003	0.0005	0.00003	mg/L	1	02/13/23 13:28	EPA200.8	U	AES
Chromium*	0.0051	0.0010	0.0004	mg/L	1	02/13/23 13:28	EPA200.8		AES
Chromium III, Dissolved	<10.0	10.0	5.12	ug/L	1	02/13/23 13:28	Calculation		AES
Copper*	0.0011	0.0005	0.00008	mg/L	1	02/13/23 13:28	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

Tompkins Gully

2302099-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Lead*	<0.00009	0.0005	0.00009	mg/L	1	02/13/23 13:28	EPA200.8	U	AES
Manganese*	0.0018	0.0005	0.00009	mg/L	1	02/13/23 13:28	EPA200.8		AES
Nickel*	0.0017	0.0005	0.0002	mg/L	1	02/13/23 13:28	EPA200.8		AES
Selenium*	0.0020	0.0010	0.0006	mg/L	1	02/13/23 13:28	EPA200.8		AES
Silver*	<0.00009	0.0002	0.00009	mg/L	1	02/13/23 13:28	EPA200.8	U	AES
Zinc*	0.0004	0.0020	0.0003	mg/L	1	02/13/23 13:28	EPA200.8	J	AES

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	704	1000	295	ug/L	0.1	02/17/23 15:01	8015B	J	MS
DRO >C10-C28*	902	1000	670	ug/L	0.1	02/17/23 15:01	8015B	J	MS
EXT DRO >C28-C36	<670	1000	670	ug/L	0.1	02/17/23 15:01	8015B	U	MS

Surrogate: 1-Chlorooctane			80.4 %	48.8-131		02/17/23 15:01	8015B		MS
Surrogate: 1-Chlorooctadecane			89.6 %	60.1-141		02/17/23 15:01	8015B		MS

VOLATILES BY GC/MS

Benzene*	<0.09	0.5	0.09	ug/L	1	02/20/23 15:19	8260B	U	MS
Toluene*	<0.07	0.5	0.07	ug/L	1	02/20/23 15:19	8260B	U	MS
Ethylbenzene*	<0.09	0.5	0.09	ug/L	1	02/20/23 15:19	8260B	U	MS
m+p - Xylene*	<0.5	1	0.5	ug/L	1	02/20/23 15:19	8260B	U	MS
o-Xylene*	<0.07	0.5	0.07	ug/L	1	02/20/23 15:19	8260B	U	MS
Total Xylenes*	<0.5	2	0.5	ug/L	1	02/20/23 15:19	8260B	U	MS
1,3,5-Trimethylbenzene	<0.03	0.5	0.03	ug/L	1	02/20/23 15:19	8260B	U	MS
1,2,4-Trimethylbenzene	<0.03	0.5	0.03	ug/L	1	02/20/23 15:19	8260B	U	MS
Naphthalene*	<0.04	0.5	0.04	ug/L	1	02/20/23 15:19	8260B	U	MS

Surrogate: Dibromofluoromethane			102 %	82.4-141		02/20/23 15:19	8260B		MS
Surrogate: Toluene-d8			100 %	87.1-110		02/20/23 15:19	8260B		MS
Surrogate: 4-Bromofluorobenzene			96.0 %	76.4-114		02/20/23 15:19	8260B		MS

Polynuclear Aromatic Compounds by GC/MS

Naphthalene*	<0.1	1	0.1	ug/L	0.99	02/21/23 20:44	8270C	U	MS
2-Methylnaphthalene*	<0.07	1	0.07	ug/L	0.99	02/21/23 20:44	8270C	U	MS
1-Methylnaphthalene	<0.07	0.5	0.07	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Acenaphthylene*	<0.07	1	0.07	ug/L	0.99	02/21/23 20:44	8270C	U	MS

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

Tompkins Gully

2302099-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

Polynuclear Aromatic Compounds by GC/MS

Acenaphthene*	<0.08	1	0.08	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Fluorene*	<0.03	1	0.03	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Phenanthrene*	<0.08	1	0.08	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Anthracene*	<0.08	1	0.08	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Carbazole*	<0.1	1	0.1	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Fluoranthene*	<0.06	1	0.06	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Pyrene*	<0.08	1	0.08	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Benzo[a]anthracene*	<0.06	1	0.06	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Chrysene*	<0.06	1	0.06	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Benzo[b]fluoranthene*	<0.1	1	0.1	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Benzo[k]fluoranthene*	<0.07	1	0.07	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Benzo[a]pyrene*	<0.04	0.2	0.04	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Indeno[1,2,3-cd]pyrene*	<0.04	1	0.04	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Dibenz[a,h]anthracene*	<0.4	1	0.4	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Benzo[g,h,i]perylene*	<0.3	1	0.3	ug/L	0.99	02/21/23 20:44	8270C	U	MS
Surrogate: Nitrobenzene-d5			78.0 %	20.3-96.6		02/21/23 20:44	8270C		MS
Surrogate: 2-Fluorobiphenyl			69.1 %	18.9-97.9		02/21/23 20:44	8270C		MS
Surrogate: Terphenyl-d14			65.7 %	14.7-112		02/21/23 20:44	8270C		MS

Cation/Anion Balance 14.66

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

Revell Spr

2302099-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO3*	262	10.0	6.06	mg/L	1	02/20/23 16:51	2320 B		JDA
Alkalinity, Hydroxide as CaCO3*	<6.06	10.0	6.06	mg/L	1	02/20/23 16:51	2320 B	U	JDA
Alkalinity, Carbonate as CaCO3*	<6.06	10.0	6.06	mg/L	1	02/20/23 16:51	2320 B	U	JDA
Alkalinity, Bicarbonate as CaCO3*	262	10.0	6.06	mg/L	1	02/20/23 16:51	2320 B		JDA
Bromide	<0.0274	0.100	0.0274	mg/L	1	02/20/23 21:46	EPA300.0	U	AES
Cation/Anion Balance	15.0	-100	-100	%	1	02/28/23 11:22	Calculation		JDA
Chloride*	3.76	1.00	0.0555	mg/L	1	02/20/23 21:46	EPA300.0		AES
Conductivity*	530	1.00		umho/cm@25 C	1	02/10/23 09:36	2510 B		AES
Fluoride*	0.223	0.100	0.00971	mg/L	1	02/20/23 21:46	EPA300.0		AES
Chromium VI, Dissolved	<0.00512	0.0100	0.00512	mg/L	1	02/10/23 15:00	3500-Cr B	H1, U	AES
Nitrate as N*	0.986	0.020	0.008	mg/L	1	02/10/23 09:44	EPA300.0		AES
Nitrate+Nitrite as N by IC	0.986	0.0400	0.0119	mg/L	1	02/10/23 09:44	EPA300.0		AES
Nitrite as N*	<0.004	0.020	0.004	mg/L	1	02/10/23 09:44	EPA300.0	U	AES
pH*	7.65			pH Units	1	02/10/23 09:33	EPA150.1		AES
pH Temperature, degrees C	19.4			pH Units	1	02/10/23 09:33	EPA150.1		AES
Phosphorus, Total	<0.0245	0.0500	0.0245	mg P/L	1	02/17/23 12:56	EPA365.1	U	AES
Sulfate*	23.8	1.00	0.124	mg/L	1	02/20/23 21:46	EPA300.0		AES
Total Dissolved Solids*	305	10.0		mg/L	1	02/13/23 11:00	EPA160.1		AES

Dissolved Metals by ICP

Boron	<0.122	0.300	0.122	mg/L	1	02/14/23 21:22	EPA200.7	U	AES
Calcium*	32.0	0.100	0.024	mg/L	1	02/14/23 21:22	EPA200.7		AES
Iron*	<0.036	0.050	0.036	mg/L	1	02/14/23 21:22	EPA200.7	U	AES
Magnesium*	28.8	0.100	0.031	mg/L	1	02/14/23 21:22	EPA200.7		AES
Potassium*	2.17	1.00	0.065	mg/L	1	02/14/23 21:22	EPA200.7		AES
Silicon	14.5	0.500	0.032	mg/L	1	02/14/23 21:22	EPA200.7		AES
Sodium*	41.5	1.00	0.106	mg/L	1	02/14/23 21:22	EPA200.7		AES
Strontium*	0.667	0.100	0.004	mg/L	1	02/14/23 21:22	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0052	0.0005	0.0002	mg/L	1	02/13/23 13:30	EPA200.8		AES
Barium*	0.151	0.0005	0.0003	mg/L	1	02/13/23 13:30	EPA200.8		AES
Cadmium*	<0.00003	0.0005	0.00003	mg/L	1	02/13/23 13:30	EPA200.8	U	AES
Chromium*	0.0047	0.0010	0.0004	mg/L	1	02/13/23 13:30	EPA200.8		AES
Chromium III, Dissolved	<10.0	10.0	5.12	ug/L	1	02/13/23 13:30	Calculation		AES
Copper*	0.0008	0.0005	0.00008	mg/L	1	02/13/23 13:30	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

Revell Spr

2302099-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Lead*	<0.00009	0.0005	0.00009	mg/L	1	02/13/23 13:30	EPA200.8	U	AES
Manganese*	0.0004	0.0005	0.00009	mg/L	1	02/13/23 13:30	EPA200.8	J	AES
Nickel*	0.0012	0.0005	0.0002	mg/L	1	02/13/23 13:30	EPA200.8		AES
Selenium*	0.0024	0.0010	0.0006	mg/L	1	02/13/23 13:30	EPA200.8		AES
Silver*	<0.00009	0.0002	0.00009	mg/L	1	02/13/23 13:30	EPA200.8	U	AES
Zinc*	0.0008	0.0020	0.0003	mg/L	1	02/13/23 13:30	EPA200.8	J	AES

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	827	1000	295	ug/L	0.1	02/17/23 15:23	8015B	J	MS
DRO >C10-C28*	831	1000	670	ug/L	0.1	02/17/23 15:23	8015B	J	MS
EXT DRO >C28-C36	<670	1000	670	ug/L	0.1	02/17/23 15:23	8015B	U	MS

Surrogate: 1-Chlorooctane			81.0 %	48.8-131		02/17/23 15:23	8015B		MS
Surrogate: 1-Chlorooctadecane			89.6 %	60.1-141		02/17/23 15:23	8015B		MS

VOLATILES BY GC/MS

Benzene*	<0.09	0.5	0.09	ug/L	1	02/20/23 16:06	8260B	U	MS
Toluene*	<0.07	0.5	0.07	ug/L	1	02/20/23 16:06	8260B	U	MS
Ethylbenzene*	<0.09	0.5	0.09	ug/L	1	02/20/23 16:06	8260B	U	MS
m+p - Xylene*	<0.5	1	0.5	ug/L	1	02/20/23 16:06	8260B	U	MS
o-Xylene*	<0.07	0.5	0.07	ug/L	1	02/20/23 16:06	8260B	U	MS
Total Xylenes*	<0.5	2	0.5	ug/L	1	02/20/23 16:06	8260B	U	MS
1,3,5-Trimethylbenzene	<0.03	0.5	0.03	ug/L	1	02/20/23 16:06	8260B	U	MS
1,2,4-Trimethylbenzene	<0.03	0.5	0.03	ug/L	1	02/20/23 16:06	8260B	U	MS
Naphthalene*	<0.04	0.5	0.04	ug/L	1	02/20/23 16:06	8260B	U	MS

Surrogate: Dibromofluoromethane			102 %	82.4-141		02/20/23 16:06	8260B		MS
Surrogate: Toluene-d8			100 %	87.1-110		02/20/23 16:06	8260B		MS
Surrogate: 4-Bromofluorobenzene			96.1 %	76.4-114		02/20/23 16:06	8260B		MS

Polynuclear Aromatic Compounds by GC/MS

Naphthalene*	<0.1	1	0.1	ug/L	0.98	02/21/23 21:15	8270C	U	MS
2-Methylnaphthalene*	<0.07	1	0.07	ug/L	0.98	02/21/23 21:15	8270C	U	MS
1-Methylnaphthalene	<0.07	0.5	0.07	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Acenaphthylene*	<0.07	1	0.07	ug/L	0.98	02/21/23 21:15	8270C	U	MS

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

Revell Spr

2302099-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

Polynuclear Aromatic Compounds by GC/MS

Acenaphthene*	<0.08	1	0.08	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Fluorene*	<0.03	1	0.03	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Phenanthrene*	<0.08	1	0.08	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Anthracene*	<0.08	1	0.08	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Carbazole*	<0.1	1	0.1	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Fluoranthene*	<0.06	1	0.06	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Pyrene*	<0.08	1	0.08	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Benzo[a]anthracene*	<0.06	1	0.06	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Chrysene*	<0.06	1	0.06	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Benzo[b]fluoranthene*	<0.1	1	0.1	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Benzo[k]fluoranthene*	<0.07	1	0.07	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Benzo[a]pyrene*	<0.04	0.2	0.04	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Indeno[1,2,3-cd]pyrene*	<0.04	1	0.04	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Dibenz[a,h]anthracene*	<0.4	1	0.4	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Benzo[g,h,i]perylene*	<0.3	1	0.3	ug/L	0.98	02/21/23 21:15	8270C	U	MS
Surrogate: Nitrobenzene-d5			78.3 %	20.3-96.6		02/21/23 21:15	8270C		MS
Surrogate: 2-Fluorobiphenyl			69.1 %	18.9-97.9		02/21/23 21:15	8270C		MS
Surrogate: Terphenyl-d14			69.9 %	14.7-112		02/21/23 21:15	8270C		MS

Cation/Anion Balance 15.03

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc. 743 Horizon Ct, Suite 330 Grand Junction CO, 81506	Project: Rule 411 Project Name / Number: Nov/Dec 2022 411 Tompkins Pad Project Manager: Bruce Smith	Reported: 03/27/23 14:45
---	---	-----------------------------

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B230297 - IC- Ion Chromatograph										
Blank (B230297-BLK1) Prepared & Analyzed: 02/10/23										
Nitrate as N	ND	0.020	mg/L							U
Nitrite as N	ND	0.020	mg/L							U
LCS (B230297-BS1) Prepared & Analyzed: 02/10/23										
Nitrate as N	1.01	0.020	mg/L	1.00		101	90-110			
Nitrite as N	1.04	0.020	mg/L	1.00		104	90-110			
LCS Dup (B230297-BSD1) Prepared & Analyzed: 02/10/23										
Nitrate as N	1.00	0.020	mg/L	1.00		100	90-110	0.239	20	
Nitrite as N	1.05	0.020	mg/L	1.00		105	90-110	0.766	20	
Matrix Spike (B230297-MS1) Source: 2302100-01 Prepared & Analyzed: 02/10/23										
Nitrate as N	1.04	0.020	mg/L	1.00	0.043	100	85-115			
Nitrite as N	0.352	0.020	mg/L	1.00	ND	35.2	85-115			M2
Matrix Spike Dup (B230297-MSD1) Source: 2302100-01 Prepared & Analyzed: 02/10/23										
Nitrate as N	1.08	0.020	mg/L	1.00	0.043	104	85-115	3.93	20	
Nitrite as N	0.370	0.020	mg/L	1.00	ND	37.0	85-115	4.76	20	M2
Batch B230302 - General Prep - Wet Chem										
Blank (B230302-BLK1) Prepared & Analyzed: 02/10/23										
Chromium VI, Dissolved	ND	0.0100	mg/L							U
LCS (B230302-BS1) Prepared & Analyzed: 02/10/23										
Chromium VI, Dissolved	0.105	0.0100	mg/L	0.100		105	85-115			
LCS Dup (B230302-BSD1) Prepared & Analyzed: 02/10/23										
Chromium VI, Dissolved	0.102	0.0100	mg/L	0.100		102	85-115	3.60	20	
Matrix Spike (B230302-MS1) Source: 2302081-01 Prepared & Analyzed: 02/10/23										
Chromium VI, Dissolved	0.0953	0.0100	mg/L	0.100	0.00979	85.6	80-120			
Matrix Spike Dup (B230302-MSD1) Source: 2302081-01 Prepared & Analyzed: 02/10/23										
Chromium VI, Dissolved	0.100	0.0100	mg/L	0.100	0.00979	90.5	80-120	5.63	20	
Batch B230303 - General Prep - Wet Chem										
Blank (B230303-BLK1) Prepared & Analyzed: 02/13/23										
Total Dissolved Solids	ND	10.0	mg/L							U

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B230303 - General Prep - Wet Chem (Continued)

Duplicate (B230303-DUP1)		Source: 2302065-01		Prepared & Analyzed: 02/13/23						
Total Dissolved Solids	260	10.0	mg/L		285			9.20	20	

Reference (B230303-SRM1)		Prepared & Analyzed: 02/13/23								
Total Dissolved Solids	350	10.0	mg/L	380		92.1	85-115			

Batch B230337 - Lachat

Blank (B230337-BLK1)		Prepared: 02/15/23 Analyzed: 02/17/23								
Phosphorus, Total	ND	0.0500	mg P/L							U

LCS (B230337-BS1)		Prepared: 02/15/23 Analyzed: 02/17/23								
Phosphorus, Total	2.72	0.0500	mg P/L	2.50		109	90-110			

LCS Dup (B230337-BSD1)		Prepared: 02/15/23 Analyzed: 02/17/23								
Phosphorus, Total	2.69	0.0500	mg P/L	2.50		108	90-110	1.02	20	

Matrix Spike (B230337-MS1)		Source: 2302080-02		Prepared: 02/15/23 Analyzed: 02/17/23						
Phosphorus, Total	2.73	0.0500	mg P/L	2.50	0.0866	106	90-110			

Matrix Spike (B230337-MS2)		Source: 2302104-02		Prepared: 02/15/23 Analyzed: 02/17/23						
Phosphorus, Total	3.03	0.0500	mg P/L	2.50	0.357	107	90-110			

Matrix Spike Dup (B230337-MSD1)		Source: 2302080-02		Prepared: 02/15/23 Analyzed: 02/17/23						
Phosphorus, Total	2.72	0.0500	mg P/L	2.50	0.0866	106	90-110	0.315	20	

Matrix Spike Dup (B230337-MSD2)		Source: 2302104-02		Prepared: 02/15/23 Analyzed: 02/17/23						
Phosphorus, Total	3.03	0.0500	mg P/L	2.50	0.357	107	90-110	0.0495	20	

Batch B230339 - Lachat

Blank (B230339-BLK1)		Prepared: 02/15/23 Analyzed: 02/17/23								
Phosphorus, Total	ND	0.0500	mg P/L							U

LCS (B230339-BS1)		Prepared: 02/15/23 Analyzed: 02/17/23								
Phosphorus, Total	2.70	0.0500	mg P/L	2.50		108	90-110			

LCS Dup (B230339-BSD1)		Prepared: 02/15/23 Analyzed: 02/17/23								
Phosphorus, Total	2.69	0.0500	mg P/L	2.50		108	90-110	0.0816	20	

Matrix Spike (B230339-MS1)		Source: 2302098-01		Prepared: 02/15/23 Analyzed: 02/17/23						
Phosphorus, Total	2.74	0.0500	mg P/L	2.50	ND	109	90-110			

Matrix Spike Dup (B230339-MSD1)		Source: 2302098-01		Prepared: 02/15/23 Analyzed: 02/17/23						
Phosphorus, Total	2.72	0.0500	mg P/L	2.50	ND	109	90-110	0.690	20	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B230342 - General Prep - Wet Chem

Duplicate (B230342-DUP1)		Source: 2302098-01		Prepared & Analyzed: 02/10/23						
pH	8.38		pH Units		8.35			0.359	20	
pH Temperature, degrees C	17.4		pH Units		17.5			0.573	200	

Reference (B230342-SRM1)		Prepared & Analyzed: 02/10/23								
pH	6.99		pH Units	7.00		99.9	98.57-101.42			

Batch B230343 - General Prep - Wet Chem

Duplicate (B230343-DUP1)		Source: 2302098-01		Prepared & Analyzed: 02/10/23						
Conductivity	1260	1.00	umho/cm@2 5C		1230			2.97	20	

Reference (B230343-SRM1)		Prepared & Analyzed: 02/10/23								
Conductivity	1010	1.00	umho/cm@2 5C	1000		101	90-110			

Batch B230360 - IC- Ion Chromatograph

Blank (B230360-BLK1)		Prepared: 02/17/23 Analyzed: 02/20/23								
Bromide	ND	0.100	mg/L							U
Chloride	ND	1.00	mg/L							U
Fluoride	ND	0.100	mg/L							U
Sulfate	ND	1.00	mg/L							U

LCS (B230360-BS1)		Prepared: 02/17/23 Analyzed: 02/20/23								
Bromide	2.49	0.100	mg/L	2.50		99.8	90-110			
Chloride	25.3	1.00	mg/L	25.0		101	90-110			
Fluoride	2.54	0.100	mg/L	2.50		102	90-110			
Sulfate	24.9	1.00	mg/L	25.0		99.6	90-110			

LCS Dup (B230360-BSD1)		Prepared: 02/17/23 Analyzed: 02/20/23								
Bromide	2.49	0.100	mg/L	2.50		99.4	90-110	0.321	20	
Chloride	25.2	1.00	mg/L	25.0		101	90-110	0.403	20	
Fluoride	2.53	0.100	mg/L	2.50		101	90-110	0.276	20	
Sulfate	24.8	1.00	mg/L	25.0		99.1	90-110	0.503	20	

Matrix Spike (B230360-MS1)		Source: 2302100-01		Prepared: 02/17/23 Analyzed: 02/20/23						
Bromide	2.67	0.100	mg/L	2.50	0.237	97.2	85-115			
Chloride	83.6	1.00	mg/L	25.0	59.7	95.7	85-115			
Fluoride	6.47	0.500	mg/L	2.50	4.36	84.4	85-115			M2
Sulfate	64.6	1.00	mg/L	25.0	40.5	96.3	85-115			

Matrix Spike (B230360-MS2)		Source: 2302122-01		Prepared: 02/17/23 Analyzed: 02/21/23						
-----------------------------------	--	---------------------------	--	--	--	--	--	--	--	--

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	-------------	-----	-----------	-------

Batch B230360 - IC- Ion Chromatograph (Continued)

Matrix Spike (B230360-MS2) (Continued)

Source: 2302122-01 Prepared: 02/17/23 Analyzed: 02/21/23

Bromide	2.77	0.100	mg/L	2.50	0.417	94.0	85-115			
Chloride	47.8	1.00	mg/L	25.0	24.2	94.4	85-115			
Fluoride	2.67	0.100	mg/L	2.50	0.387	91.3	85-115			
Sulfate	72.6	1.00	mg/L	25.0	49.3	93.4	85-115			

Matrix Spike Dup (B230360-MSD1)

Source: 2302100-01 Prepared: 02/17/23 Analyzed: 02/20/23

Bromide	2.78	0.100	mg/L	2.50	0.237	102	85-115	4.22	20	
Chloride	84.8	1.00	mg/L	25.0	59.7	101	85-115	1.45	20	
Fluoride	6.54	0.500	mg/L	2.50	4.36	87.0	85-115	1.00	20	
Sulfate	65.6	1.00	mg/L	25.0	40.5	100	85-115	1.59	20	

Matrix Spike Dup (B230360-MSD2)

Source: 2302122-01 Prepared: 02/17/23 Analyzed: 02/21/23

Bromide	2.87	0.100	mg/L	2.50	0.417	98.3	85-115	3.79	20	
Chloride	48.8	1.00	mg/L	25.0	24.2	98.3	85-115	2.01	20	
Fluoride	2.76	0.100	mg/L	2.50	0.387	95.0	85-115	3.46	20	
Sulfate	73.6	1.00	mg/L	25.0	49.3	97.3	85-115	1.34	20	

Batch B230382 - General Prep - Wet Chem

Blank (B230382-BLK1)

Prepared & Analyzed: 02/20/23

Alkalinity, Bicarbonate as CaCO3	ND	10.0	mg/L							U
Alkalinity, Carbonate as CaCO3	ND	10.0	mg/L							U
Alkalinity, Hydroxide as CaCO3	ND	10.0	mg/L							U
Alkalinity, Total as CaCO3	ND	10.0	mg/L							U

LCS (B230382-BS1)

Prepared & Analyzed: 02/20/23

Alkalinity, Total as CaCO3	109	10.0	mg/L	100		109	85-115			
----------------------------	-----	------	------	-----	--	-----	--------	--	--	--

LCS Dup (B230382-BSD1)

Prepared & Analyzed: 02/20/23

Alkalinity, Total as CaCO3	101	10.0	mg/L	100		101	85-115	7.62	20	
----------------------------	-----	------	------	-----	--	-----	--------	------	----	--

Matrix Spike (B230382-MS1)

Source: 2302098-01 Prepared & Analyzed: 02/20/23

Alkalinity, Total as CaCO3	235	10.0	mg/L	100	131	104	80-120			
----------------------------	-----	------	------	-----	-----	-----	--------	--	--	--

Matrix Spike (B230382-MS2)

Source: 2302099-01 Prepared & Analyzed: 02/20/23

Alkalinity, Total as CaCO3	340	10.0	mg/L	100	248	92.0	80-120			
----------------------------	-----	------	------	-----	-----	------	--------	--	--	--

Matrix Spike Dup (B230382-MSD1)

Source: 2302098-01 Prepared & Analyzed: 02/20/23

Alkalinity, Total as CaCO3	234	10.0	mg/L	100	131	103	80-120	0.426	20	
----------------------------	-----	------	------	-----	-----	-----	--------	-------	----	--

Matrix Spike Dup (B230382-MSD2)

Source: 2302099-01 Prepared & Analyzed: 02/20/23

Alkalinity, Total as CaCO3	341	10.0	mg/L	100	248	93.0	80-120	0.294	20	
----------------------------	-----	------	------	-----	-----	------	--------	-------	----	--

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B230322 - Dissolved ICP

Blank (B230322-BLK1)

Prepared & Analyzed: 02/14/23

Boron	ND	0.300	mg/L							U
Calcium	ND	0.100	mg/L							U
Iron	ND	0.050	mg/L							U
Magnesium	ND	0.100	mg/L							U
Potassium	ND	1.00	mg/L							U
Silicon	ND	0.500	mg/L							U
Sodium	ND	1.00	mg/L							U
Strontium	ND	0.100	mg/L							U

LCS (B230322-BS1)

Prepared & Analyzed: 02/14/23

Boron	4.13	0.300	mg/L	4.00		103	85-115			
Calcium	4.15	0.100	mg/L	4.00		104	85-115			
Iron	4.10	0.050	mg/L	4.00		103	85-115			
Magnesium	20.7	0.100	mg/L	20.0		104	85-115			
Potassium	8.33	1.00	mg/L	8.00		104	85-115			
Silicon	4.40	0.500	mg/L	4.00		110	85-115			
Sodium	3.22	1.00	mg/L	3.24		99.3	85-115			
Strontium	4.08	0.100	mg/L	4.00		102	85-115			

LCS Dup (B230322-BS1)

Prepared & Analyzed: 02/14/23

Boron	4.16	0.300	mg/L	4.00		104	85-115	0.703	20	
Calcium	4.06	0.100	mg/L	4.00		101	85-115	2.36	20	
Iron	4.07	0.050	mg/L	4.00		102	85-115	0.865	20	
Magnesium	20.5	0.100	mg/L	20.0		103	85-115	0.934	20	
Potassium	8.38	1.00	mg/L	8.00		105	85-115	0.589	20	
Silicon	4.32	0.500	mg/L	4.00		108	85-115	1.74	20	
Sodium	3.22	1.00	mg/L	3.24		99.4	85-115	0.161	20	
Strontium	4.02	0.100	mg/L	4.00		101	85-115	1.44	20	

Matrix Spike (B230322-MS1)

Source: 2302074-01 Prepared & Analyzed: 02/14/23

Boron	4.24	0.300	mg/L	4.00	ND	106	70-130			
Calcium	69.7	0.100	mg/L	4.00	70.2	NR	70-130			M3
Iron	3.99	0.050	mg/L	4.00	ND	99.7	70-130			
Magnesium	31.7	0.100	mg/L	20.0	12.6	95.6	70-130			
Potassium	14.8	1.00	mg/L	8.00	7.19	95.3	70-130			
Silicon	7.87	0.500	mg/L	4.00	3.14	118	70-130			
Sodium	47.8	1.00	mg/L	3.24	47.3	14.6	70-130			M3
Strontium	4.60	0.100	mg/L	4.00	0.674	98.1	70-130			

Matrix Spike (B230322-MS2)

Source: 2302084-01 Prepared & Analyzed: 02/14/23

Boron	4.40	0.300	mg/L	4.00	ND	110	70-130			
-------	------	-------	------	------	----	-----	--------	--	--	--

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

**Dissolved Metals by ICP - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B230322 - Dissolved ICP (Continued)

Matrix Spike (B230322-MS2) (Continued)

Source: 2302084-01 Prepared & Analyzed: 02/14/23

Calcium	12.9	0.100	mg/L	4.00	8.96	98.4	70-130			
Iron	4.34	0.050	mg/L	4.00	0.128	105	70-130			
Magnesium	24.1	0.100	mg/L	20.0	2.80	107	70-130			
Potassium	9.03	1.00	mg/L	8.00	0.438	107	70-130			
Silicon	10.2	0.500	mg/L	4.00	5.41	120	70-130			
Sodium	5.93	1.00	mg/L	3.24	2.54	105	70-130			
Strontium	4.20	0.100	mg/L	4.00	0.031	104	70-130			

Matrix Spike Dup (B230322-MSD1)

Source: 2302074-01 Prepared & Analyzed: 02/14/23

Boron	3.96	1.50	mg/L	4.00	ND	98.9	70-130	6.90	20	
Calcium	68.6	0.500	mg/L	4.00	70.2	NR	70-130	1.57	20	M3
Iron	3.79	0.250	mg/L	4.00	ND	94.8	70-130	5.09	20	
Magnesium	31.1	0.500	mg/L	20.0	12.6	92.6	70-130	1.94	20	
Potassium	14.5	5.00	mg/L	8.00	7.19	90.9	70-130	2.39	20	
Silicon	7.42	2.50	mg/L	4.00	3.14	107	70-130	5.90	20	
Sodium	47.7	5.00	mg/L	3.24	47.3	12.1	70-130	0.172	20	M3
Strontium	4.35	0.500	mg/L	4.00	0.674	91.9	70-130	5.54	20	

Matrix Spike Dup (B230322-MSD2)

Source: 2302084-01 Prepared & Analyzed: 02/14/23

Boron	3.73	1.50	mg/L	4.00	ND	93.2	70-130	16.5	20	
Calcium	11.9	0.500	mg/L	4.00	8.96	74.6	70-130	7.69	20	
Iron	3.55	0.250	mg/L	4.00	ND	88.8	70-130	19.9	20	
Magnesium	20.3	0.500	mg/L	20.0	2.80	87.3	70-130	17.4	20	
Potassium	7.56	5.00	mg/L	8.00	0.438	89.1	70-130	17.7	20	
Silicon	9.03	2.50	mg/L	4.00	5.41	90.6	70-130	12.1	20	
Sodium	4.89	5.00	mg/L	3.24	2.54	72.6	70-130	19.2	20	J
Strontium	3.44	0.500	mg/L	4.00	0.031	85.1	70-130	19.9	20	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B230311 - Dissolved ICPMS

Blank (B230311-BLK1)

Prepared & Analyzed: 02/13/23

Arsenic	ND	0.0005	mg/L							U
Barium	ND	0.0005	mg/L							U
Cadmium	ND	0.0005	mg/L							U
Chromium	ND	0.0010	mg/L							U
Copper	ND	0.0005	mg/L							U
Lead	ND	0.0005	mg/L							U
Manganese	ND	0.0005	mg/L							U
Nickel	ND	0.0005	mg/L							U
Selenium	ND	0.0010	mg/L							U
Silver	ND	0.0002	mg/L							U
Zinc	ND	0.0020	mg/L							U

LCS (B230311-BS1)

Prepared & Analyzed: 02/13/23

Arsenic	0.0505	0.0005	mg/L	0.0500		101	85-115			
Barium	0.0506	0.0005	mg/L	0.0500		101	85-115			
Cadmium	0.0496	0.0005	mg/L	0.0500		99.2	85-115			
Chromium	0.0475	0.0010	mg/L	0.0500		95.0	85-115			
Copper	0.0490	0.0005	mg/L	0.0500		97.9	85-115			
Lead	0.0503	0.0005	mg/L	0.0500		101	85-115			
Manganese	0.0524	0.0005	mg/L	0.0500		105	85-115			
Nickel	0.0500	0.0005	mg/L	0.0500		100	85-115			
Selenium	0.251	0.0010	mg/L	0.250		100	85-115			
Silver	0.0469	0.0002	mg/L	0.0500		93.9	85-115			
Zinc	0.0494	0.0020	mg/L	0.0500		98.9	85-115			

LCS Dup (B230311-BSD1)

Prepared & Analyzed: 02/13/23

Arsenic	0.0505	0.0005	mg/L	0.0500		101	85-115	0.0197	20	
Barium	0.0507	0.0005	mg/L	0.0500		101	85-115	0.108	20	
Cadmium	0.0500	0.0005	mg/L	0.0500		100	85-115	0.782	20	
Chromium	0.0471	0.0010	mg/L	0.0500		94.2	85-115	0.830	20	
Copper	0.0489	0.0005	mg/L	0.0500		97.9	85-115	0.0413	20	
Lead	0.0506	0.0005	mg/L	0.0500		101	85-115	0.597	20	
Manganese	0.0522	0.0005	mg/L	0.0500		104	85-115	0.450	20	
Nickel	0.0496	0.0005	mg/L	0.0500		99.3	85-115	0.773	20	
Selenium	0.253	0.0010	mg/L	0.250		101	85-115	0.645	20	
Silver	0.0470	0.0002	mg/L	0.0500		94.0	85-115	0.154	20	
Zinc	0.0488	0.0020	mg/L	0.0500		97.7	85-115	1.20	20	

Matrix Spike (B230311-MS1)

Source: 2302047-03

Prepared & Analyzed: 02/13/23

Arsenic	0.0530	0.0005	mg/L	0.0500	ND	106	70-130			
---------	--------	--------	------	--------	----	-----	--------	--	--	--

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

**Dissolved Metals by ICPMS - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B230311 - Dissolved ICPMS (Continued)

Matrix Spike (B230311-MS1) (Continued)

Source: 2302047-03 Prepared & Analyzed: 02/13/23

Barium	0.0497	0.0005	mg/L	0.0500	ND	99.3	70-130			
Cadmium	0.0518	0.0005	mg/L	0.0500	ND	104	70-130			
Chromium	0.0478	0.0010	mg/L	0.0500	ND	95.5	70-130			
Copper	0.0488	0.0005	mg/L	0.0500	0.0010	95.7	70-130			
Lead	0.0486	0.0005	mg/L	0.0500	ND	97.2	70-130			
Manganese	0.0509	0.0005	mg/L	0.0500	0.0003	101	70-130			
Nickel	0.0480	0.0005	mg/L	0.0500	ND	95.9	70-130			
Selenium	0.293	0.0010	mg/L	0.250	ND	117	70-130			
Silver	0.0464	0.0002	mg/L	0.0500	ND	92.9	70-130			
Zinc	0.0564	0.0020	mg/L	0.0500	0.0020	109	70-130			

Matrix Spike (B230311-MS2)

Source: 2302060-01 Prepared & Analyzed: 02/13/23

Arsenic	0.0553	0.0005	mg/L	0.0500	ND	111	70-130			
Barium	0.0804	0.0005	mg/L	0.0500	0.0333	94.3	70-130			
Cadmium	0.0486	0.0005	mg/L	0.0500	ND	97.2	70-130			
Chromium	0.0456	0.0010	mg/L	0.0500	0.0020	87.2	70-130			
Copper	0.0502	0.0005	mg/L	0.0500	0.0085	83.5	70-130			
Lead	0.0511	0.0005	mg/L	0.0500	0.0003	102	70-130			
Manganese	0.0993	0.0005	mg/L	0.0500	0.0541	90.4	70-130			
Nickel	0.0466	0.0005	mg/L	0.0500	0.0033	86.7	70-130			
Selenium	0.283	0.0010	mg/L	0.250	0.0008	113	70-130			
Silver	0.0440	0.0002	mg/L	0.0500	ND	88.0	70-130			
Zinc	0.0954	0.0020	mg/L	0.0500	0.0520	86.7	70-130			

Matrix Spike Dup (B230311-MSD1)

Source: 2302047-03 Prepared & Analyzed: 02/13/23

Arsenic	0.0559	0.0005	mg/L	0.0500	ND	112	70-130	5.34	20	
Barium	0.0496	0.0005	mg/L	0.0500	ND	99.3	70-130	0.0238	20	
Cadmium	0.0523	0.0005	mg/L	0.0500	ND	105	70-130	1.08	20	
Chromium	0.0458	0.0010	mg/L	0.0500	ND	91.6	70-130	4.23	20	
Copper	0.0504	0.0005	mg/L	0.0500	0.0010	98.9	70-130	3.17	20	
Lead	0.0491	0.0005	mg/L	0.0500	ND	98.2	70-130	1.01	20	
Manganese	0.0516	0.0005	mg/L	0.0500	0.0003	103	70-130	1.25	20	
Nickel	0.0469	0.0005	mg/L	0.0500	ND	93.7	70-130	2.32	20	
Selenium	0.297	0.0010	mg/L	0.250	ND	119	70-130	1.22	20	
Silver	0.0436	0.0002	mg/L	0.0500	ND	87.2	70-130	6.32	20	
Zinc	0.0576	0.0020	mg/L	0.0500	0.0020	111	70-130	2.04	20	

Matrix Spike Dup (B230311-MSD2)

Source: 2302060-01 Prepared & Analyzed: 02/13/23

Arsenic	0.0559	0.0005	mg/L	0.0500	ND	112	70-130	1.17	20	
Barium	0.0804	0.0005	mg/L	0.0500	0.0333	94.3	70-130	0.0131	20	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

**Dissolved Metals by ICPMS - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B230311 - Dissolved ICPMS (Continued)

Matrix Spike Dup (B230311-MSD2) (Continued)

Source: 2302060-01

Prepared & Analyzed: 02/13/23

Cadmium	0.0492	0.0005	mg/L	0.0500	ND	98.5	70-130	1.28	20	
Chromium	0.0458	0.0010	mg/L	0.0500	0.0020	87.5	70-130	0.329	20	
Copper	0.0504	0.0005	mg/L	0.0500	0.0085	83.9	70-130	0.434	20	
Lead	0.0512	0.0005	mg/L	0.0500	0.0003	102	70-130	0.189	20	
Manganese	0.0988	0.0005	mg/L	0.0500	0.0541	89.4	70-130	0.467	20	
Nickel	0.0469	0.0005	mg/L	0.0500	0.0033	87.2	70-130	0.538	20	
Selenium	0.288	0.0010	mg/L	0.250	0.0008	115	70-130	1.45	20	
Silver	0.0436	0.0002	mg/L	0.0500	ND	87.2	70-130	0.926	20	
Zinc	0.0948	0.0020	mg/L	0.0500	0.0520	85.5	70-130	0.638	20	

Petroleum Hydrocarbons by GC FID - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3021535 - General Prep - Organics

Blank (3021535-BLK1)

Prepared: 02/15/23 Analyzed: 02/20/23

Surrogate: 1-Chlorooctadecane	4820		ug/L	5000		96.4	60.1-141			
Surrogate: 1-Chlorooctane	4160		ug/L	5000		83.3	48.8-131			
DRO >C10-C28	707	1000	ug/L							J
EXT DRO >C28-C36	804	1000	ug/L							J
GRO C6-C10	314	1000	ug/L							J

LCS (3021535-BS1)

Prepared: 02/15/23 Analyzed: 02/17/23

Surrogate: 1-Chlorooctadecane	4730		ug/L	5000		94.6	60.1-141			
Surrogate: 1-Chlorooctane	4910		ug/L	5000		98.2	48.8-131			
DRO >C10-C28	48900	1000	ug/L	50000		97.8	68.8-126			
GRO C6-C10	45800	1000	ug/L	50000		91.6	69.6-126			

LCS Dup (3021535-BSD1)

Prepared: 02/15/23 Analyzed: 02/17/23

Surrogate: 1-Chlorooctadecane	4720		ug/L	5000		94.3	60.1-141			
Surrogate: 1-Chlorooctane	4830		ug/L	5000		96.6	48.8-131			
DRO >C10-C28	48400	1000	ug/L	50000		96.7	68.8-126	1.09	20.4	
GRO C6-C10	45200	1000	ug/L	50000		90.4	69.6-126	1.27	16.8	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

VOLATILES BY GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3021708 - Volatiles

Blank (3021708-BLK1)

Prepared: 02/17/23 Analyzed: 02/20/23

1,2,4-Trimethylbenzene	ND	0.5	ug/L							U
1,3,5-Trimethylbenzene	ND	0.5	ug/L							U
<i>Surrogate: 4-Bromofluorobenzene</i>	23.8		ug/L	25.0		95.2	76.4-114			
Benzene	ND	0.5	ug/L							U
<i>Surrogate: Dibromofluoromethane</i>	25.5		ug/L	25.0		102	82.4-141			
Ethylbenzene	ND	0.5	ug/L							U
m+p - Xylene	ND	1	ug/L							U
Naphthalene	ND	0.5	ug/L							U
o-Xylene	ND	0.5	ug/L							U
Toluene	ND	0.5	ug/L							U
<i>Surrogate: Toluene-d8</i>	25.0		ug/L	25.0		100	87.1-110			
Total Xylenes	ND	2	ug/L							U

LCS (3021708-BS1)

Prepared: 02/17/23 Analyzed: 02/20/23

1,2,4-Trimethylbenzene	21	0.5	ug/L	20.0		107	85.2-120			
1,3,5-Trimethylbenzene	21	0.5	ug/L	20.0		104	84.3-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	24.9		ug/L	25.0		99.7	76.4-114			
Benzene	20	0.5	ug/L	20.0		102	85.9-114			
<i>Surrogate: Dibromofluoromethane</i>	25.0		ug/L	25.0		99.8	82.4-141			
Ethylbenzene	20	0.5	ug/L	20.0		102	81.8-127			
m+p - Xylene	42	1	ug/L	40.0		106	72.4-134			
Naphthalene	20	0.5	ug/L	20.0		101	59.3-140			
o-Xylene	21	0.5	ug/L	20.0		103	76.2-135			
Toluene	19	0.5	ug/L	20.0		96.1	78.8-121			
<i>Surrogate: Toluene-d8</i>	25.0		ug/L	25.0		99.9	87.1-110			
Total Xylenes	63	2	ug/L	60.0		105	74.3-134			

LCS Dup (3021708-BS1)

Prepared: 02/17/23 Analyzed: 02/20/23

1,2,4-Trimethylbenzene	21	0.5	ug/L	20.0		107	85.2-120	0.560	8.94	
1,3,5-Trimethylbenzene	21	0.5	ug/L	20.0		105	84.3-120	0.810	16.5	
<i>Surrogate: 4-Bromofluorobenzene</i>	24.8		ug/L	25.0		99.3	76.4-114			
Benzene	21	0.5	ug/L	20.0		104	85.9-114	1.36	4.16	
<i>Surrogate: Dibromofluoromethane</i>	24.9		ug/L	25.0		99.6	82.4-141			
Ethylbenzene	21	0.5	ug/L	20.0		106	81.8-127	3.12	4.83	
m+p - Xylene	43	1	ug/L	40.0		108	72.4-134	2.17	5.77	
Naphthalene	20	0.5	ug/L	20.0		101	59.3-140	0.397	33.5	
o-Xylene	21	0.5	ug/L	20.0		106	76.2-135	3.06	6.29	
Toluene	20	0.5	ug/L	20.0		98.6	78.8-121	2.52	5.67	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc. 743 Horizon Ct, Suite 330 Grand Junction CO, 81506	Project: Rule 411 Project Name / Number: Nov/Dec 2022 411 Tompkins Pad Project Manager: Bruce Smith	Reported: 03/27/23 14:45
---	---	-----------------------------

**VOLATILES BY GC/MS - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3021708 - Volatiles (Continued)

LCS Dup (3021708-BSD1) (Continued)

Prepared: 02/17/23 Analyzed: 02/20/23

Surrogate: Toluene-d8	24.9		ug/L	25.0		99.5	87.1-110			
Total Xylenes	64	2	ug/L	60.0		107	74.3-134	2.47	5.83	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

Polynuclear Aromatic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3021311 - SW846-3510

Blank (3021311-BLK1)

Prepared: 02/13/23 Analyzed: 02/21/23

1-Methylnaphthalene	ND	0.5	ug/L							U
<i>Surrogate: 2-Fluorobiphenyl</i>	16.9		ug/L	50.0		33.9	18.9-97.9			
2-Methylnaphthalene	ND	1	ug/L							U
Acenaphthene	0.2	1	ug/L							J
Acenaphthylene	ND	1	ug/L							U
Anthracene	ND	1	ug/L							U
Benzo[a]anthracene	ND	1	ug/L							U
Benzo[a]pyrene	ND	0.2	ug/L							U
Benzo[b]flouranthene	ND	1	ug/L							U
Benzo[g,h,i]perylene	ND	1	ug/L							U
Benzo[k]flouranthene	ND	1	ug/L							U
Carbazole	ND	1	ug/L							U
Chrysene	0.1	1	ug/L							J
Dibenz[a,h]anthracene	ND	1	ug/L							U
Fluoranthene	ND	1	ug/L							U
Fluorene	ND	1	ug/L							U
Indeno[1,2,3-cd]pyrene	ND	1	ug/L							U
Naphthalene	ND	1	ug/L							U
<i>Surrogate: Nitrobenzene-d5</i>	13.8		ug/L	50.0		27.6	20.3-96.6			
Phenanthrene	ND	1	ug/L							U
Pyrene	ND	1	ug/L							U
<i>Surrogate: Terphenyl-d14</i>	28.9		ug/L	50.0		57.8	14.7-112			

LCS (3021311-BS1)

Prepared: 02/13/23 Analyzed: 02/21/23

1-Methylnaphthalene	6	0.5	ug/L	10.0		64.1	21.2-116			
<i>Surrogate: 2-Fluorobiphenyl</i>	37.0		ug/L	50.0		74.1	18.9-97.9			
2-Methylnaphthalene	7	1	ug/L	10.0		67.3	21-115			
Acenaphthene	7	1	ug/L	10.0		66.3	21.5-122			
Acenaphthylene	7	1	ug/L	10.0		67.9	24.2-119			
Anthracene	7	1	ug/L	10.0		67.0	27-127			
Benzo[a]anthracene	7	1	ug/L	10.0		66.6	21.9-134			
Benzo[a]pyrene	7	0.2	ug/L	10.0		68.7	23.6-140			
Benzo[b]flouranthene	7	1	ug/L	10.0		67.5	20.4-144			
Benzo[g,h,i]perylene	7	1	ug/L	10.0		68.4	24.8-126			
Benzo[k]flouranthene	7	1	ug/L	10.0		74.2	21.8-139			
Carbazole	7	1	ug/L	10.0		69.3	26.4-128			
Chrysene	7	1	ug/L	10.0		67.4	22.2-133			
Dibenz[a,h]anthracene	7	1	ug/L	10.0		68.6	20.3-133			
Fluoranthene	7	1	ug/L	10.0		69.8	27.2-128			

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

**Polynuclear Aromatic Compounds by GC/MS - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	--------	-----	-----------	-------

Batch 3021311 - SW846-3510 (Continued)

LCS (3021311-BS1) (Continued)

Prepared: 02/13/23 Analyzed: 02/21/23

Fluorene	7	1	ug/L	10.0		69.1	22.9-124			
Indeno[1,2,3-cd]pyrene	7	1	ug/L	10.0		67.2	21.8-132			
Naphthalene	7	1	ug/L	10.0		66.7	18.1-117			
<i>Surrogate: Nitrobenzene-d5</i>	36.7		ug/L	50.0		73.5	20.3-96.6			
Phenanthrene	7	1	ug/L	10.0		70.7	25.6-128			
Pyrene	7	1	ug/L	10.0		67.4	19.1-137			
<i>Surrogate: Terphenyl-d14</i>	33.2		ug/L	50.0		66.4	14.7-112			

LCS Dup (3021311-BS1)

Prepared: 02/13/23 Analyzed: 02/21/23

1-Methylnaphthalene	7	0.5	ug/L	10.0		65.3	21.2-116	1.85	4.3	
<i>Surrogate: 2-Fluorobiphenyl</i>	38.5		ug/L	50.0		76.9	18.9-97.9			
2-Methylnaphthalene	7	1	ug/L	10.0		66.0	21-115	1.95	4.47	
Acenaphthene	7	1	ug/L	10.0		66.4	21.5-122	0.151	3.77	
Acenaphthylene	7	1	ug/L	10.0		67.6	24.2-119	0.443	3.88	
Anthracene	7	1	ug/L	10.0		68.4	27-127	2.07	4.49	
Benzo[a]anthracene	7	1	ug/L	10.0		66.7	21.9-134	0.150	3.03	
Benzo[a]pyrene	7	0.2	ug/L	10.0		68.2	23.6-140	0.730	3.27	
Benzo[b]fluoranthene	7	1	ug/L	10.0		67.0	20.4-144	0.743	6.95	
Benzo[g,h,i]perylene	7	1	ug/L	10.0		69.7	24.8-126	1.88	6.35	
Benzo[k]fluoranthene	8	1	ug/L	10.0		75.9	21.8-139	2.27	8.16	
Carbazole	7	1	ug/L	10.0		66.8	26.4-128	3.67	4.78	
Chrysene	7	1	ug/L	10.0		68.9	22.2-133	2.20	3.42	
Dibenz[a,h]anthracene	7	1	ug/L	10.0		70.2	20.3-133	2.31	4.77	
Fluoranthene	7	1	ug/L	10.0		65.4	27.2-128	6.51	6.19	QR-04
Fluorene	7	1	ug/L	10.0		67.0	22.9-124	3.09	4.31	
Indeno[1,2,3-cd]pyrene	7	1	ug/L	10.0		69.5	21.8-132	3.37	4.11	
Naphthalene	7	1	ug/L	10.0		67.1	18.1-117	0.598	3.46	
<i>Surrogate: Nitrobenzene-d5</i>	37.0		ug/L	50.0		73.9	20.3-96.6			
Phenanthrene	7	1	ug/L	10.0		69.5	25.6-128	1.71	5.04	
Pyrene	7	1	ug/L	10.0		72.0	19.1-137	6.60	7.75	
<i>Surrogate: Terphenyl-d14</i>	34.9		ug/L	50.0		69.8	14.7-112			

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Western Water & Land, Inc.
743 Horizon Ct, Suite 330
Grand Junction CO, 81506

Project: Rule 411
Project Name / Number: Nov/Dec 2022 411 Tompkins Pad
Project Manager: Bruce Smith

Reported:
03/27/23 14:45

Notes and Definitions

- U Analyte included in the analysis, but not detected
- QR-04 The RPD for the BS/BSD was outside of historical limits.
- M3 Matrix spike recovery did not meet acceptance criteria. Accuracy of the spike is reduced since the analyte concentration in the sample is more than four times the spike level.
- M2 Matrix spike recovery was below laboratory acceptance criteria. Recovery possibly affected by a matrix interference in the sample. The method blank spike recovery was acceptable.
- J Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
- H1 Sample was received several days after collected and subsequently analyzed past hold time.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
*Results reported on as received basis unless designated as dry.
- RPD Relative Percent Difference
- LCS Laboratory Control Sample (Blank Spike)
- RL Report Limit
- MDL Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



LABORATORY

(970) 247-4220
 Fax: (970) 247-4227

dzufell@greenanalytical.com
 75 Suttle St Durango, CO 81303

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

FORM-006
 COC - Revision 6.0

ANALYSIS REQUEST

Company or Client: **Western Water and Land, Inc.**
 Address: **743 Horizon Ct. Ste. 330** State: **CO** zip: **81506**
 City: **Grand Junction**
 Phone #: **970-242-0170**
 Contact Person: **Bruce Smith**
 Email Report to: **bsmith@westernwaterandland.com**
 Project Name (optional): **Nov/Dec 2002 Ryle 411**
 Sampler Name (Print): **ADK**

P.O. #: _____
 Bill to (if different): _____
 Company: **TEP Rocky Mountain**
 Attn: **Tammy Gose**
 Address: **1058 CR 215**
 City: **Parachute**
 State: **CO** zip: **81635**
 Phone #: **970-712-6049**
 Email: **tammy.gose@terracep.com**

Matrix (check one):
 GROUNDWATER
 SURFACEWATER
 WASTEWATER
 PRODUCEDWATER
 SOIL
 DRINKING WATER
 OTHER : _____

No preservation (general)
 HNO₃
 HCl
 H₂SO₄
 Other: _____
 Other: _____

of containers: _____

For Lab Use	Sample Name or Location	Collected		Matrix (check one)							ANALYSIS REQUEST	
		Date	Time	No preservation (general)	HNO ₃	HCl	H ₂ SO ₄	Other:	Other:			
2302-099												
01	Tompkins NW-1	2/8/23	1330	<input checked="" type="checkbox"/>								
02	Tompkins Gully	2/8/23	1105	<input checked="" type="checkbox"/>								
03	Revell spr	2/8/23	1040	<input checked="" type="checkbox"/>								

PLEASE NOTE: GAL's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by GAL within 30 days after completion. In no event shall GAL be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by GAL, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished by: **[Signature]** Date: **2/8/23** Time: **6:00pm** Received by: **Fed-Ex**

Relinquished by: **[Signature]** Date: **2-9-23** Time: **12:10** Received by: **[Signature]**

Relinquished by: _____ Date: _____ Time: _____ Received by: _____

Relinquished by: _____ Date: _____ Time: _____ Received by: _____

Temperature at receipt: **4.1°C** CHECKED BY: **[Signature]** On Ice: No Ice:

ADDITIONAL REMARKS: **Losos #2**

Report to State? (Circle) Yes No

* Chain of Custody must be signed in "Relinquished By:" as an acceptance of services and all applicable changes.
 † GAL cannot always accept verbal changes. Please fax or email written change requests.
 Just Click Printing Form #17-0301



SAMPLE CONDITION RECEIPT FORM

Client Name: Western Water & Land

Work Order # 2302-099

Courier: Fed Ex UPS USPS Client

Custody Seals on Box/Cooler Present: Yes No

Seals Intact: Yes No

Thermometer Used: 2 Samples on ice, cooling process has begun: Yes No

Type of Ice: Wet Blue None

Cooler Temp: Observed Temp: 4.1 °C Correction Factor: 0 °C Final Temp: 4.1 °C

*Temp should be above freezing to 6°C

Date/Initials of person examining contents: VJW 2/9/23

Labeled by initials: _____
(If different than above)

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	4.
Samples arrived within hold time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6. <u>NOX, PH</u>
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Dissolved Testing Needed:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11.
Field Filtered: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Sample Labels match COC: -Includes Date/Time/ID	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
Matrix:	<input checked="" type="checkbox"/> WT <input type="checkbox"/> SL <input type="checkbox"/> OT	
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____

