

Document Number:
403714429
Date Received:

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set. A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

ECMC Operator Number: 100322 Contact Name: Kevin Monaghan
 Name of Operator: NOBLE ENERGY INC Phone: (303) 2284000
 Address: 1099 18TH STREET SUITE 1500 Fax: _____
 City: DENVER State: CO Zip: 80202 Email: kevin.monaghan@chevron.com

For "Intent" 24 hour notice required, Name: _____ Tel: _____
 Email: _____
ECMC contact:

Type of Well Abandonment Report: Notice of Intent to Abandon Subsequent Report of Abandonment

API Number 05-123-24496-00
 Well Name: HOWARD USX A Well Number: 9-11
 Location: QtrQtr: NESW Section: 9 Township: 6N Range: 64W Meridian: 6
 County: WELD Federal, Indian or State Lease Number: _____
 Field Name: WATTENBERG Field Number: 90750

Only Complete the Following Background Information for Intent to Abandon

Latitude: 40.499340 Longitude: -104.557100
 GPS Data: GPS Quality Value: 2.1 Type of GPS Quality Value: _____ Date of Measurement: 05/10/2007
 Reason for Abandonment: Dry Production Sub-economic Mechanical Problems
 Other _____
 Casing to be pulled: Yes No Estimated Depth: _____
 Fish in Hole: Yes No If yes, explain details below
 Wellbore has Uncemented Casing leaks: Yes No If yes, explain details below
 Details: _____

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
CODELL	7039	7054	11/22/2023	B PLUG CEMENT TOP	6712
NIOBRARA	6762	6913	11/22/2023	B PLUG CEMENT TOP	6712

Total: 2 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
SURF	12+1/4	8+5/8	J55	24	0	545	390	545	0	VISU
1ST	7+7/8	4+1/2	M80	11.6	0	7183	750	7183	3345	CBL

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 6712 with 2 sacks cmt on top. CIBP #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 35 sks cmt from 2477 ft. to 2015 ft. Plug Type: CASING Plug Tagged:
Set 53 sks cmt from 745 ft. to 43 ft. Plug Type: CASING Plug Tagged:
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:
Perforate and squeeze at 2577 ft. with 155 sacks. Leave at least 100 ft. in casing 2477 CICR Depth
Perforate and squeeze at 745 ft. with 257 sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
(Cast Iron Cement Retainer Depth)
Set _____ sacks half in. half out surface casing from _____ ft. to _____ ft. Plug Tagged:
Set _____ sacks at surface
Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: Yes No
Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. of _____ inch casing Number of Days from Setting Surface Plug to Capping or Sealing the Well: 73
Surface Plug Setting Date: 11/28/2023 Cut and Cap Date: 02/09/2024

*Wireline Contractor: APLUS *Cementing Contractor: APLUS

Type of Cement and Additives Used: Class G Neat

Flowline/Pipeline has been abandoned per Rule 1105 Yes No

Technical Detail/Comments:

Perfs @ 2577' and 2077' for CICR @ 2477'
Cut CSG @ 745'

Form 17 DocNum: 403614945

Form 27 DocNum: 403529770

Form 42 DocNum: 403598352

Form 43 DocNum: Sample was run late and is in process - Form 43 to be submitted on completion of test sample analysis

Form 44 DocNum: Flowline will be abandoned

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Lauren Hoff
Title: HSE Reg Affairs Date: _____ Email: denverregulatory@chevron.onmicrosoft.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

ECMC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY:

COA Type	Description
0 COA	

Attachment List

Att Doc Num	Name
403714441	CEMENT JOB SUMMARY
403714444	OPERATIONS SUMMARY
403714448	WELLBORE DIAGRAM
403714459	WIRELINER JOB SUMMARY

Total Attach: 4 Files

General Comments

User Group	Comment	Comment Date
		Stamp Upon Approval

Total: 0 comment(s)