

FORM
2

Rev
05/22

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403602073

(SUBMITTED)

Date Received:

03/11/2024

APPLICATION FOR PERMIT TO

Drill Deepen Re-enter Recomplete and Operate

Amend

TYPE OF WELL OIL GAS COALBED OTHER: _____

Refile

ZONE TYPE SINGLE ZONE MULTIPLE ZONES COMMINGLE ZONES

Sidetrack

Well Name: Currier BCU FED Well Number: 0993-16-12W
Name of Operator: LARAMIE ENERGY LLC COGCC Operator Number: 10433
Address: 1700 LINCOLN ST STE 3950
City: DENVER State: CO Zip: 80203
Contact Name: Katy Middleton Phone: (970)9859240 Fax: ()
Email: kmiddleton@laramie-energy.com

FINANCIAL ASSURANCE FOR PLUGGING, ABANDONMENT, AND RECLAMATION

COGCC Financial Assurance

The Operator has provided or will provide Financial Assurance to the COGCC for this Well.

Surety ID Number (if applicable): _____

Federal Financial Assurance

In checking this box, the Operator certifies that it has provided or will provide at least this amount of Financial Assurance to the federal government for this Well. (Per Rule702.a.)

Amount of Federal Financial Assurance \$ 25000

WELL LOCATION INFORMATION

Surface Location

QtrQtr: SWNE Sec: 16 Twp: 9S Rng: 93W Meridian: 6

Footage at Surface: 2251 Feet FNL 2389 Feet FEL

Latitude: 39.277805 Longitude: -107.773681

GPS Data: GPS Quality Value: 1.6 Type of GPS Quality Value: PDOP Date of Measurement: 07/07/2023

Ground Elevation: 7476

Field Name: BUZZARD CREEK Field Number: 9500

Well Plan: is Directional Horizontal (highly deviated) Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

Subsurface Locations

Top of Productive Zone (TPZ)

Sec: 16 Twp: 9S Rng: 93W Footage at TPZ: 1411 FSL 1909 FWL
Measured Depth of TPZ: 6221 True Vertical Depth of TPZ: 5901 FNL/FSL FEL/FWL

Base of Productive Zone (BPZ)

Sec: 16 Twp: 9S Rng: 93W Footage at BPZ: 1411 FSL 1909 FWL
Measured Depth of BPZ: 8161 True Vertical Depth of BPZ: 7841 FNL/FSL FEL/FWL

Bottom Hole Location (BHL)

Sec: 16 Twp: 9S Rng: 93W Footage at BHL: 1411 FSL 1909 FWL
FNL/FSL FEL/FWL

LOCAL GOVERNMENT PERMITTING INFORMATION

County: MESA Municipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of § 24-65.1-108 C.R.S.? No

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I) (A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? [X] Yes [] No

[X] If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: Approved Date of Final Disposition: 07/25/2023

Comments: Mesa County, the local government with jurisdiction over the siting of this oil and gas location, determined that per the Mesa County Land Development Code Table 6-1: Use Table and Section 6.02(Q), "Oil and Gas Drilling " is an allowed use in the Agricultural, Forestry, Transitional (AFT) zone district. The subject parcel is designated by Mesa County as AFT zone district. Currier BCU 0993-16-07 well pad meets all the Mesa County zoning setback requirements for the AFT zone district. Advance Notice was sent to Mesa County's Community Development Department, notifying Mesa County of Laramie's intentions to submit an Oil and Gas Development Plan to the Commission. The notification included details regarding proposed operations at the Currier BCU 0993-16-07. The notice letter was sent on June 14, 2023, to Mesa County pursuant to ECMC Rule 302.e. The letter was received by Mesa County on June 20, 2023. While Oil and Gas Drilling is an allowed use, Oil and Gas Locations must be permitted within Mesa County. Laramie submitted an Oil and Gas Location Application to Mesa County on June 28, 2023. The Land Development Application Public Notice sign for the application was posted on the subject parcel, at the entrance to the Currier BCU 0993-16-07, on July 10th, 2023. The Mesa County Community Development Planning Division issued the Oil and Gas Site Location Approval Document (PRO2023-0191) on July 25, 2023.

Representatives from Mesa County's Community Development Department attended the Pre-Application Onsite Meeting on June 12, 2023.

SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION

Surface Owner of the land at this Well's Oil and Gas Location: [X] Fee [] State [] Federal [] Indian

Mineral Owner beneath this Well's Oil and Gas Location: [X] Fee [] State [] Federal [] Indian

Surface Owner Protection Bond (if applicable): _____ Surety ID Number (if applicable): _____

MINERALS DEVELOPED BY WELL

The ownership of all the minerals that will be developed by this Well is (check all that apply):

- Fee
- State
- Federal
- Indian
- N/A

LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

- * If this Well is within a unit, describe a lease that will be developed by the Well.
 - * If this Well is not subject to a unit, describe the lease that will be produced by the Well.
- (Attach a Lease Map or Lease Description or Lease if necessary.)

See Lease Map. Buzzard Creek Unit: Agreement Number: COC047597X; Participating Area: COC047597A

Total Acres in Described Lease: _____ Described Mineral Lease is: Fee State Federal Indian
 Federal or State Lease # COC 0009392

SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 3208 Feet
 Building Unit: 3361 Feet
 Public Road: 5280 Feet
 Above Ground Utility: 2182 Feet
 Railroad: 5280 Feet
 Property Line: 966 Feet

INSTRUCTIONS:
 - Specify all distances per Rule 308.b.(1).
 - Enter 5280 for distance greater than 1 mile.
 - Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
 - Building Unit – as defined in 100 Series Rules.

OBJECTIVE FORMATIONS

<u>Objective Formation(s)</u>	<u>Formation Code</u>	<u>Spacing Order Number(s)</u>	<u>Unit Acreage Assigned to Well</u>	<u>Unit Configuration (N/2, SE/4, etc.)</u>
WILLIAMS FORK-ILES	WFILS	1-229		

Federal or State Unit Name (if appl): Buzzard Creek

Unit Number: COC047597A

SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 1351 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 312 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: _____ Feet

Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. _____

SPACING & FORMATIONS COMMENTS

Setback distance comment: Distance to Unit Boundary was measured diagonally from BHL to Unit Boundary corner at CAP "LS 37075".

DRILLING PROGRAM

Proposed Total Measured Depth: 8161 Feet TVD at Proposed Total Measured Depth 7841 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: _____ Feet No well belonging to another operator within 1,500 feet

Will a closed-loop drilling system be used? Yes

Is H₂S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? No If yes, attach an H₂S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).

Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? No

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? No

BOP Equipment Type: Annular Preventor Double Ram Rotating Head None

Beneficial reuse or land application plan submitted? _____

Reuse Facility ID: _____ or Document Number: _____

CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	26	16	SA-53B	36.94	30	90		90	30
SURF	11	8+5/8	J-55	24	30	1500	352	1500	30
1ST	7+7/8	4+1/2	HCP110	11.6	30	8161	1084	8161	1400

Conductor Casing is NOT planned

POTENTIAL FLOW AND CONFINING FORMATIONS

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Groundwater	Freshwater/Groundwater	0	0	600	600	501-1000	DWR	Hayward ranch water well domestic – stock & irrigation
Confining Layer	Wasatch	600	600	2899	2760			
Hydrocarbon	Wasatch 'G' Sand	2899	2760	3379	3209	1001-10000	Other	Wasatch Producers Sec 5 & Sec 9 & Sec 15 T6S, R97W API: 5045200130001, 05045200230000, 05045106860000 (11/12/2020) (TDS: 760-2,050 mg/L. Fluid Present: Saltwater
Hydrocarbon	Fort Union	3379	3209	4425	4186			Potential Hazard: Instability
Hydrocarbon	Lower Wasatch	4425	4186	5202	4912			Fluid Present: Saltwater
Hydrocarbon	Ohio Creek	5202	4912	5422	5118	>10000	Produced Water Sample	Wells API# 05077087650000 Buzzard Creek 22-3 Potential Hazard: Loss circulation; Fluid Present: Saltwater
Hydrocarbon	Williams Fork	5422	5118	6221	5901	>10000	Produced Water Sample	Sup & Shep 0993-25-16W. API# 05077105790000 Water TDS: 40,000 mg/L
Hydrocarbon	Top of Gas	6221	5901	7485	7165	>10000	Produced Water Sample	Sup & Shep 0993-25-16W. API# 05077105790000 Water TDS: 40,000 mg/L
Hydrocarbon	Cameo	7485	7165	7961	7641	>10000	Produced Water Sample	Sup & Shep 0993-25-16W. API# 05077105790000 Water TDS: 40,000 mg/L
Hydrocarbon	Rollins	7961	7641	8161	7841	>10000	Produced Water Sample	Sup & Shep 0993-25-16W. API# 05077105790000 Water TDS: 40,000 mg/L

OPERATOR COMMENTS AND SUBMITTAL

Comments Well Currier BCU Fed 0993-16-12W is not located in a mapped HPH. BHL Coordinates: Latitude 39.273477°; Longitude -107.777036° BHL: NESW Section 16, Township 9 South, Range 93 West, 6th PM.

Conductor will be grouted in place.

The 2023 Currier BCU 0993-16-07 OGDG was approved on January 24, 2024 (Order No. 583-2).

The Currier BCU Fed 0993-16-12W Federal APD was approved by the BLM on March 6, 2024.

This application is in a Comprehensive Area Plan No CAP #: _____

Oil and Gas Development Plan Name 2023 Currier BCU 0993-16-07 OGDG ID#: 485488

Location ID: 485981

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Katy Middleton

Title: Sr. Permit & Env Planner Date: 3/11/2024 Email: kmiddleton@laramie-

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved: _____ Director of COGCC Date: _____
 Expiration Date: _____

API NUMBER
05

Conditions Of Approval

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

<u>COA Type</u>	<u>Description</u>
0 COA	

Best Management Practices

<u>No</u>	<u>BMP/COA Type</u>	<u>Description</u>
1	Drilling/Completion Operations	Alternative Logging Program: One of the wells drilled on the pad will be logged with open-hole Resistivity Log and Gamma Ray Log from TD into the surface casing. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs will state "Alternative Logging Program - No open-hole logs were run" and will clearly identify the type of log and the well (by API#) in which open-hole logs were run.

Total: 1 comment(s)

Attachment List

<u>Att Doc Num</u>	<u>Name</u>
403603167	WELL LOCATION PLAT
403603563	DEVIATED DRILLING PLAN
403603564	DEVIATED DRILLING PLAN
403603584	DIRECTIONAL DATA
403672705	MINERAL LEASE MAP
403672707	SURFACE AGRMT/SURETY
403673026	OffsetWellEvaluations Data
403714618	FED. DRILLING PERMIT

Total Attach: 8 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)

