

FORM  
5Rev  
12/20

## State of Colorado

## Energy &amp; Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403485078

Date Received:

08/03/2023

## DRILLING COMPLETION REPORT

Per Rule 308A, this form and all required attachments shall be submitted after completing the drilling operations to drill, sidetrack, or deepen a wellbore and after changing the casing and/or cement configuration of a wellbore. If any attempt has been made to test, complete, or produce the well, the operator shall also submit a Form 5A (Completed Interval Report) per Rule 308B. If the well has been plugged, the operator shall also submit a Form 6 (Well Abandonment Report) per Rule 311.

Completion Type ☒ Final completion ☐ Preliminary completion

OGCC Operator Number: 10633

Contact Name: Kamrin Stiver

Name of Operator: CRESTONE PEAK RESOURCES OPERATING LLC

Phone: (303) 3128532

Address: 555 17TH STREET SUITE 3700

Fax:

City: DENVER

State: CO

Zip: 80202

Email: kstiver@civiresources.com

API Number 05-123-51942-00

County: WELD

Well Name: Cosslett East

Well Number: 1H-22H-H168

Location: QtrQtr: SENE

Section: 22

Township: 1N

Range: 68W

Meridian: 6

FNL/FSL

FEL/FWL

Footage at surface: Distance: 1715 feet

Direction: FNL

Distance: 1138 feet

Direction: FEL

As Drilled Latitude: 40.039230

As Drilled Longitude: -104.984115

GPS Data: GPS Quality Value: 3.3 Type of GPS Quality Value: PDOP

Date of Measurement: 06/13/2023

FNL/FSL

FEL/FWL

\*\* If directional footage at Top of Prod. Zone

Dist: 470 feet

Direction: FNL

Dist: 2529 feet

Direction: FEL

Sec: 23

Twp: 1N

Rng: 68W

FNL/FSL

FEL/FWL

\*\* If directional footage at Bottom Hole

Dist: 486 feet

Direction: FSL

Dist: 2541 feet

Direction: FEL

Sec: 26

Twp: 1N

Rng: 68W

Field Name: WATTENBERG

Field Number: 90750

Federal, Indian or State Lease Number:

Spud Date: (when the 1st bit hit the dirt) 03/16/2023

Date TD: 05/08/2023

Date Casing Set or D&amp;A: 05/09/2023

Rig Release Date: 06/07/2023 Per Rule 308A.b.

Well Classification:

☐ Dry ☒ Oil ☐ Gas/Coalbed ☐ Disposal ☐ Stratigraphic ☐ Enhanced Recovery ☐ Storage ☐ Observation

Total Depth MD 19090

TVD\*\* 7869

Plug Back Total Depth MD 19080

TVD\*\* 7869

Elevations GR 5182

KB 5207

Digital Copies of ALL Logs must be Attached



List All Logs Run:

CBL, MWD/LWD, (Resistivity on 123-51944).

## FLUID VOLUMES USED IN DRILLING OPERATIONS

(Enter "0" if a type of a fluid was not used. Do not leave blank.)

Total Fluids (bbls): 5302

Fresh Water (bbls): 1150

Recycled or Reused Fluids That Offset the Use of Fresh Water (bbls): 3451

### CASING, LINER AND CEMENT

<u>Casing Type</u>	<u>Size of Hole</u>	<u>Size of Casing</u>	<u>Grade</u>	<u>Wt/Ft</u>	<u>Csg/Liner Top</u>	<u>Setting Depth</u>	<u>Sacks Cmt</u>	<u>Cmt Btm</u>	<u>Cmt Top</u>	<u>Status</u>
CONDUCTOR	17+1/2	13+3/8	J55	54.5	0	598	567	598	0	VISU
SURF	12+1/4	9+5/8	J55	36	0	2629	860	2629	0	VISU
1ST	8+1/2	5+1/2	P110	20	0	19080	3025	19080	125	CBL
NEW	30	20	A53B	52.78	0	145	100	145	0	VISU

Bradenhead Pressure Action Threshold 789 psig

This threshold is calculated per Rule 308A.b.(2)G. If this well is located in a bradenhead test area (see Rule 207.b) per an Order of the Commission, it may be subject to a different threshold.

Does the casing centralization comply with Rule 317.g? Yes

If "NO", provide details below.

### STAGE/TOP OUT/REMEDIAL CEMENT

Cement work date: \_\_\_\_\_

Method used	String	Cementing tool setting/perf depth	Cement volume	Cement top	Cement bottom

Details of work:

### FORMATION LOG INTERVALS AND TEST ZONES

FORMATION NAME	Measured Depth		Check if applies		COMMENTS (All DST and Core Analysis must be submitted to COGCC)
	Top	Bottom	DST	Cored	
PARKMAN	5,468		NO	NO	
SUSSEX	6,130		NO	NO	
SHANNON	6,648		NO	NO	
SHARON SPRINGS	8,798		NO	NO	
NIOBRARA	8,841		NO	NO	

Operator Comments:

The TPZ footages are estimates calculated through Directional Plotting Software—from where the production string (5 ½" casing) crosses the 460' setback hardline. The actual footages will be submitted with the Form 5A.  
Alternative Logging Program- No open hole resistivity log with gamma ray was run on this well per rule 317.p. A Resistivity log was run on the Cosslett East Fed 1B-22H-H168 (123-51944).

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_

Print Name: Kamrin Stiver

Title: Drilling Technician

Date: 8/3/2023

Email: kstiver@civiresources.com

### Attachment Check List

Att Doc Num	Document Name	attached ?	
<u>Attachment Checklist</u>			
403485105	CMT Summary *	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403485106	CMT Summary *	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403485107	CMT Summary *	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	Core Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
403485104	Directional Survey **	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	DST Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	Logs	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	Other	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<u>Other Attachments</u>			
403485078	DRILLING COMPLETION REPORT	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403485093	PDF-CEMENT BOND	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403485095	PDF-MWD/LWD	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403485098	LAS-MWD/LWD	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403485103	DIRECTIONAL DATA	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403715723	FORM 5 SUBMITTED	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Passes Permitting • TPZ and BHL footages verified.	03/11/2024

Total: 1 comment(s)