

FORM

2

Rev  
05/22

## State of Colorado

## Energy &amp; Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:

403565279

Date Received:

01/31/2024

## APPLICATION FOR PERMIT TO

☒ Drill
 ☐ Deepen
 ☐ Re-enter
 ☐ Recomplete and Operate
Amend ☒TYPE OF WELL OIL ☒ GAS ☐ COALBED ☐ OTHER: \_\_\_\_\_Refile ☐ZONE TYPE SINGLE ZONE ☒ MULTIPLE ZONES ☐ COMMINGLE ZONES ☐Sidetrack ☐

Well Name: CAMENISCH

Well Number: 33-2HZ

Name of Operator: KERR MCGEE OIL &amp; GAS ONSHORE LP

COGCC Operator Number: 47120

Address: P O BOX 173779

City: DENVER

State: CO

Zip: 80217-3779

Contact Name: Loryn Spady

Phone: (720)929-3504

Fax: ( )

Email: Loryn\_Spady@oxy.com

## FINANCIAL ASSURANCE FOR PLUGGING, ABANDONMENT, AND RECLAMATION

## COGCC Financial Assurance

☒ The Operator has provided or will provide Financial Assurance to the COGCC for this Well.

Surety ID Number (if applicable): 20230087

## Federal Financial Assurance

☐ In checking this box, the Operator certifies that it has provided or will provide at least this amount of Financial Assurance to the federal government for this Well. (Per Rule702.a.)

Amount of Federal Financial Assurance \$ \_\_\_\_\_

## WELL LOCATION INFORMATION

## Surface Location

QtrQtr: NWSE Sec: 33 Twp: 4N Rng: 67W Meridian: 6

FNL/FSL

FEL/FWL

Footage at Surface: 2388 Feet FSL 2132 Feet FEL

Latitude: 40.268723

Longitude: -104.893691

GPS Data:

GPS Quality Value: 1.3

Type of GPS Quality Value: PDOP

Date of Measurement: 12/08/2021

Ground Elevation: 4869

Field Name: WATTENBERG

Field Number: 90750

Well Plan: is ☐ Directional ☒ Horizontal (highly deviated) ☐ Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

## Subsurface Locations

Top of Productive Zone (TPZ)

Sec: 33 Twp: 4N Rng: 67W

Footage at TPZ: 309 FSL 1156 FWL

Measured Depth of TPZ: 8537

True Vertical Depth of TPZ: 7228

FNL/FSL

FEL/FWL

**Base of Productive Zone (BPZ)**Sec: 34 Twp: 4N Rng: 67WFootage at BPZ: 267 FSL 415 FELMeasured Depth of BPZ: 17432True Vertical Depth of BPZ: 7244 FNL/FSL FEL/FWL**Bottom Hole Location (BHL)**Sec: 34 Twp: 4N Rng: 67WFootage at BHL: 267 FSL 415 FELFNL/FSLFEL/FWL**LOCAL GOVERNMENT PERMITTING INFORMATION**County: WELDMunicipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of §

24-65.1-108 C.R.S.? Yes

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? ☒ Yes ☐ No☒ If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.The disposition of the application filed with the Relevant Local Government is: Approved Date of Final Disposition: 06/30/2022Comments: WOGLA#: 1041WOGLA21-0026  
Approved on: 06/30/2022**SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION**Surface Owner of the land at this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ IndianMineral Owner beneath this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Surface Owner Protection Bond (if applicable): \_\_\_\_\_

Surety ID Number (if applicable): \_\_\_\_\_

**MINERALS DEVELOPED BY WELL**

The ownership of all the minerals that will be developed by this Well is (check all that apply):

☒ Fee☒ State☐ Federal☐ Indian☐ N/A

## LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

\* If this Well is within a unit, describe a lease that will be developed by the Well.

\* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

Township 3 North, Range 67 West, 6th P.M.  
Section 4: Lot 1, S2NE (NE)  
Weld County, Colorado

See attached Lease Map

Total Acres in Described Lease: 162 Described Mineral Lease is: ☒ Fee ☐ State ☐ Federal ☐ Indian

Federal or State Lease # \_\_\_\_\_

## SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 2013 Feet  
Building Unit: 2013 Feet  
Public Road: 2120 Feet  
Above Ground Utility: 2099 Feet  
Railroad: 5280 Feet  
Property Line: 237 Feet

### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

## OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
CODELL	CODL	407-3374	3440	T3N67W;1:NW4;2:N2;3:N2;4:N2;5:N2;6:N2;T 3N-68W;1:N2;T4N67W;31:S2;32:S2;33:S2 34:S2;T4N68W;36:E2SE4

Federal or State Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

## SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 415 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 669 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

## Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

## SPACING & FORMATIONS COMMENTS

## DRILLING PROGRAM

Proposed Total Measured Depth: 17432 Feet

TVD at Proposed Total Measured Depth 7244 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: 193 Feet ☐ No well belonging to another operator within 1,500 feet

Will a closed-loop drilling system be used? Yes

Is H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater than

or equal to 100 ppm? No If yes, attach an H<sub>2</sub>S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).

Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? No

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? Yes

BOP Equipment Type: ☒ Annular Preventor ☒ Double Ram ☒ Rotating Head ☐ None

Beneficial reuse or land application plan submitted? Yes

Reuse Facility ID: \_\_\_\_\_ or Document Number: \_\_\_\_\_

## CASING PROGRAM

<u>Casing Type</u>	<u>Size of Hole</u>	<u>Size of Casing</u>	<u>Grade</u>	<u>Wt/Ft</u>	<u>Csg/Liner Top</u>	<u>Setting Depth</u>	<u>Sacks Cmt</u>	<u>Cmt Btm</u>	<u>Cmt Top</u>
CONDUCTOR	26	16	ASTM A53 B	36.94	0	80	64	80	0
SURF	13+1/2	9+5/8	L80	36	0	1500	590	1500	0
1ST	7+7/8	5+1/2	HCP110	17	0	17422	1953	17422	1000

☐ Conductor Casing is NOT planned

## POTENTIAL FLOW AND CONFINING FORMATIONS

<u>Zone Type</u>	<u>Formation /Hazard</u>	<u>Top M.D.</u>	<u>Top T.V.D.</u>	<u>Bottom M.D.</u>	<u>Bottom T.V.D.</u>	<u>TDS (mg/L)</u>	<u>Data Source</u>	<u>Comment</u>
Groundwater	Fox Hills	17	17	190	190	501-1000	USGS	Depth data from DWR
Confining Layer	Pierre Shale	191	191	413	413			
Groundwater	Upper Pierre Aquifer	414	414	1294	1279	501-1000	Electric Log Calculation	Controlled by water samples
Confining Layer	Pierre Shale	1295	1280	4554	4107			
Hydrocarbon	Sussex	4555	4108	4800	4316			Non-productive
Confining Layer	Pierre Shale	4801	4317	5151	4614			
Hydrocarbon	Shannon	5153	4615	5232	4682			Non-productive
Confining Layer	Pierre Shale	5233	4683	7821	6917			
Hydrocarbon	Niobrara	7823	6918	8471	7225			
Hydrocarbon	Codell	8483	7226	0	0			

## OPERATOR COMMENTS AND SUBMITTAL

Comments

PLEASE ENSURE ALL CORRESPONDENCE ASSOCIATED WITH THIS PERMIT GOES TO ANALYST AND DJREGULATORY EMAIL ADDRESSES, AS LISTED ON THIS PERMIT.

Offset well buffer description for the subject well has been included on this permit for review as an attachment labeled "Other".

Base of Productive Zone is the same as Bottom Hole Location.

The nearest offset wellbore permitted or completed in the same formation is CAMENISCH 33-3HZ, DOC ID: 403665772.

This application is in a Comprehensive Area Plan No CAP #: \_\_\_\_\_  
Oil and Gas Development Plan Name Democrat OGD OGD ID#: 482251  
Location ID: 329899

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Loryn Spady

Title: Regulatory Analyst Date: 1/31/2024 Email: DJRegulatory@oxy.com

Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved:  Director of COGCC Date: 3/18/2024

Expiration Date: 09/06/2025

**API NUMBER**

05 123 51901 00

### **Conditions Of Approval**

**All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.**

**COA Type**

**Description**

Drilling/Completion Operations	If conductors are preset, operator shall comply with Notice to Operators: Procedures for Preset Conductors (dated September 1, 2016).
Interim Reclamation	Operator shall comply with Notice to Operators: Interim Reclamation Procedures for Delayed Operations (dated January 5, 2017).

Drilling/Completion Operations	<p>Operator acknowledges the proximity of the listed wells. Operator agrees to: provide mitigation option 1 or 2 (per the Offset Well Evaluation and Hydraulic Fracturing Operator Guidance Document) to mitigate the situation, ensure all applicable documentation is submitted based on the selected mitigation option chosen, and submit a Form 42 ("OFFSET MITIGATION COMPLETED") stating that appropriate mitigation occurred and that it has been completed, prior to the hydraulic stimulation of this well.</p> <p>KERR MCGEE OIL &amp; GAS ONSHORE LP 123-10807 FORT SAINT VRAIN *17  KERR MCGEE OIL &amp; GAS ONSHORE LP 123-17870 KOESTER *24-33  KERR MCGEE OIL &amp; GAS ONSHORE LP 123-17920 KOESTER *14-33  KERR MCGEE OIL &amp; GAS ONSHORE LP 123-17980 KOESTER *13-33  KERR MCGEE OIL &amp; GAS ONSHORE LP 123-18013 CAMENISCH *33-33  KERR MCGEE OIL &amp; GAS ONSHORE LP 123-18014 CAMENISCH *43-33</p> <p>KP KAUFFMAN COMPANY INC 123-10558 ANDERSON *1  KP KAUFFMAN COMPANY INC 123-10865 STROH *1  KP KAUFFMAN COMPANY INC 123-10882 CAMENISCH *1  KP KAUFFMAN COMPANY INC 123-23536 HEPP *32-6  KP KAUFFMAN COMPANY INC 123-23534 HEPP *32-5  KP KAUFFMAN COMPANY INC 123-23579 CAMENISCH *32-9  KP KAUFFMAN COMPANY INC 123-23578 CAMENISCH *32-16  KP KAUFFMAN COMPANY INC 123-23577 Camenisch *32-10  KP KAUFFMAN COMPANY INC 123-24143 STROH *33-4  KP KAUFFMAN COMPANY INC 123-24569 Camenisch *41-32  KP KAUFFMAN COMPANY INC 123-24704 Camenisch *50-32  KP KAUFFMAN COMPANY INC 123-26390 STROH *7-33  KP KAUFFMAN COMPANY INC 123-26440 CAMENISCH *20-32  KP KAUFFMAN COMPANY INC 123-29643 KOESTER *18-33-6  KP KAUFFMAN COMPANY INC 123-29642 KOESTER *18-33  KP KAUFFMAN COMPANY INC 123-23789 ANDERSON *13-32  KP KAUFFMAN COMPANY INC 123-23792 ANDERSON *14-32  KP KAUFFMAN COMPANY INC 123-23790 ANDERSON *12-32</p> <p>PDC ENERGY INC 123-17991 WEISS *34-6I7</p> <p>Operator acknowledges the proximity of the listed wells. Operator assures that this offset list will be remediated per the Offset Well Evaluation and Hydraulic Fracturing Operator Guidance Document (option 4). Operator will submit a Form 42 ("OFFSET MITIGATION COMPLETED") stating that appropriate mitigation will be completed, during the hydraulic stimulation of this well. This Form 42 shall be filed 48 hours prior to stimulation. Operator will ensure the well is equipped with at least a 5,000 psi wellhead and monitor casing (surface and production) pressures during the entire stimulation treatment. Surface and production casing pressures of this offset well list will be actively monitored during the entire stimulation treatment of this pad. If there is indication of communication between the stimulation treatment and an offset well, treatment will be stopped and COGCC Engineering notified.</p> <p>KERR MCGEE OIL &amp; GAS ONSHORE LP 123-21704 KOESTER *12-33  KERR MCGEE OIL &amp; GAS ONSHORE LP 123-21855 MCDONALD *1-4  KERR MCGEE OIL &amp; GAS ONSHORE LP 123-22576 CAMENISCH *23-33</p>
Drilling/Completion Operations	<p>Per COGCC Order 1-232, Bradenhead tests shall be performed according to the following schedule and Form 17 submitted within 10 days of each test:</p> <p>1) Within 60 days of rig release, prior to stimulation. If any pressure greater than 200 psi is observed or if there is continuous flow, Operator must contact COGCC engineering for approval prior to stimulation.</p> <p>2) If a delayed completion, a second test is required between 6-9 months after rig release and must be conducted prior to stimulation. If any pressure greater than 200 psi is observed or if there is continuous flow, Operator must contact COGCC engineering for approval prior to stimulation.</p> <p>3) A post-production test within 60 days after first sales, as reported on the Form 10, Certificate of Clearance.</p>

Drilling/Completion Operations	1) Submit Form 42 electronically to COGCC 2 business days prior to MIRU (spud notice) for the first well activity with a rig on the pad and provide 2 business day spud notice via Form 42 for all subsequent wells drilled on the pad. 2) Comply with Rule 408.j. and provide cement coverage from TD to a minimum of 500' above Niobrara. Verify coverage with a cement bond log. 3) Oil based drilling fluid can only be used after all groundwater has been isolated.
Drilling/Completion Operations	Operator will log two (2) wells during occupation with open-hole resistivity log with gamma-ray log from the kick-off point into the surface casing for the two stratigraphically deepest wells on each side of the pad.
6 COAs	

### **Best Management Practices**

<b><u>No</u></b>	<b><u>BMP/COA Type</u></b>	<b><u>Description</u></b>
1	Drilling/Completion Operations	Kerr-McGee acknowledges and will comply with the ECMC Policy for Bradenhead Monitoring during Hydraulic Fracturing Treatments in the Greater Wattenberg Area dated May 29, 2012.`
2	Drilling/Completion Operations	Anti-Collision: Kerr-McGee will perform an anti-collision evaluation of all active (producing, shut in, or temporarily abandoned) offset wellbores that have the potential of being within one hundred fifty (150) feet of a proposed well prior to drilling operations for the proposed well. Notice shall be given to all offset operators within one hundred fifty (150) feet prior to drilling.`
3	Drilling/Completion Operations	Alternative Logging Program: One of the first wells drilled on the pad will be logged with open-hole resistivity log and gamma-ray log from the kick-off point into the surface casing. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs shall state "Alternative Logging Program - No open-hole logs were run" and shall clearly identify the type of log and the well (by API#) in which open-hole logs were run.`

Total: 3 comment(s)

### **Attachment List**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
1517575	DEVIATED DRILLING PLAN
403565279	FORM 2 SUBMITTED
403665482	OFFSET WELL EVALUATION
403665523	DIRECTIONAL DATA
403665531	LEASE MAP
403665540	WELL LOCATION PLAT

Total Attach: 6 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Final Review Completed.	03/13/2024
Permit	Per operator concurrence, updated formation from Niobrara to Codell, deleted original incorrect Deviated Drilling Plan and attached updated corrected document Permitting review complete	02/12/2024
Permit	Open: Emailed the SLB to notify them of this pending application. Close: SLB has no concerns with this application. Emailed operator for TPZ measurements clarification.	02/05/2024
OGLA	The Commission approved OGDG #482251 on September 7, 2022 for the Oil and Gas Location related to this Form 2. OGLA task passed.	02/01/2024

Total: 4 comment(s)