

OIL AND GAS CONSERVATION COMMISSION
DEPARTMENT OF NATURAL RESOURCES
OF THE STATE OF COLORADO



00064648

File in triplicate for Patented and Federal lands.
File in quadruplicate for State lands.

SCANNED

MAR 31 1972

OIL & GAS CONSERVATION COMM.

2

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR
Jack G. Ladmer and Jim Snyder Drilling Company

3. ADDRESS OF OPERATOR
870 Denver Club Bldg., Denver, CO 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface 1980' FEL and 660' FNL

At top prod. interval reported below

At total depth Same

14. PERMIT NO. 72-193 DATE ISSUED 3/22/72

5. LEASE DESIGNATION AND SERIAL NO.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Allen, Jr.

9. WELL NO.
1

10. FIELD AND POOL, OR WILDCAT
Wildcat

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
26-2N-52W

12. COUNTY Washington 13. STATE Colo.

15. DATE SPUNDED 3/22/72 16. DATE T.D. REACHED 3/25/72 17. DATE COMPL. (Ready to prod.) 3/25/72 (Plug & Abd.)

18. ELEVATIONS (DF, RKB, RT, GR, ETC.) 4582 GL 4588 GL 19. ELEV. CASINGHEAD 4582

20. TOTAL DEPTH, MD & TVD 4641 21. PLUG, BACK T.D., MD & TVD None 22. IF MULTIPLE COMPL., HOW MANY --- 23. INTERVALS DRILLED BY --- ROTARY TOOLS X CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD) None 25. WAS DIRECTIONAL SURVEY MADE Yes

26. TYPE ELECTRIC AND OTHER LOGS RUN IES - FDC 27. WAS WELL CORED YES NO (Submit analysis) DRILL STEM TEST YES NO (See reverse side)

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	24	96'	12 1/4	90 sax	None

29. LINER RECORD 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number)

DNR	
FJP	
HNM	
JAM	

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED

33. PRODUCTION

DATE FIRST PRODUCTION _____ PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) _____ WELL STATUS (Producing or shut-in) _____

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TEST WITNESSED BY _____

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED [Signature] TITLE Owner DATE March 30, 1972

See Spaces for Additional Data on Reverse Side

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES.

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
			See Geological Report - attached

38.

GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH



SCANNED

RECEIVED

MAR 31 1972

COLO. OIL & GAS COM. COMM.

GEOLOGICAL REPORT

JACK G. LADNER and POLUMBUS CORPORATION
NO. 1 ALLEN, JR.
NW NE Section 26, Township 2 North, Range 52 West
Washington County, Colorado

H. C. Allen, Jr.
Petroleum Geologist
535 Empire Building
Denver, Colorado 80202



8884658

WELL: No. 1 Allen, Jr.
OPERATOR: Jack G. Ladmer and Polumbus Corporation
CONTRACTOR: Jim Snyder Drilling Company, Rig No. 2
LOCATION: NW NE Sec. 26, Township 2 North, Range 52 West
COUNTY: Washington
STATE: Colorado
ELEVATIONS: 4587.5 Ground; 4597' K.B.
COMMENCED: March 22, 1972
CASING: Set 96' of 8-5/8" from K.B. with 90 sacks
CORES: None
DRILL STEM TESTS: None
LOGS: Welex, IES and Compensated Density Log and Gamma Ray
COMPLETED DRILLING: March 25, 1972
STATUS: Dry and Abandoned

ELECTRIC LOG FORMATION TOPS

<u>FORMATION</u>	<u>LOG TOP</u>	<u>PLUS SEA</u>
Niobrara	3582	
Fort Hays	4023	
Carlile	4061	
Greenhorn	4189	
Bentonite	4393	+ 204
"D" Sand	4488	+ 109
"J" Sand	4555	+ 42
Total Depths	4641	Driller's 4641



SAMPLE DESCRIPTION

The following description has been corrected to electric log depths.

- 4421-4488 Shale, light gray, bentonitic with thin silty zones.
- 4488-4496 Sand, light brown, very fine grained, from clay-filled to fairly clean, numerous very thin black shale laminations, poor-fair porosity, possible water wet, good uniform stain and bright fluorescence.
- 4498-4527 Sand, gray-tan, fine grained, clay-filled, thin black shale streaks, poor porosity, one sand cluster in three has fair stain and good fluorescence, remainder appears wet.
- 4527-4555 Shale, light gray, brittle with numerous streaks of gray siltstone and brown limestone.
- 4555-4563 Sand, gray-white, fine-medium grained, some clay filling, fairly hard, fair porosity, few pinpoint of oil stain, spotty fluorescence, appears water wet.
- 4565-4595 Sand, gray, fine-medium grained, slight amount of clay fill, glauconitic, more friable than above, poor-fair porosity, spotty stain and fluorescence at top of interval to barren at base, whole interval appears water wet.
- 4597-4615 Sand, gray-white, fine-medium grained, very soft and friable, fair porosity, no visible oil stain or fluorescence, looks wet.
- 4615-4631 Sand, white, very fine grained, some clay filling, very soft and friable, poor porosity, no show with thin streaks of brown limestone and green bentonite.

BIT RECORD

<u>RUN NO.</u>	<u>SIZE</u>	<u>MAKE</u>	<u>TYPE</u>	<u>DEPTH OUT</u>	<u>FEET</u>	<u>HOURS</u>
1	7-7/8	Smith	DT	3932	3817	30-3/4
2	7-7/8	Smith	DT	4641	708	21

Verbal permission to plug and abandon granted by Mr. Frank Piro of the Colorado Oil and Gas Conservation Commission at 12:20 P.M. on March 26, 1972.

H. C. Allen, Jr.
H. C. Allen, Jr.
Petroleum Geologist