

STATE OF COLORADO  
OIL AND GAS CONSERVATION COMMISSION  
DEPARTMENT OF NATURAL RESOURCESFile one copy for Patented, Federal and Indian lands.  
File in duplicate for State lands.RECEIVED  
JUN 1 1987  
5. LEASE DESIGNATION AND SERIAL NO.  
COLORADO OIL & GAS CONSERVATION COMMISSION

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input checked="" type="checkbox"/> Other <input type="checkbox"/>		7. UNIT AGREEMENT NAME	
b. TYPE OF COMPLETION: NEW WELL <input type="checkbox"/> WORK OVER <input type="checkbox"/> DEEP-EN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> Other <input type="checkbox"/>		5. FARM OR LEASE NAME Peterson	
2. NAME OF OPERATOR Victory Oil & Gear Drilling Company		9. WELL NO. 28-1	
3. ADDRESS OF OPERATOR 518-17th Street, Suite 1320, Denver, CO 80202		10. FIELD AND POOL, OR WILDCAT Wildcat	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements) At surface 660' FNL & 660' FWL of NW/4 At top prod. interval reported below At total depth same as above		11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA Sec.28-2N-56W	
14. PERMIT NO. 86-417& 2 ext.'s		DATE ISSUED 10/31/86	
12. COUNTY Morgan		13. STATE CO	
15. DATE SPUDDED 5/15/87		16. DATE T.D. REACHED 5/18/87	
17. DATE COMPL. (Ready to prod.) 5/18/87 (Plug & Abd.)		18. ELEVATIONS (DF, RKB, RT, GR, ETC.) 4379' GR	
19. ELEV. CASINGHEAD -----		20. TOTAL DEPTH, MD & TVD 5280'	
21. PLUG, BACK T.D., MD & TVD -----		22. IF MULTIPLE COMPL., HOW MANY -----	
23. INTERVALS DRILLED BY surface to TD		24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD) Dry Hole	
25. WAS DIRECTIONAL SURVEY MADE NO		26. TYPE ELECTRIC AND OTHER LOGS RUN Dual Ind., SFL CNL GR density & Cyber look logs	
27. WAS WELL CORED YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> (Submit analysis) DRILL STEM TEST YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> (See reverse side)		28. CASING RECORD (Report all strings set in well)	
CASING SIZE		WEIGHT, LB./FT.	
8-5/8"		24.00	
DEPTH SET (MD)		94' KB	
HOLE SIZE		12-1/4"	
CEMENTING RECORD		60 sax reg.3° cac1	
AMOUNT PULLED		none	
29. LINER RECORD		30. TUBING RECORD	
SIZE		TOP (MD)	
NONE		BOTTOM (MD)	
SACKS CEMENT		SCREEN (MD)	
NONE		SIZE	
DEPTH SET (MD)		PACKER SET (MD)	
NONE		NONE	
31. PERFORATION RECORD (Interval, size and number) DRY HOLE		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED	
NONE		NONE	
33. PRODUCTION		DATE FIRST PRODUCTION Dry Hole	
PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)		WELL STATUS (Producing or shut-in)	
DATE OF TEST		HOURS TESTED	
CHOKE SIZE		PROD'N. FOR TEST PERIOD	
OIL—BBL.		GAS—MCF.	
WATER—BBL.		GAS-OIL RATIO	
FLOW, TUBING PRESS.		CASING PRESSURE	
CALCULATED 24-HOUR RATE		OIL—BBL.	
GAS—MCF.		WATER—BBL.	
OIL GRAVITY-API (CORR.)		34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)	
TEST WITNESSED BY		35. LIST OF ATTACHMENTS	
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records		SIGNED <u>George L. Gear</u> TITLE <u>Agent for Victory Oil</u> DATE <u>5/28/87</u>	

See Spaces for Additional Data on Reverse Side

FOR  
OFFICE  
USE ONLY  
ET  
FE  
UC  
SE



## 37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES.

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
'D' Sand	5157'	-----	shale, with 1 sand stringer, very tite, est. 8-10% porosity, weak streaming crushed cut.
'J' Sand	5225'	5280' TD	clean, clear to white, well sorted, fine grained, 20-22% porosity, no stain, fl., odor or cut.

38.

## GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
ELECTRIC LOG TOPS		
Niobrara	4346'	
Base NIO	4752	
X Bentonite	5067'	
D Sand Marker	5157'	
'J' Sand	5225'	
Total Depth	5280'	