

FORM
5A

Rev
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

403473919

Date Received:

09/06/2023

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 10261

2. Name of Operator: BAYSWATER EXPLORATION & PRODUCTION LLC

3. Address: 730 17TH ST STE 500

City: DENVER State: CO Zip: 80202

4. Contact Name: Robert Carney

Phone: (303) 8932503

Fax:

Email: RCarney@bayswater.us

5. API Number 05-123-51548-00

7. Well Name: Topaz West

8. Location: QtrQtr: Lot 6 Section: 6 Township: 7N Range: 65W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 3

Completed Interval

FORMATION: NIOBRARA Status: ACTIVE Treatment Type: HYDRAULIC FRACTURING
Treatment Date: 03/03/2023 End Date: 03/22/2023 Date this Formation was Completed: 05/22/2023
Perforations Top: 8333 Bottom: 17770 No. Holes: 1242 Hole size: 0.433 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

508535 bbls Slickwater total; 17292444 # sand total(200/mesh 2012931 100/mesh 40/70 15279513 30/50); 7266 gals 15% HCL.
Method to determine flowback: metering flowback tank volumes

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 508535 Max pressure during treatment (psi): 8947
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.33
Type of gas used in treatment: Min frac gradient (psi/ft): 0.99
Total acid used in treatment (bbl): 173 Number of staged intervals: 46
Recycled or Reused Fluids used in treatment (bbl): Flowback volume recovered (bbl): 21599
Fresh water used in treatment (bbl): 508362 Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 17292444

Fracture stimulations must be reported on [FracFocus.org](https://fracfocus.org)

Test Information:

05/22/2023 Hours: 24 Bbl oil: 12 Mcf Gas: 52 Bbl H2O: 1045
Date: 05/22/2023 Calculated 24 hour rate: Bbl oil: 12 Mcf Gas: 52 Bbl H2O: 1045 GOR: 4333
Test Method: Flowing Casing PSI: 0 Tubing PSI: 1363 Choke Size: 14/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1397 API Gravity Oil: 42
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7931 Tbg setting date: 06/12/2023 Packer Depth: 7931

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

TPZ: 1403 FNL, 597 FEL Sec 01

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Robert Carney

Title: Engineer Date: 9/6/2023 Email: RCarney@bayswater.us

Attachment List

Att Doc Num	Name
403473919	FORM 5A SUBMITTED
403520610	OPERATIONS SUMMARY

Total Attach: 2 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Operator provided info. Operator submitted Frac Focus. Pass.	03/21/2024
Permit	Missing fluid type, acid concentration, method used to determine flowback volume. Missing Frac Focus.	02/21/2024

Total: 2 comment(s)