

FORM  
5

Rev  
12/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403719336

Date Received:

03/19/2024

DRILLING COMPLETION REPORT

Per Rule 308A, this form and all required attachments shall be submitted after completing the drilling operations to drill, sidetrack, or deepen a wellbore and after changing the casing and/or cement configuration of a wellbore. If any attempt has been made to test, complete, or produce the well, the operator shall also submit a Form 5A (Completed Interval Report) per Rule 308B. If the well has been plugged, the operator shall also submit a Form 6 (Well Abandonment Report) per Rule 311.

Completion Type  Final completion  Preliminary completion

OGCC Operator Number: 10633 Contact Name: Kamrin Stiver
Name of Operator: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (303) 3128532
Address: 555 17TH STREET SUITE 3700 Fax:
City: DENVER State: CO Zip: 80202 Email: kstiver@civiresources.com

API Number 05-005-07545-00 County: ARAPAHOE
Well Name: Chico Well Number: 4-65 25-26 3BH
Location: QtrQtr: NWSW Section: 30 Township: 4S Range: 64W Meridian: 6
Footage at surface: Distance: 2212 feet Direction: FSL Distance: 490 feet Direction: FWL
As Drilled Latitude: 39.673574 As Drilled Longitude: -104.601773
GPS Data: GPS Quality Value: 1.2 Type of GPS Quality Value: PDOP Date of Measurement: 02/05/2024
\*\* If directional footage at Top of Prod. Zone Dist: 1763 feet Direction: FSL Dist: 330 feet Direction: FEL
\*\* If directional footage at Bottom Hole Dist: 1768 feet Direction: FSL Dist: 332 feet Direction: FWL
Field Name: DJ HORIZONTAL NIOBRARA Field Number: 16950
Federal, Indian or State Lease Number:

Spud Date: (when the 1st bit hit the dirt) 12/29/2023 Date TD: 01/24/2024 Date Casing Set or D&A: 01/25/2024
Rig Release Date: 01/31/2024 Per Rule 308A.b.

Well Classification:
 Dry  Oil  Gas/Coalbed  Disposal  Stratigraphic  Enhanced Recovery  Storage  Observation

Total Depth MD 18087 TVD\*\* 7972 Plug Back Total Depth MD 18070 TVD\*\* 7972
Elevations GR 5767 KB 5792 Digital Copies of ALL Logs must be Attached

List All Logs Run:
CBL, MWD, (RES 005-07547 and 005-07553)

FLUID VOLUMES USED IN DRILLING OPERATIONS
(Enter "0" if a type of a fluid was not used. Do not leave blank.)
Total Fluids (bbls): 3598 Fresh Water (bbls): 1023
Recycled or Reused Fluids That Offset the Use of Fresh Water (bbls): 2238

### CASING, LINER AND CEMENT

| Casing Type | Size of Hole | Size of Casing | Grade | Wt/Ft | Csg/Liner Top | Setting Depth | Sacks Cmt | Cmt Btm | Cmt Top | Status |
|-------------|--------------|----------------|-------|-------|---------------|---------------|-----------|---------|---------|--------|
| CONDUCTOR   | 26           | 16             | B     | 36.95 | 0             | 100           | 100       | 100     | 0       | VISU   |
| SURF        | 13+1/2       | 9+5/8          | J55   | 36    | 0             | 3262          | 1375      | 3262    | 0       | VISU   |
| 1ST         | 8+1/2        | 5+1/2          | P110  | 20    | 0             | 18070         | 2870      | 18070   | 100     | CBL    |

Bradenhead Pressure Action Threshold   979   psig

This threshold is calculated per Rule 308A.b.(2)G. If this well is located in a bradenhead test area (see Rule 207.b) per an Order of the Commission, it may be subject to a different threshold.

Does the casing centralization comply with Rule 317.g?   Yes  

If "NO", provide details below.

### STAGE/TOP OUT/REMEDIAL CEMENT

Cement work date: \_\_\_\_\_

| Method used | String | Cementing tool setting/perf depth | Cement volume | Cement top | Cement bottom |
|-------------|--------|-----------------------------------|---------------|------------|---------------|
|             |        |                                   |               |            |               |

Details of work:

### FORMATION LOG INTERVALS AND TEST ZONES

| FORMATION NAME | Measured Depth |        | Check if applies |       | COMMENTS (All DST and Core Analysis must be submitted to COGCC) |
|----------------|----------------|--------|------------------|-------|---|
|                | Top            | Bottom | DST              | Cored |   |
| PARKMAN        | 4,952          |        | NO               | NO    |   |
| SUSSEX         | 5,278          |        | NO               | NO    |   |
| SHANNON        | 6,160          |        | NO               | NO    |   |
| SHARON SPRINGS | 7,632          |        | NO               | NO    |   |
| NIOBRARA       | 7,704          |        | NO               | NO    |   |

Operator Comments:

The TPZ footages are estimates calculated through Directional Plotting Software—from where the production string (5 1/2" casing) crosses the 460' setback hardline. The actual footages will be submitted with the Form 5A.  
 Alternative Logging Program- No open hole resistivity log with gamma ray was run on this well per rule 317.p. A Resistivity log was run on Chico 4-65 25-26 4BH (005-07547) and Watkins 4-64 30-29 4BH (005-07553).

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name:   Kamrin Stiver  

Title:   Drilling Technician   Date:   3/19/2024   Email:   kstiver@civresources.com

### Attachment Check List

| Att Doc Num                 | Document Name         | attached ?                              |  |
|-----------------------------|-----------------------|---|--|
| <b>Attachment Checklist</b> |                       |   |  |
| 403724123                   | CMT Summary *         | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/>            |
|                             | Core Analysis         | Yes <input type="checkbox"/>            | No <input checked="" type="checkbox"/> |
| 403724120                   | Directional Survey ** | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/>            |
|                             | DST Analysis          | Yes <input type="checkbox"/>            | No <input checked="" type="checkbox"/> |
|                             | Logs                  | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/>            |
|                             | Other                 | Yes <input type="checkbox"/>            | No <input checked="" type="checkbox"/> |
| <b>Other Attachments</b>    |                       |   |  |
| 403724108                   | PDF-CEMENT BOND       | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/>            |
| 403724111                   | PDF-MWD/LWD           | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/>            |
| 403724113                   | LAS-MWD/LWD           | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/>            |
| 403724117                   | DIRECTIONAL DATA      | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/>            |

### General Comments

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|-------------------|----------------|---------------------|
|                   |                | Stamp Upon Approval |

Total: 0 comment(s)