



US Treatment Report

Customer: CIVITAS RESOURCES		Job #: JOB00173166	
Rep:	Rig: Patterson 345	Job Date: Dec 19 @ 00:00	
Supervisor: WILLIAM (WAYNE) SILVESTER	Well: Chico 4-65 25-26 4AH	Time Requested: Dec 19 @ 08:00	
Job Type: US Primary Casing-Surface	UWI: Chico 4-65 25-26 4AH	Time Arrived: Dec 20 @ 17:00	
	Surface: NWSW 30 4S64W 6	Time Released: Dec 20 @ 23:00	

1375 sk MAG S 13.3 + 0.10% MCDF-P

Yield: 1.44 ft³/sk = 352.64bbls Mix Water: 7.01 gal/sk = 9638.75gal

BHCT (F)	100	BHST (F)	144	Surface Casing Size (in)	9.625
Surface Casing Grade	J-55	Surface Casing Weight (lb/ft)	36	Plug Size (in)	9 5/8"
Plug Type	T&B PDC	TMD (ft)	3278	TVD (ft)	3240

Treatment Info: Sacks Used: 1375 Sacks Not Used: 0

Preflush: 10bbls MAG Mark & 10bbls Fresh Water

Displace:

Circulation Time: 1	
Slurry Temp: 74	Bulk Sample: Yes
Water Temp: 68	Water Sample: Yes
Bulk Temp: 55	Slurry Sample: Yes
Air Temp: 55	Air Pressure 29.9
	4
Slurry Returns: 50	Plug Bumped: Yes
Pump Out Lines: Yes	Float Held: Yes
Cement Class: OWG	Humidity: 30
	Precipitation: 0

Further Blend Details:

Prehydrated: NO

Additional Details (General Notes):

Time	Pressure psi	Annular Pressure psi	Volume Per Stage bbls	Total Stage Volume bbls	Rate bbls/mi n	Treatment Detail
17:00	0.00					Arrive on Location - ARRIVE ON LOCATION SPOKE WITH COMPANY REP ABOUT VOL,DEPTH,SKS, SPOTTING EQUIPMENT, WATER TEST COMPLETE TOTAL HARDNESS = 50 PPM CHLORIDES=273 PPM PH=7 TEMP = 68 F
18:00	0.00					Safety Meeting - HELD JSA WITH RIG CREW AND COMPANY REP SPOKE ABOUT STOP WORK AUTHORITY HAND PLACEMENT AS WELL AS JOB PROGRAM AND VOLS, STAYING FOCUSED ON JOB, GOOD COMMUNICATION
19:50	2,500.00		2		2.5	Fill Lines - FILL LINES WITH 2 BBLS OF WATER PRESSURE TEST PUMP & LINES TO 2500 SET MAX AT 1500 FOR PUMPING JOB
19:55	520.00		10		6.0	Pump Preflush - = 10 BBLS OF MAG MARK
20:00	205.00		352.9		8.0	Pump Slurry - 1376 SKS 1.44 FT ³ /SK 7.01 GPS = 352.9 BBLS @ 13.3 PPG WET & DRY SAMPLES TAKEN WET SAMPLE WEIGHED & VERIFIED, GOOD RETURNS

21:13	0.00					Drop Plug
21:15	413.00		100		7.0	Displace - 100 BBLS AWAY 413 PSI GOOD RETURNS
21:30	670.00		150		7.0	Displace - 150 BBLS AWAY 870 PSI GOOD RETURNS GOT CMT TO SURFACE @ 187 BBLS = 63 BBLS OF GOOD CEMENT TO SURFACE
21:50	987.00		250		3.0	Displace - 250 BBLS AWAY , GOOD RETURNS, 987 PSI
21:55	1,500.00		250		3.0	Bump Plug - FROM 987 PSI TO 1500 PSI
22:00	0.00		250			Check Floats - IT HELD 1.5 BBLS BACK
22:30	0.00					Wash Up Truck
22:40	0.00					Rig Out
23:00	0.00					Leave Location



Customer: CIVITAS

Date: DEC 20 2023

Ticket: 173166

Location: WELD,CO

Well Name: CHICO 04-65 25-26 04AH

Job Type: SURFACE

Magnum Unit #: 1507

