





Repeat Section

Database File	ctd watkins 4-64 30-29 4ah.db
Dataset Pathname	pass1
Presentation Format	cbl\tdx1
Dataset Creation	Thu Feb 08 11:45:52 2024
Charted by	Depth in Feet scaled 1:240



Calibration Report

Database File	ctd watkins 4-64 30-29 4ah.db
Dataset Pathname	pass2
Dataset Creation	Thu Feb 08 11:51:34 2024

Gamma Ray Calibration Report

Serial Number:	FW1905-098
Tool Model:	GCT275-0000
Performed:	Fri Aug 25 09:31:17 2023
Calibrator Value:	1.0 GAPI
Background Reading:	0.0 cps
Calibrator Reading:	1.0 cps
Sensitivity:	0.6000 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	FW1905-055
Tool Model:	Probe
Calibration Casing Diameter:	5.500 in
Calibration Depth:	55.625 ft

Master Calibration, performed Thu Feb 8 07:43:57 2024

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.000	1.829	0.800	71.921	38.883	0.794
CAL	0.000	1.948				
5'	0.000	0.090	0.800	71.921	792.793	0.732
SUM						
S1	0.000	1.823	0.000	71.921	39.452	-0.017
S2	0.000	1.785	0.000	71.921	40.305	-0.015
S3	0.000	1.739	0.000	71.921	41.354	-0.003
S4	0.000	1.815	0.000	71.921	39.639	-0.010
S5	0.000	1.792	0.000	71.921	40.151	-0.012
S6	0.000	1.788	0.000	71.921	40.234	-0.006
S7	0.000	1.775	0.000	71.921	40.521	-0.013
S8	0.000	1.757	0.000	71.921	40.950	-0.014

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.000	1.948	1.000	0.000

Air Zero Calibration, performed Tue Apr 11 08:58:48 2023

	Raw (v)		Calibrated (v)		Results	
	Zero		Zero		Offset	
3'	0.000		0.000		0.000	
5'	0.000		0.000		0.000	
SUM						
S1	0.000		0.000		0.000	
S2	0.000		0.000		0.000	
S3	0.000		0.000		0.000	
S4	0.000		0.000		0.000	
S5	0.000		0.000		0.000	
S6	0.000		0.000		0.000	
S7	0.000		0.000		0.000	
S8	0.000		0.000		0.000	