

COLORADO OIL AND GAS CONSERVATION COMMISSION  
SUNDRY NOTICES AND REPORTS OF WELLS

File

232-1

(Indicate nature of data by checking below)



00271273

Notice of intention to drill \_\_\_\_\_  
 Notice of intention to change plans \_\_\_\_\_  
 Notice of date for test of water shut-off \_\_\_\_\_  
 Report on result of test of water shut-off \_\_\_\_\_  
 Notice of intention to re-drill or repair well \_\_\_\_\_  
 Notice of intention to clean out well \_\_\_\_\_  
 Statement of shooting \_\_\_\_\_  
 Statement of perforating \_\_\_\_\_  
 Notice to pull or otherwise alter casing \_\_\_\_\_  
 Notice of intention to abandon well #1 John Nicklas \_\_\_\_\_  
 Report of work done on well since previous report \_\_\_\_\_

Following is a ~~(notice of intention to do work)~~ (report of work done) ~~(on land)~~ (patented) July 9, 19 52 described as follows:

Colorado	Weld	Wildcat
State	County	Field
<u>1</u> <u>Nicklas</u>	<u>21</u> <u>NE</u>	<u>9 N</u> <u>56 W</u>
(Well No.) (Lease)	(Sec. and $\frac{1}{4}$ Sec.)	(Twp.) (Range) (Meridian)

The well is located 330 ft. (N) of S Line and 330 ft. (E) of W Line  
(S) (W)

The elevation above sea level is 4439 ft.

Details of Plan of Work: (State names of and expected depths to objective sands: Show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

Set 10 3/4" at 210' with 100 sks cement  
 Plugged from 5900 to 5640 with 100 sks cement  
 Plugged from 250' to 190' with 50 sks cement  
 Plugged from 25' to 0' with 25 sks cement  
 and 10' of 4" drill pipe cemented: 6' below surface  
 4' above surface as marker

Approved: JUL 18 1952

Director

Company Tuley & Carter

Address 342 Colorado Building

By [Signature]

Title Partner

Submit reports of proposed work, for approval, on this form in Duplicate for patented lands and in Triplicate for school and state lands.