

**DCP TAMPA COMPRESSOR STATION SITE  
FIRST QUARTER 2024  
FORM 27 SUPPLEMENTAL GROUNDWATER MONITORING SUMMARY REPORT**

**ATTACHMENTS**

**Tables**

- 1 First Quarter 2024 Summary of Groundwater Elevation Data
- 2 First Quarter 2024 Summary of Table 915-1 Contaminant Concentrations in Groundwater
- 3 Historical Analytical Groundwater Data

**Figures**

- 1 Site Location Map
- 2 Site Overview Map with Monitoring Well Locations
- 3 Groundwater Elevation Contour Map – February 14, 2024
- 4 Groundwater Analytical Results Map – February 14, 2024

**Appendices**

- A Laboratory Analytical Reports
  - Pace Laboratory Job #: LI706713

**TABLE 1**  
**FIRST QUARTER 2024**  
**SUMMARY OF GROUNDWATER ELEVATION DATA**  
**DCP TAMPA COMPRESSOR STATION**  
**WELD COUNTY, COLORADO**

Location	Date	Depth to Groundwater (feet)	Depth to Product (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (feet)	TOC Elevation (feet amsl)	Groundwater Elevation (*) (feet amsl)	Change in Groundwater Elevation Since Previous Event <sup>(1)</sup> (feet)
BH01R	5/11/2023	9.42			15.88	4,805.57	4,796.15	0.35
BH01R	8/23/2023	7.95			15.88	4,805.57	4,797.62	1.47
BH01R	11/6/2023	8.45			15.88	4,805.57	4,797.12	-0.50
BH01R	2/14/2024	9.33			16.10	4,805.57	4,796.24	-0.88
BH02	5/11/2023	11.41			18.45	4,807.70	4,796.29	0.37
BH02	8/23/2023	9.95			18.45	4,807.70	4,797.75	1.46
BH02	11/6/2023	10.43			18.45	4,807.70	4,797.27	-0.48
BH02	2/14/2024	10.38			18.55	4,807.70	4,797.32	0.05
BH03	5/11/2023	8.21			16.34	4,804.31	4,796.10	0.30
BH03	8/23/2023	6.72			16.34	4,804.31	4,797.59	1.49
BH03	11/6/2023	7.19			16.34	4,804.31	4,797.12	-0.47
BH03	2/14/2024	7.10			16.35	4,804.31	4,797.21	0.09
BH04	5/11/2023	10.37			16.07	4,806.95	4,796.58	0.31
BH04	8/23/2023	8.94			16.07	4,806.95	4,798.01	1.43
BH04	11/6/2023	9.33			16.07	4,806.95	4,797.62	-0.39
BH04	2/14/2024	9.25			16.11	4,806.95	4,797.70	0.08
BH05	5/11/2023	10.75			15.73	4,806.51	4,795.76	0.57
BH05	8/23/2023	8.61			15.73	4,806.51	4,797.90	2.14
BH05	11/6/2023	9.02			15.73	4,806.51	4,797.49	-0.41
BH05	2/14/2024	10.02			16.01	4,806.51	4,796.49	-1.00
BH06	5/11/2023	10.28			16.21	4,806.46	4,796.18	0.32
BH06	8/23/2023	8.84			16.21	4,806.46	4,797.62	1.44
BH06	11/6/2023	9.25			16.21	4,806.46	4,797.21	-0.41
BH06	2/14/2024	9.15			16.25	4,806.46	4,797.31	0.10
BH07	5/11/2023	10.51			15.19	4,806.01	4,795.50	0.21
BH07	8/23/2023	8.24			15.19	4,806.01	4,797.77	2.27
BH07	11/6/2023	9.40			15.19	4,806.01	4,796.61	-1.16
BH07	2/14/2024	9.23			15.20	4,806.01	4,796.78	0.17
BH08	5/11/2023	7.83			15.17	4,803.78	4,795.95	0.33
BH08	8/23/2023	6.34			15.17	4,803.78	4,797.44	1.49
BH08	11/6/2023	6.80			15.17	4,803.78	4,796.98	-0.46
BH08	2/14/2024	6.73			15.19	4,803.78	4,797.05	0.07
BH09	5/11/2023	8.08			15.29	4,804.08	4,796.00	0.31
BH09	8/23/2023	6.60			15.29	4,804.08	4,797.48	1.48
BH09	11/6/2023	7.01			15.29	4,804.08	4,797.07	-0.41
BH09	2/14/2024	6.94			15.28	4,804.08	4,797.14	0.07
BH10	5/11/2023	9.05			15.09	4,805.37	4,796.32	0.28
BH10	8/23/2023	7.61			15.09	4,805.37	4,797.76	1.44
BH10	11/6/2023	7.99			15.09	4,805.37	4,797.38	-0.38
BH10	2/14/2024	7.86			15.03	4,805.37	4,797.51	0.13
BH11	5/11/2023	8.79			14.47	4,804.97	4,796.18	0.31
BH11	8/23/2023	7.35			14.47	4,804.97	4,797.62	1.44
BH11	11/6/2023	7.72			14.47	4,804.97	4,797.25	-0.37
BH11	2/14/2024	7.67			14.36	4,804.97	4,797.30	0.05
BH12	5/11/2023	9.14			15.00	4,805.13	4,795.99	0.27
BH12	8/23/2023	7.68			15.00	4,805.13	4,797.45	1.46
BH12	11/6/2023	8.05			15.00	4,805.13	4,797.08	-0.37
BH12	2/14/2024	7.96			15.02	4,805.13	4,797.17	0.09
Average change in groundwater elevation (11/6/2023 to 2/14/2024)								-0.08

Notes:

1- Changes in groundwater elevation calculated by subtracting the measurement collected during the previous monitoring event from the measurement collected during the most recent monitoring event.

amsl = feet above mean sea level

TOC = top of casing

Groundwater elevation = (TOC Elevation - Measured Depth to Water)

Groundwater elevation = (TOC Elevation - Measured Depth to Water) + (LNAPL Thickness in Well \* LNAPL Relative Density)

LNAPL relative density is assumed to be approximately 0.75

NA = Not Applicable

TD = Total Depth

**TABLE 2**  
**FIRST QUARTER 2024**  
**SUMMARY OF VOLATILE ORGANIC COMPOUND CONCENTRATIONS IN GROUNDWATER**  
**DCP TAMPA COMPRESSOR STATION**  
**WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Comments
<b>ECMC Standards (µg/L)</b>		<b>5</b>	<b>560</b>	<b>700</b>	<b>1,400</b>	<b>67</b>	<b>67</b>	<b>140</b>	
BH01R	2/14/2024	<1.00	<1.00	6.09	<3.00	<1.00	<1.00	<5.00	
BH02	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	
BH03	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	
BH04	2/14/2024	<10.0	<10.0	<10.0	<30.0	<b>70.5</b>	<10.00	<50.00	
BH05	2/14/2024	<b>17.7</b>	<1.00	115	46.4	64.7	7.88	45.8	
BH06	2/14/2024	<1.00	1.54	584	<b>2,050</b>	<b>250</b>	45.6	29.7	
BH07	2/14/2024	<1.00	<1.00	2.64	10.7	4.77	1.27	<5.00	
BH08	2/14/2024	<1.00	<1.00	2.49	<3.00	22.7	<1.00	<5.00	
BH09	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	
BH10	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	
BH11	2/14/2024	<1.00	<1.00	78.4	53.0	<b>76.5</b>	16.5	19.6	
BH12	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	

Notes:

1). The environmental cleanup standards for groundwater that are applicable to this site are the Colorado Energy & Carbon Management Commission (ECMC) standards for contaminants in groundwater according Table 915-1 of the ECMC 900 Series Rule for E&P Waste Management.

**Bold red** values indicate an exceedance of the ECMC groundwater standards for the Site.

NS = Not sampled.

µg/L = micrograms per liter.

LNAPL - Light non-aqueous phase liquid

**TABLE 3**  
**HISTORICAL GROUNDWATER ANALYTICAL DATA**  
**DCP TAMPA COMPRESSOR STATION**  
**WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	Naphthalene (µg/L)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	<1.25 x local background	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
MT-4	6/17/2008	0.095	ND	0.0051	0.0680							
MT-4	7/7/2009	0.044	ND	0.0021	0.0280							
MT-4	6/1/2010	0.073	ND	0.0045	0.0450							
MT-4	7/26/2011	0.024	ND	ND	0.0056							
MT-4	8/23/2012	0.015	<0.005	<0.005	<0.015							
MT-4	8/8/2013	0.045	0.0012	<0.0010	0.015							
MT-4	6/11/2014	0.110	<0.001	0.0083	0.045							
MT-4 (Duplicate)	6/11/2014	0.070	<0.001	0.0056	0.031							Duplicate Sample Collected
MT-4	10/7/2014	0.031	<0.001	<0.001	0.014							
MT-4 (Duplicate)	10/7/2014	0.051	<0.001	0.0016	0.017							Duplicate Sample Collected
BH01	2/19/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH01R	11/12/2015	82	<1.0	7.5	3.8	-	-	-	-	-	-	
BH01R	2/23/2016	35	<1.0	3.7	1.5	-	-	-	-	-	-	
BH01R	5/27/2016	4.2	<1.0	2.0	<1.0	-	-	-	-	-	-	
BH01R	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	11/9/2016	<1.0	<1.0	3.4	<1.0	-	-	-	-	-	-	
BH01R	2/1/2017	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	8/28/2018	<1.0	<1.0	3.4	<2.0	-	-	-	-	-	-	
BH01R	11/15/2018	<1.0	<1.0	5.2	<2.0	-	-	-	-	-	-	
BH01R	2/14/2019	1.2	<1.0	2.2	<2.0	-	-	-	-	-	-	
BH01R	5/28/2019	<1.0	<1.0	7.3	<1.0	-	-	-	-	-	-	
BH01R	8/20/2019	<1.0	<1.0	3.42	<1.0	-	-	-	-	-	-	
BH01R	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	2/28/2020	<1.0	<1.0	2.13	<1.0	-	-	-	-	-	-	
BH01R	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	8/13/2020	<1.0	<1.0	2.83	<1.0	-	-	-	-	-	-	
BH01R	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH01R	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH01R	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH01R	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH01R	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	2.93	-	-	-	
BH01R	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	8/23/2023	<1.00	<1.00	8.35	6.54	<2.00	<2.00	<2.00	-	-	-	
BH01R	11/6/2023	<1.00	<1.00	6.79	5.89	2.34	<2.00	<2.00	-	-	-	
BH01R	2/14/2024	<1.00	<1.00	6.09	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH02	2/19/2015	<1.0	1.7	<1.0	1.1	-	-	-	-	-	-	
BH02	11/12/2015	<1.0	1.6	<1.0	4.5	-	-	-	-	-	-	
BH02	2/23/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	5/27/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	11/9/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	2/1/2017	<1.0	<1.0	1.9	<1.0	-	-	-	-	-	-	
BH02	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	8/28/2018	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	11/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	5/28/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH02	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH02	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH02	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH02	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	8/23/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	11/6/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH03	2/19/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH03	11/12/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH03	2/23/2016	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH03	5/27/2016	83	65	100	700	-	-	-	-	-	-	
BH03	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	11/9/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	2/1/2017	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	8/2/2017	1.1	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	11/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	5/28/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH03	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH03	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH03	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH03	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH03	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH03	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH03	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	



**TABLE 3**  
**HISTORICAL GROUNDWATER ANALYTICAL DATA**  
**DCP TAMPA COMPRESSOR STATION**  
**WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	Naphthalene (µg/L)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	<1.25 x local background	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH03	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH03	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH03	8/23/2023	<b>23.9</b>	<1.00	<1.00	40.6	<2.00	<2.00	44.5	-	-	-	
BH03	11/6/2023	<1.00	<1.00	<1.00	<1.00	10.1	<2.00	<2.00	-	-	-	
BH03	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH04	11/12/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH04	2/23/2016	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH04	5/27/2016	<b>120</b>	490	560	<b>2,600</b>	-	-	-	-	-	-	
BH04	8/17/2016	<b>28</b>	73	140	840	-	-	-	-	-	-	LNAPL
BH04	11/9/2016	<b>120</b>	<b>590</b>	<b>1,800</b>	<b>5,500</b>	-	-	-	-	-	-	LNAPL
BH04	2/1/2017	3.9	46	220	560	-	-	-	-	-	-	
BH04	5/1/2017	1.0	13	83	280	-	-	-	-	-	-	
BH04	8/2/2017	<1.0	8.6	190	390	-	-	-	-	-	-	
BH04	11/28/2017	<1.0	3.7	140	440	-	-	-	-	-	-	
BH04	2/15/2018	<1.0	2.7	200	520	-	-	-	-	-	-	
BH04	5/3/2018	<1.0	<1.0	190	350	-	-	-	-	-	-	
BH04	8/28/2018	<1.0	1.0	160	370	-	-	-	-	-	-	
BH04	11/15/2018	2.2	1.2	350	730	-	-	-	-	-	-	
BH04	2/14/2019	<1.0	<1.0	330	740	-	-	-	-	-	-	
BH04	5/28/2019	<1.0	<1.0	265	608	-	-	-	-	-	-	
BH04	8/20/2019	<4.0	<4.0	163	441	-	-	-	-	-	-	
BH04	11/15/2019	<4.0	<4.0	267	622	-	-	-	-	-	-	
BH04	2/28/2020	<4.0	<4.0	248	601	-	-	-	-	-	-	
BH04	5/14/2020	<1.0	<1.0	247	550	-	-	-	-	-	-	
BH04	8/13/2020	<4.0	<4.0	139	329	-	-	-	-	-	-	
BH04	11/19/2020	<4.0	<4.0	147	338	-	-	-	-	-	-	
BH04	3/29/2021	<1.0	<1.0	100	200	<b>75</b>	5.3	30	483	15.0	15.0	
BH04	6/2/2021	<4.0	<4.0	70.0	159	<b>104</b>	9.04	25.0	-	-	-	
BH04	8/16/2021	<1.0	<1.0	121	193	<b>160</b>	11.3	32.0	-	-	-	
BH04	11/11/2021	<4.00	<4.00	81.0	<4.00	<b>137</b>	19.4	25.4	-	-	-	
BH04	2/15/2022	<1.00	<1.00	59.4	101	<b>150</b>	18.8	26.7	-	-	-	
BH04	5/16/2022	<1.00	<1.00	59.1	86.0	<b>197</b>	36.1	26.1	-	-	-	
BH04	8/19/2022	<1.00	<1.00	48.6	66.6	<b>177</b>	38.9	43.1	-	-	-	
BH04	11/16/2022	<1.00	<1.00	47.9	61.2	<2.00	54.8	37.1	-	-	-	
BH04	2/16/2023	<1.00	<1.00	31.5	46.3	<b>137</b>	40.9	23.3	-	-	-	
BH04	5/11/2023	<1.00	<1.00	39.9	41.5	<b>115</b>	<b>134</b>	30.0	-	-	-	
BH04	8/23/2023	<1.00	2.12	11.6	<1.00	<b>175</b>	8.56	33.7	-	-	-	
BH04	11/6/2023	<1.00	<1.00	1.32	<1.00	8.36	2.52	<2.00	-	-	-	
BH04	2/14/2024	<10.0	<10.0	<10.0	<30.0	<b>70.5</b>	<10.00	<50.00	-	-	-	
BH05	11/12/2015	<b>6,700</b>	<b>590</b>	610	<b>2,300</b>	-	-	-	-	-	-	
BH05	2/23/2016	<b>2,900</b>	180	540	<b>1,500</b>	-	-	-	-	-	-	
BH05	5/27/2016	<b>2,300</b>	130	610	<b>2,900</b>	-	-	-	-	-	-	
BH05	8/17/2016	<b>1,800</b>	30	100	1,100	-	-	-	-	-	-	
BH05	11/9/2016	<b>19,000</b>	<b>2,000</b>	<b>3,500</b>	<b>15,000</b>	-	-	-	-	-	-	
BH05	2/1/2017	<b>2,300</b>	95	450	<b>1,800</b>	-	-	-	-	-	-	
BH05	5/1/2017	<b>1,500</b>	17	210	1,000	-	-	-	-	-	-	
BH05	8/2/2017	<b>1,700</b>	<1.0	230	<b>1,400</b>	-	-	-	-	-	-	
BH05	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH05	2/15/2018	1.6	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH05	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH05	8/28/2018	<b>7.6</b>	<1.0	3.6	7.3	-	-	-	-	-	-	
BH05	11/15/2018	<b>18</b>	<1.0	3.6	7.2	-	-	-	-	-	-	
BH05	2/14/2019	<b>11</b>	<1.0	2.4	4.1	-	-	-	-	-	-	
BH05	5/28/2019	<b>39</b>	<1.0	13	10.3	-	-	-	-	-	-	
BH05	8/20/2019	<b>46.3</b>	<1.0	12.6	5.59	-	-	-	-	-	-	
BH05	11/15/2019	<b>54.7</b>	<1.0	47.7	9.12	-	-	-	-	-	-	
BH05	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH05	5/14/2020	<b>24.7</b>	<1.0	22.7	17.6	-	-	-	-	-	-	
BH05	8/13/2020	<b>90.6</b>	<1.0	107	53.7	-	-	-	-	-	-	
BH05	11/19/2020	<1.0	<1.0	10.6	7.49	-	-	-	-	-	-	
BH05	3/29/2021	<1.0	<1.0	<1.0	14	<1.0	<1.0	<1.0	-	-	-	
BH05	6/2/2021	<b>12.4</b>	<1.0	54.7	29.1	<1.0	<1.0	19.0	-	-	-	
BH05	8/16/2021	<b>106</b>	<1.0	160	23.6	15.9	<1.0	21.7	-	-	-	
BH05	11/11/2021	<b>122</b>	<1.00	114	<1.00	18	4.8	17.6	-	-	-	
BH05	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH05	5/16/2022	<b>40.6</b>	<1.00	108	<1.00	22.7	5.61	17.8	-	-	-	
BH05	8/19/2022	<b>14.1</b>	<1.00	10.2	7.79	27.6	6.74	48.3	-	-	-	
BH05	11/16/2022	<b>9.92</b>	<1.00	80.9	3.49	24.9	5.07	15.2	-	-	-	
BH05	2/16/2023	2.95	<1.00	<1.00	<1.00	5.88	<2.00	<2.00	-	-	-	
BH05	5/11/2023	<b>81.1</b>	<1.00	2.01	<1.00	12.5	<2.00	7.10	-	-	-	
BH05	8/23/2023	<b>198</b>	<1.00	172	59	37.6	4.83	35.60	-	-	-	
BH05	11/6/2023	<b>51.6</b>	<1.00	219	107	63.2	7.06	48.1	-	-	-	
BH05	2/14/2024	<b>17.7</b>	<1.00	115	46.4	64.7	7.88	45.8	-	-	-	
BH06	11/12/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH06	2/23/2016	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH06	5/27/2016	<b>6,500</b>	<b>6,200</b>	<b>2,500</b>	<b>14,000</b>	-	-	-	-	-	-	
BH06	8/17/2016	<b>5,400</b>	<b>3,100</b>	<b>1,400</b>	<b>7,600</b>	-	-	-	-	-	-	
BH06	11/9/2016	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH06	2/1/2017	<b>2,000</b>	<b>800</b>	510	<b>2,100</b>	-	-	-	-	-	-	LNAPL
BH06	5/1/2017	<b>1,100</b>	<b>620</b>	260	<b>1,900</b>	-	-	-	-	-	-	LNAPL
BH06	8/2/2017	<b>3,000</b>	<b>2,600</b>	570	<b>4,100</b>	-	-	-	-	-	-	
BH06	11/28/2017	<b>1,400</b>	<b>770</b>	190	<b>1,900</b>	-	-	-	-	-	-	
BH06	2/15/2018	<b>1,300</b>	340	1.7	<b>2,100</b>	-	-	-	-	-	-	
BH06	5/3/2018	<b>690</b>	500	230	<b>2,200</b>	-	-	-	-	-	-	
BH06	8/28/2018	<b>370</b>	17	560	<b>2,000</b>	-	-	-	-	-	-	
BH06	11/15/2018	<b>230</b>	10	620	<b>2,400</b>	-	-	-	-	-	-	
BH06	2/14/2019	<b>140</b>	1.9	580	<b>2,100</b>	-	-	-	-	-	-	
BH06	5/28/2019	<b>84</b>	4.0	638	<b>2,480</b>	-	-	-	-	-	-	
BH06	8/20/2019	<b>19</b>	<10.0	436	<b>1,810</b>	-	-	-	-	-	-	
BH06	11/15/2019	<b>16.9</b>	<10.0	574	<b>2,170</b>	-	-	-	-	-	-	
BH06	2/28/2020	<b>9.4</b>	20.1	576	<b>2,280</b>	-	-	-	-	-	-	
BH06	5/14/2020	<b>8.18</b>	43.0	647	<b>2,700</b>	-	-	-	-	-	-	
BH06	8/13/2020	<4.0	21.3	546	<b>2,340</b>	-	-	-	-	-	-	
BH06	11/19/2020	<4.0	16.2	482	<b>2,080</b>	-	-	-	-	-	-	
BH06	3/29/2021	<1.0	140	210	1,100	<b>130</b>	56	55	446	15.7	7.6	
BH06	6/2/2021	<4.0	273	518	<b>1,910</b>	<b>290</b>	<b>71.3</b>	79.0	-	-	-	
BH06	8/16/2021	<2.0	256	490	<b>2,510</b>	<b>312</b>	60.8	107	-	-	-	
BH06	11/11/2021	<4.00	497	596	<4.00	<b>306</b>	<b>79.5</b>	78.3	-	-	-	
BH06	2/15/2022	<1.00	280	123	<b>2,080</b>	<b>210</b>	48.9	35.5	-	-	-	
BH06	5/16/2022	<1.00	460	<b>715</b>	<b>3,100</b>	<b>335</b>	<b>77.5</b>	63.5	-	-	-	
BH06	8/19/2022	<1.00	280	251	<b>2,070</b>	<b>255</b>	<b>92.9</b>	<b>147</b>	-	-	-	
BH06	11/16/2022	<1.00	339	<1.00	<1.00	<2.00	<b>110</b>	112	-	-	-	
BH06	2/16/2023	<1.00	208	641	<b>2730</b>	<b>335</b>	<b>79.2</b>	122	-	-	-	
BH06	5/11/2023	<1.00	73.2	576	<b>1730</b>	<b>288</b>	55.2	60.0	-	-	-	
BH06	8/23/2023	<1.00	1.04	441	<b>1440</b>	<b>222</b>	51.1	77.0	-	-	-	
BH06	11/6/2023	<1.00	2.14	572	<b>2330</b>	<b>262</b>	<b>71.9</b>	69.4	-	-	-	
BH06	2/14/2024	<1.00	1.54	584	<b>2,050</b>	<b>250</b>	45.6	29.7	-	-	-	
BH07	11/12/2015	<b>1,600</b>	<b>1,000</b>	290	1,000	-	-	-	-	-	-	
BH07	2/23/2016	<b>150</b>	70	170	110	-	-	-	-	-	-	
BH07	5/27/2016	<b>3,100</b>	<b>1,500</b>	800	<b>2,700</b>	-	-	-	-	-	-	
BH07	8/17/2016	<b>2,500</b>	170	550	<b>2,600</b>	-	-	-	-	-	-	

**TABLE 3**  
**HISTORICAL GROUNDWATER ANALYTICAL DATA**  
**DCP TAMPA COMPRESSOR STATION**  
**WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)  (250 mg/l or <1.25 x local background)	Sulfate (mg/l)  (250 mg/l or <1.25 x local background)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	<1.25 x local background			
BH07	5/1/2017	56	9.3	300	1,400	-	-	-	-	-	-	
BH07	8/2/2017	26	5.3	130	1,600	-	-	-	-	-	-	
BH07	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	11/15/2018	<1.0	<1.0	<1.0	3.5	-	-	-	-	-	-	
BH07	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	5/28/2019	<1.0	<1.0	7.7	13.1	-	-	-	-	-	-	
BH07	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	11/19/2020	<4.0	<4.0	<4.0	<4.0	-	-	-	-	-	-	
BH07	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH07	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH07	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH07	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH07	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH07	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH07	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH07	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH07	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH07	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH07	8/23/2023	<1.00	<1.00	1.57	4.34	<2.00	<2.00	2.3	-	-	-	
BH07	11/6/2023	<1.00	<1.00	1.81	4.57	2.77	<2.00	3.02	-	-	-	
BH07	2/14/2024	<1.00	<1.00	2.64	10.7	4.77	1.27	<5.00	-	-	-	
BH08	11/12/2015	160	16	11	40	-	-	-	-	-	-	
BH08	2/23/2016	150	37	15	74	-	-	-	-	-	-	
BH08	5/27/2016	60	10	19	110	-	-	-	-	-	-	
BH08	8/17/2016	5.1	6.2	20	320	-	-	-	-	-	-	
BH08	11/9/2016	<1.0	<1.0	<1.0	9.1	-	-	-	-	-	-	
BH08	2/1/2017	4.6	<1.0	11	32	-	-	-	-	-	-	
BH08	5/1/2017	<1.0	<1.0	4.7	6.8	-	-	-	-	-	-	
BH08	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH08	11/28/2017	1.6	<1.0	7.5	41	-	-	-	-	-	-	
BH08	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH08	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH08	8/28/2018	<1.0	<1.0	9.7	<2.0	-	-	-	-	-	-	
BH08	11/15/2018	<1.0	<1.0	11	5.1	-	-	-	-	-	-	
BH08	2/14/2019	<1.0	<1.0	7.3	<2.0	-	-	-	-	-	-	
BH08	5/28/2019	<1.0	<1.0	5.6	<1.0	-	-	-	-	-	-	
BH08	8/20/2019	<1.0	<1.0	5.43	<1.0	-	-	-	-	-	-	
BH08	11/15/2019	<1.0	<1.0	3.66	<1.0	-	-	-	-	-	-	
BH08	2/28/2020	<1.0	<1.0	<1.0	3.24	-	-	-	-	-	-	
BH08	5/14/2020	<1.0	<1.0	<1.0	3.71	-	-	-	-	-	-	
BH08	8/13/2020	<1.0	<1.0	3.73	2.82	-	-	-	-	-	-	
BH08	11/19/2020	<1.0	<1.0	2.49	3.38	-	-	-	-	-	-	
BH08	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH08	6/2/2021	<1.0	<1.0	1.89	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH08	8/16/2021	<1.0	<1.0	1.82	1.05	<1.0	1.24	<4.0	-	-	-	
BH08	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH08	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH08	5/16/2022	<1.00	<1.00	20.6	<1.00	11.0	<2.00	2.26	-	-	-	
BH08	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH08	11/16/2022	<1.00	<1.00	<1.00	<1.00	2.62	6.42	<2.00	-	-	-	
BH08	2/16/2023	<1.00	<1.00	<1.00	<1.00	2.40	<2.00	<2.00	-	-	-	
BH08	5/11/2023	<1.00	<1.00	<1.00	<1.00	3.00	<2.00	<2.00	-	-	-	
BH08	8/23/2023	<1.00	<1.00	1.60	2.45	3.88	<2.00	<2.00	-	-	-	
BH08	11/6/2023	<1.00	<1.00	2.57	2.47	12.0	13.4	<2.00	-	-	-	
BH08	2/14/2024	<1.00	<1.00	2.49	<3.00	22.7	<1.00	<5.00	-	-	-	
BH09	11/12/2015	610	46	18	80	-	-	-	-	-	-	
BH09	2/23/2016	23	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	5/27/2016	8.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	11/9/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	2/1/2017	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	11/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	5/28/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	1,100	51.4	548	
BH09	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH09	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH09	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH09	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	8/23/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	11/6/2023	<1.00	<1.00	<1.00	<1.0							

**TABLE 3**  
**HISTORICAL GROUNDWATER ANALYTICAL DATA**  
**DCP TAMPA COMPRESSOR STATION**  
**WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	Naphthalene (µg/L)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	<1.25 x local background	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH10	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH10	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH10	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH10	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH10	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	8/23/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	11/6/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH11	11/12/2015	<b>2,100</b>	<b>1,800</b>	200	840	-	-	-	-	-	-	LNAPL
BH11	2/23/2016	NS	NS	NS	NS	-	-	-	-	-	-	
BH11	5/27/2016	<b>2,100</b>	180	600	<b>1,900</b>	-	-	-	-	-	-	
BH11	8/17/2016	<b>1,100</b>	3.5	34	770	-	-	-	-	-	-	
BH11	11/9/2016	<b>27</b>	<1.0	100	260	-	-	-	-	-	-	
BH11	2/1/2017	2.0	<1.0	290	330	-	-	-	-	-	-	
BH11	5/1/2017	<1.0	<1.0	160	14	-	-	-	-	-	-	
BH11	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH11	11/28/2017	<1.0	22	370	430	-	-	-	-	-	-	
BH11	2/15/2018	<1.0	32	210	440	-	-	-	-	-	-	
BH11	5/3/2018	<1.0	9.4	30	310	-	-	-	-	-	-	
BH11	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH11	11/15/2018	<1.0	6.1	<b>770</b>	640	-	-	-	-	-	-	
BH11	2/14/2019	<1.0	2.7	<b>790</b>	700	-	-	-	-	-	-	
BH11	5/28/2019	<1.0	<1.0	689	582	-	-	-	-	-	-	
BH11	8/20/2019	<4.0	<4.0	<b>781</b>	651	-	-	-	-	-	-	
BH11	11/15/2019	<4.0	<4.0	670	794	-	-	-	-	-	-	
BH11	2/28/2020	<1.0	<1.0	514	685	-	-	-	-	-	-	
BH11	5/14/2020	<1.0	<1.0	546	736	-	-	-	-	-	-	
BH11	8/13/2020	<4.0	<4.0	439	623	-	-	-	-	-	-	
BH11	11/19/2020	<1.0	<1.0	31.1	40.0	-	-	-	-	-	-	
BH11	3/29/2021	<1.0	<1.0	200	310	<b>95</b>	3.8	63	-	-	-	
BH11	6/2/2021	<4.0	<4.0	183	327	<b>121</b>	6.16	57.1	-	-	-	
BH11	8/16/2021	<2.0	<2.0	355	310	<b>155</b>	33.0	71.6	-	-	-	
BH11	11/11/2021	<4.00	<4.00	4.6	<4.00	<b>137</b>	21.6	50.4	-	-	-	
BH11	2/15/2022	<1.00	<1.00	<1.00	106	53.7	7.86	9.21	-	-	-	
BH11	5/16/2022	<1.00	1.02	84.4	142	<b>120</b>	8.65	21.2	-	-	-	
BH11	8/19/2022	<1.00	<1.00	<1.00	323	<b>153</b>	21.4	75.0	-	-	-	
BH11	11/16/2022	<1.00	<1.00	272	429	<b>191</b>	41.2	89.7	-	-	-	
BH11	2/16/2023	<1.00	1.18	210	334	<b>143</b>	43.8	69.8	-	-	-	
BH11	5/11/2023	<1.00	<1.00	171	235	<b>117</b>	65.2	86.9	-	-	-	
BH11	8/23/2023	<1.00	<1.00	153	263	<b>122</b>	61.4	104	-	-	-	
BH11	11/6/2023	<1.00	<1.00	18.0	16.4	<b>134</b>	46.0	73.3	-	-	-	
BH11	2/14/2024	<1.00	<1.00	78.4	53.0	<b>76.5</b>	16.5	19.6	-	-	-	
BH12	11/12/2015	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	2/23/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	5/27/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	11/9/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	2/1/2017	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	11/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	5/28/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH12	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH12	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH12	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH12	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	8/23/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	11/6/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
W Bldg GW	9/25/2020	<1.0	<1.0	<1.0	4.96	-	-	-	-	-	-	

Notes:



1). The environmental cleanup standards for groundwater that are applicable to this site are the Colorado Energy & Carbon Management Commission (ECMC) standards for contaminants in groundwater according to Table 910-1 (Prior to January 15th, 2021) and Table 915-1

**Bold red** values indicate an exceedence of the ECMC groundwater standards for the Site.

NS = Not sampled.

µg/L = micrograms per liter.

LNAPL - Light non-aqueous phase liquid




## Figure 1

Site Location Map  
Tampa Compressor Station  
SWSW S31 T3N R63W  
Weld County, Colorado







DATE:	November 2018
DESIGNED BY:	B. Humphrey
DRAWN BY:	D. Arnold

**TASMAN**

Tasman, Inc  
6855 W. 119th Ave  
Broomfield, CO 80020

**DCP Midstream  
Tampa Compressor Station**  
SWSW Section 31, Township 3 North, Range 63 West  
Weld County, Colorado

Site Map with  
Monitoring Well Locations

Figure  
2





DATE:	April 2024
DESIGNED BY:	J. Watts
DRAWN BY:	J. Woffinden


 **TASMAN**  
Tasman, Inc  
6855 W. 119th Ave  
Broomfield, CO 80020

**DCP Midstream  
Tampa Compressor Station**  
SWSW Section 31, Township 3 North, Range 63 West  
Weld County, Colorado

Groundwater Elevation  
Contour Map  
(February 14, 2024)

Figure  
3





DATE:	April, 2024
DESIGNED BY:	J. Watts
DRAWN BY:	J. Woffinden




# ANALYTICAL REPORT

February 26, 2024

Revised Report

## Tasman Geosciences- Broomfield, CO

Sample Delivery Group: L1706713  
Samples Received: 02/16/2024  
Project Number:  
Description: Tampa Compressor Station  
  
Report To: Jeb Watts  
6899 Pecos St., Unit C  
Denver, CO 80221



Entire Report Reviewed By:

*Chris Ward*

Chris Ward  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 [www.pacenational.com](http://www.pacenational.com)



# TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	5
Sr: Sample Results	6
BH01R L1706713-01	6
BH02 L1706713-02	7
BH03 L1706713-03	8
BH04 L1706713-04	9
BH05 L1706713-05	10
BH06 L1706713-06	11
BH07 L1706713-07	12
BH08 L1706713-08	13
BH09 L1706713-09	14
BH10 L1706713-10	15
BH11 L1706713-11	16
BH12 L1706713-12	17
Qc: Quality Control Summary	18
Volatile Organic Compounds (GC/MS) by Method 8260B	18
Gl: Glossary of Terms	20
Al: Accreditations & Locations	21
Sc: Sample Chain of Custody	22

<sup>1</sup> Cp
<sup>2</sup> Tc
<sup>3</sup> Ss
<sup>4</sup> Cn
<sup>5</sup> Sr
<sup>6</sup> Qc
<sup>7</sup> Gl
<sup>8</sup> Al
<sup>9</sup> Sc

# SAMPLE SUMMARY

## BH01R L1706713-01 GW

				Collected by Keegan MacDonald	Collected date/time 02/14/24 14:56	Received date/time 02/16/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2228966	1	02/19/24 05:01	02/19/24 05:01	GLN	Mt. Juliet, TN

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc

## BH02 L1706713-02 GW

				Collected by Keegan MacDonald	Collected date/time 02/14/24 15:25	Received date/time 02/16/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2228966	1	02/19/24 05:24	02/19/24 05:24	GLN	Mt. Juliet, TN

## BH03 L1706713-03 GW

				Collected by Keegan MacDonald	Collected date/time 02/14/24 14:23	Received date/time 02/16/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2228966	1	02/19/24 05:48	02/19/24 05:48	GLN	Mt. Juliet, TN

## BH04 L1706713-04 GW

				Collected by Keegan MacDonald	Collected date/time 02/14/24 13:47	Received date/time 02/16/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2228966	10	02/19/24 09:40	02/19/24 09:40	GLN	Mt. Juliet, TN

## BH05 L1706713-05 GW

				Collected by Keegan MacDonald	Collected date/time 02/14/24 13:15	Received date/time 02/16/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2228966	1	02/19/24 06:11	02/19/24 06:11	GLN	Mt. Juliet, TN

## BH06 L1706713-06 GW

				Collected by Keegan MacDonald	Collected date/time 02/14/24 13:51	Received date/time 02/16/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2228966	1	02/19/24 06:34	02/19/24 06:34	GLN	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2229598	20	02/20/24 13:42	02/20/24 13:42	GLN	Mt. Juliet, TN

## BH07 L1706713-07 GW

				Collected by Keegan MacDonald	Collected date/time 02/14/24 13:18	Received date/time 02/16/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2228966	1	02/19/24 06:58	02/19/24 06:58	GLN	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2229598	1	02/20/24 11:59	02/20/24 11:59	GLN	Mt. Juliet, TN

## BH08 L1706713-08 GW

				Collected by Keegan MacDonald	Collected date/time 02/14/24 14:18	Received date/time 02/16/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2228966	1	02/19/24 07:21	02/19/24 07:21	GLN	Mt. Juliet, TN

# SAMPLE SUMMARY

## BH09 L1706713-09 GW

Collected by Keegan MacDonald  
Collected date/time 02/14/24 15:01  
Received date/time 02/16/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2228966	1	02/19/24 07:44	02/19/24 07:44	GLN	Mt. Juliet, TN

## BH10 L1706713-10 GW

Collected by Keegan MacDonald  
Collected date/time 02/14/24 15:56  
Received date/time 02/16/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2228966	1	02/19/24 08:07	02/19/24 08:07	GLN	Mt. Juliet, TN

## BH11 L1706713-11 GW

Collected by Keegan MacDonald  
Collected date/time 02/14/24 15:29  
Received date/time 02/16/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2228966	1	02/19/24 08:30	02/19/24 08:30	GLN	Mt. Juliet, TN

## BH12 L1706713-12 GW

Collected by Keegan MacDonald  
Collected date/time 02/14/24 15:59  
Received date/time 02/16/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2228966	1	02/19/24 08:53	02/19/24 08:53	GLN	Mt. Juliet, TN

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

# CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward  
Project Manager

---


## Report Revision History

Level II Report - Version 1: 02/21/24 18:52

---

## Project Narrative

Updated VOC Analyte List - Tony Gibson 02/23/2024



Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	02/19/2024 05:01	<a href="#">WG2228966</a>
Toluene	ND		0.00100	1	02/19/2024 05:01	<a href="#">WG2228966</a>
Ethylbenzene	0.00609		0.00100	1	02/19/2024 05:01	<a href="#">WG2228966</a>
Xylenes, Total	ND		0.00300	1	02/19/2024 05:01	<a href="#">WG2228966</a>
Naphthalene	ND		0.00500	1	02/19/2024 05:01	<a href="#">WG2228966</a>
1,2,4-Trimethylbenzene	ND		0.00100	1	02/19/2024 05:01	<a href="#">WG2228966</a>
1,3,5-Trimethylbenzene	ND		0.00100	1	02/19/2024 05:01	<a href="#">WG2228966</a>
(S) Toluene-d8	106		80.0-120		02/19/2024 05:01	<a href="#">WG2228966</a>
(S) 4-Bromofluorobenzene	99.6		77.0-126		02/19/2024 05:01	<a href="#">WG2228966</a>
(S) 1,2-Dichloroethane-d4	94.9		70.0-130		02/19/2024 05:01	<a href="#">WG2228966</a>

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	02/19/2024 05:24	<a href="#">WG2228966</a>
Toluene	ND		0.00100	1	02/19/2024 05:24	<a href="#">WG2228966</a>
Ethylbenzene	ND		0.00100	1	02/19/2024 05:24	<a href="#">WG2228966</a>
Xylenes, Total	ND		0.00300	1	02/19/2024 05:24	<a href="#">WG2228966</a>
Naphthalene	ND		0.00500	1	02/19/2024 05:24	<a href="#">WG2228966</a>
1,2,4-Trimethylbenzene	ND		0.00100	1	02/19/2024 05:24	<a href="#">WG2228966</a>
1,3,5-Trimethylbenzene	ND		0.00100	1	02/19/2024 05:24	<a href="#">WG2228966</a>
(S) Toluene-d8	79.9	<a href="#">J2</a>	80.0-120		02/19/2024 05:24	<a href="#">WG2228966</a>
(S) 4-Bromofluorobenzene	96.6		77.0-126		02/19/2024 05:24	<a href="#">WG2228966</a>
(S) 1,2-Dichloroethane-d4	85.2		70.0-130		02/19/2024 05:24	<a href="#">WG2228966</a>

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	02/19/2024 05:48	<a href="#">WG2228966</a>
Toluene	ND		0.00100	1	02/19/2024 05:48	<a href="#">WG2228966</a>
Ethylbenzene	ND		0.00100	1	02/19/2024 05:48	<a href="#">WG2228966</a>
Xylenes, Total	ND		0.00300	1	02/19/2024 05:48	<a href="#">WG2228966</a>
Naphthalene	ND		0.00500	1	02/19/2024 05:48	<a href="#">WG2228966</a>
1,2,4-Trimethylbenzene	ND		0.00100	1	02/19/2024 05:48	<a href="#">WG2228966</a>
1,3,5-Trimethylbenzene	ND		0.00100	1	02/19/2024 05:48	<a href="#">WG2228966</a>
(S) Toluene-d8	101		80.0-120		02/19/2024 05:48	<a href="#">WG2228966</a>
(S) 4-Bromofluorobenzene	98.3		77.0-126		02/19/2024 05:48	<a href="#">WG2228966</a>
(S) 1,2-Dichloroethane-d4	86.3		70.0-130		02/19/2024 05:48	<a href="#">WG2228966</a>

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	ND		0.0100	10	02/19/2024 09:40	<a href="#">WG2228966</a>
Toluene	ND		0.0100	10	02/19/2024 09:40	<a href="#">WG2228966</a>
Ethylbenzene	ND		0.0100	10	02/19/2024 09:40	<a href="#">WG2228966</a>
Xylenes, Total	ND		0.0300	10	02/19/2024 09:40	<a href="#">WG2228966</a>
Naphthalene	ND		0.0500	10	02/19/2024 09:40	<a href="#">WG2228966</a>
1,2,4-Trimethylbenzene	0.0705		0.0100	10	02/19/2024 09:40	<a href="#">WG2228966</a>
1,3,5-Trimethylbenzene	ND		0.0100	10	02/19/2024 09:40	<a href="#">WG2228966</a>
(S) Toluene-d8	121	<a href="#">J1</a>	80.0-120		02/19/2024 09:40	<a href="#">WG2228966</a>
(S) 4-Bromofluorobenzene	105		77.0-126		02/19/2024 09:40	<a href="#">WG2228966</a>
(S) 1,2-Dichloroethane-d4	94.1		70.0-130		02/19/2024 09:40	<a href="#">WG2228966</a>

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc



Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.0177		0.00100	1	02/19/2024 06:11	<a href="#">WG2228966</a>
Toluene	ND		0.00100	1	02/19/2024 06:11	<a href="#">WG2228966</a>
Ethylbenzene	0.115		0.00100	1	02/19/2024 06:11	<a href="#">WG2228966</a>
Xylenes, Total	0.0464		0.00300	1	02/19/2024 06:11	<a href="#">WG2228966</a>
Naphthalene	0.0458		0.00500	1	02/19/2024 06:11	<a href="#">WG2228966</a>
1,2,4-Trimethylbenzene	0.0647		0.00100	1	02/19/2024 06:11	<a href="#">WG2228966</a>
1,3,5-Trimethylbenzene	0.00788		0.00100	1	02/19/2024 06:11	<a href="#">WG2228966</a>
(S) Toluene-d8	99.3		80.0-120		02/19/2024 06:11	<a href="#">WG2228966</a>
(S) 4-Bromofluorobenzene	98.8		77.0-126		02/19/2024 06:11	<a href="#">WG2228966</a>
(S) 1,2-Dichloroethane-d4	84.6		70.0-130		02/19/2024 06:11	<a href="#">WG2228966</a>

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	02/19/2024 06:34	<a href="#">WG2228966</a>
Toluene	0.00154		0.00100	1	02/19/2024 06:34	<a href="#">WG2228966</a>
Ethylbenzene	0.584		0.0200	20	02/20/2024 13:42	<a href="#">WG2229598</a>
Xylenes, Total	2.05		0.0600	20	02/20/2024 13:42	<a href="#">WG2229598</a>
Naphthalene	0.0297		0.00500	1	02/19/2024 06:34	<a href="#">WG2228966</a>
1,2,4-Trimethylbenzene	0.250		0.0200	20	02/20/2024 13:42	<a href="#">WG2229598</a>
1,3,5-Trimethylbenzene	0.0456		0.00100	1	02/19/2024 06:34	<a href="#">WG2228966</a>
(S) Toluene-d8	89.6		80.0-120		02/19/2024 06:34	<a href="#">WG2228966</a>
(S) Toluene-d8	97.3		80.0-120		02/20/2024 13:42	<a href="#">WG2229598</a>
(S) 4-Bromofluorobenzene	114		77.0-126		02/19/2024 06:34	<a href="#">WG2228966</a>
(S) 4-Bromofluorobenzene	90.8		77.0-126		02/20/2024 13:42	<a href="#">WG2229598</a>
(S) 1,2-Dichloroethane-d4	93.6		70.0-130		02/19/2024 06:34	<a href="#">WG2228966</a>
(S) 1,2-Dichloroethane-d4	82.4		70.0-130		02/20/2024 13:42	<a href="#">WG2229598</a>

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	02/19/2024 06:58	<a href="#">WG2228966</a>
Toluene	ND		0.00100	1	02/19/2024 06:58	<a href="#">WG2228966</a>
Ethylbenzene	0.00264		0.00100	1	02/20/2024 11:59	<a href="#">WG2229598</a>
Xylenes, Total	0.0107		0.00300	1	02/20/2024 11:59	<a href="#">WG2229598</a>
Naphthalene	ND		0.00500	1	02/19/2024 06:58	<a href="#">WG2228966</a>
1,2,4-Trimethylbenzene	0.00477		0.00100	1	02/20/2024 11:59	<a href="#">WG2229598</a>
1,3,5-Trimethylbenzene	0.00127		0.00100	1	02/19/2024 06:58	<a href="#">WG2228966</a>
(S) Toluene-d8	103		80.0-120		02/19/2024 06:58	<a href="#">WG2228966</a>
(S) Toluene-d8	101		80.0-120		02/20/2024 11:59	<a href="#">WG2229598</a>
(S) 4-Bromofluorobenzene	102		77.0-126		02/19/2024 06:58	<a href="#">WG2228966</a>
(S) 4-Bromofluorobenzene	91.7		77.0-126		02/20/2024 11:59	<a href="#">WG2229598</a>
(S) 1,2-Dichloroethane-d4	88.8		70.0-130		02/19/2024 06:58	<a href="#">WG2228966</a>
(S) 1,2-Dichloroethane-d4	84.0		70.0-130		02/20/2024 11:59	<a href="#">WG2229598</a>

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	02/19/2024 07:21	<a href="#">WG2228966</a>
Toluene	ND		0.00100	1	02/19/2024 07:21	<a href="#">WG2228966</a>
Ethylbenzene	0.00249		0.00100	1	02/19/2024 07:21	<a href="#">WG2228966</a>
Xylenes, Total	ND		0.00300	1	02/19/2024 07:21	<a href="#">WG2228966</a>
Naphthalene	ND		0.00500	1	02/19/2024 07:21	<a href="#">WG2228966</a>
1,2,4-Trimethylbenzene	0.0227		0.00100	1	02/19/2024 07:21	<a href="#">WG2228966</a>
1,3,5-Trimethylbenzene	ND		0.00100	1	02/19/2024 07:21	<a href="#">WG2228966</a>
(S) Toluene-d8	107		80.0-120		02/19/2024 07:21	<a href="#">WG2228966</a>
(S) 4-Bromofluorobenzene	98.6		77.0-126		02/19/2024 07:21	<a href="#">WG2228966</a>
(S) 1,2-Dichloroethane-d4	95.1		70.0-130		02/19/2024 07:21	<a href="#">WG2228966</a>

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	02/19/2024 07:44	<a href="#">WG2228966</a>
Toluene	ND		0.00100	1	02/19/2024 07:44	<a href="#">WG2228966</a>
Ethylbenzene	ND		0.00100	1	02/19/2024 07:44	<a href="#">WG2228966</a>
Xylenes, Total	ND		0.00300	1	02/19/2024 07:44	<a href="#">WG2228966</a>
Naphthalene	ND		0.00500	1	02/19/2024 07:44	<a href="#">WG2228966</a>
1,2,4-Trimethylbenzene	ND		0.00100	1	02/19/2024 07:44	<a href="#">WG2228966</a>
1,3,5-Trimethylbenzene	ND		0.00100	1	02/19/2024 07:44	<a href="#">WG2228966</a>
(S) Toluene-d8	105		80.0-120		02/19/2024 07:44	<a href="#">WG2228966</a>
(S) 4-Bromofluorobenzene	97.5		77.0-126		02/19/2024 07:44	<a href="#">WG2228966</a>
(S) 1,2-Dichloroethane-d4	88.0		70.0-130		02/19/2024 07:44	<a href="#">WG2228966</a>

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	02/19/2024 08:07	<a href="#">WG2228966</a>
Toluene	ND		0.00100	1	02/19/2024 08:07	<a href="#">WG2228966</a>
Ethylbenzene	ND		0.00100	1	02/19/2024 08:07	<a href="#">WG2228966</a>
Xylenes, Total	ND		0.00300	1	02/19/2024 08:07	<a href="#">WG2228966</a>
Naphthalene	ND		0.00500	1	02/19/2024 08:07	<a href="#">WG2228966</a>
1,2,4-Trimethylbenzene	ND		0.00100	1	02/19/2024 08:07	<a href="#">WG2228966</a>
1,3,5-Trimethylbenzene	ND		0.00100	1	02/19/2024 08:07	<a href="#">WG2228966</a>
(S) Toluene-d8	107		80.0-120		02/19/2024 08:07	<a href="#">WG2228966</a>
(S) 4-Bromofluorobenzene	131	<a href="#">J1</a>	77.0-126		02/19/2024 08:07	<a href="#">WG2228966</a>
(S) 1,2-Dichloroethane-d4	84.3		70.0-130		02/19/2024 08:07	<a href="#">WG2228966</a>

Sample Narrative:

L1706713-10 WG2228966: Surrogate failure due to matrix interference

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	02/19/2024 08:30	<a href="#">WG2228966</a>
Toluene	ND		0.00100	1	02/19/2024 08:30	<a href="#">WG2228966</a>
Ethylbenzene	0.0784		0.00100	1	02/19/2024 08:30	<a href="#">WG2228966</a>
Xylenes, Total	0.0530		0.00300	1	02/19/2024 08:30	<a href="#">WG2228966</a>
Naphthalene	0.0196		0.00500	1	02/19/2024 08:30	<a href="#">WG2228966</a>
1,2,4-Trimethylbenzene	0.0765		0.00100	1	02/19/2024 08:30	<a href="#">WG2228966</a>
1,3,5-Trimethylbenzene	0.0165		0.00100	1	02/19/2024 08:30	<a href="#">WG2228966</a>
(S) Toluene-d8	101		80.0-120		02/19/2024 08:30	<a href="#">WG2228966</a>
(S) 4-Bromofluorobenzene	95.7		77.0-126		02/19/2024 08:30	<a href="#">WG2228966</a>
(S) 1,2-Dichloroethane-d4	90.3		70.0-130		02/19/2024 08:30	<a href="#">WG2228966</a>

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	02/19/2024 08:53	<a href="#">WG2228966</a>
Toluene	ND		0.00100	1	02/19/2024 08:53	<a href="#">WG2228966</a>
Ethylbenzene	ND		0.00100	1	02/19/2024 08:53	<a href="#">WG2228966</a>
Xylenes, Total	ND		0.00300	1	02/19/2024 08:53	<a href="#">WG2228966</a>
Naphthalene	ND		0.00500	1	02/19/2024 08:53	<a href="#">WG2228966</a>
1,2,4-Trimethylbenzene	ND		0.00100	1	02/19/2024 08:53	<a href="#">WG2228966</a>
1,3,5-Trimethylbenzene	ND		0.00100	1	02/19/2024 08:53	<a href="#">WG2228966</a>
(S) Toluene-d8	106		80.0-120		02/19/2024 08:53	<a href="#">WG2228966</a>
(S) 4-Bromofluorobenzene	99.2		77.0-126		02/19/2024 08:53	<a href="#">WG2228966</a>
(S) 1,2-Dichloroethane-d4	87.5		70.0-130		02/19/2024 08:53	<a href="#">WG2228966</a>

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc



Method Blank (MB)

(MB) R4035647-2 02/19/24 01:55

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	U		0.0000941	0.00100
Toluene	U		0.000278	0.00100
Ethylbenzene	U		0.000137	0.00100
Xylenes, Total	U		0.000174	0.00300
Naphthalene	U		0.00100	0.00500
1,2,4-Trimethylbenzene	U		0.000322	0.00100
1,3,5-Trimethylbenzene	U		0.000104	0.00100
(S) Toluene-d8	133	J1		80.0-120
(S) 4-Bromofluorobenzene	104			77.0-126
(S) 1,2-Dichloroethane-d4	84.1			70.0-130

Laboratory Control Sample (LCS)

(LCS) R4035647-1 02/19/24 00:11

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.00500	0.00540	108	70.0-123	
Toluene	0.00500	0.00440	88.0	79.0-120	
Ethylbenzene	0.00500	0.00419	83.8	79.0-123	
Xylenes, Total	0.0150	0.0133	88.7	79.0-123	
Naphthalene	0.00500	0.00287	57.4	54.0-135	
1,2,4-Trimethylbenzene	0.00500	0.00394	78.8	76.0-121	
1,3,5-Trimethylbenzene	0.00500	0.00408	81.6	76.0-122	
(S) Toluene-d8			106	80.0-120	
(S) 4-Bromofluorobenzene			100	77.0-126	
(S) 1,2-Dichloroethane-d4			89.3	70.0-130	

1  
Cp

2  
Tc

3  
Ss

4  
Cn

5  
Sr

6  
Qc

7  
Gl

8  
Al

9  
Sc

Method Blank (MB)

(MB) R4036357-3 02/20/24 10:03

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Ethylbenzene	U		0.000137	0.00100
Xylenes, Total	U		0.000174	0.00300
1,2,4-Trimethylbenzene	U		0.000322	0.00100
(S) Toluene-d8	102			80.0-120
(S) 4-Bromofluorobenzene	89.4			77.0-126
(S) 1,2-Dichloroethane-d4	86.3			70.0-130

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4036357-1 02/20/24 09:01 • (LCSD) R4036357-2 02/20/24 09:22

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Ethylbenzene	0.00500	0.00543	0.00540	109	108	79.0-123			0.554	20
Xylenes, Total	0.0150	0.0164	0.0161	109	107	79.0-123			1.85	20
1,2,4-Trimethylbenzene	0.00500	0.00510	0.00482	102	96.4	76.0-121			5.65	20
(S) Toluene-d8				101	101	80.0-120				
(S) 4-Bromofluorobenzene				90.0	91.8	77.0-126				
(S) 1,2-Dichloroethane-d4				85.6	82.1	70.0-130				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

# GLOSSARY OF TERMS

## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

## Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

## Qualifier Description

J1	Surrogate recovery limits have been exceeded; values are outside upper control limits.
J2	Surrogate recovery limits have been exceeded; values are outside lower control limits.

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc

# ACCREDITATIONS & LOCATIONS

## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1 6</sup>	KY90010	South Carolina	84004002
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1 4</sup>	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA – ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



Company Name/Address:

Tasman Geosciences- Broomfield, CO

5899 Pecos St., Unit C  
Denver, CO 80221

Billing Information:

Accounts Payable  
6855 W. 119th Avenue  
Broomfield, CO 80020

Pres  
Chk

Analysis / Container / Preservative

Chain of Custody Page 1 of 2



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122  
Submitting a sample via this chain of custody  
constitutes acknowledgment and acceptance of the  
Pace Terms and Conditions found at:  
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG #

D187

Acctnum: TASGEOACO

Template: T246034

Prelogin: P1052520

PM: 824 - Chris Ward

PB:

Shipped Via: FedEx Ground

Remarks

Sample # (lab only)

Report to:  
Ieb Watts

Email To:  
Stephen.Weathers@p66.com;jwatts@tasman-

Project Description:  
Tampa Compressor Station

City/State  
Collected:

Please Circle:  
PT ☒ MT ☐ CT ☐ ET

Phone: 303-487-1228

Client Project #

Lab Project #

TASGEOACO-TAMPA

Collected by (print):

Keegan McDonald

Site/Facility ID #

P.O. #

Collected by (signature):

Keegan McDonald

Rush? (Lab MUST Be Notified)

☐ Same Day ☐ Five Day  
☐ Next Day ☐ 5 Day (Rad Only)  
☐ Two Day ☐ 10 Day (Rad Only)  
☐ Three Day

Quote #

Date Results Needed

No.  
of  
Cntrs

Immediately  
Packed on Ice N ☐ Y ☒

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
IH01R		GW		2/14/24	14:56	3
IH02		GW			15:25	3
IH03		GW			14:23	3
IH04		GW			13:47	3
IH05		GW			13:15	3
IH06		GW			13:51	3
IH07		GW			13:18	3
IH08		GW			14:18	3
IH09		GW			15:01	3
IH10		GW			15:56	3

Matrix:  
S - Soil AIR - Air F - Filter  
GW - Groundwater B - Bioassay  
WW - Wastewater  
DW - Drinking Water  
OT - Other

Remarks:

Samples returned via:

☐ UPS ☒ FedEx ☐ Courier

Tracking # 7155 0302 4130

pH \_\_\_\_\_ Temp \_\_\_\_\_

Flow \_\_\_\_\_ Other \_\_\_\_\_

Sample Receipt Checklist

COC Seal Present/Intact: ☒ NP ☐ N  
COC Signed/Accurate: ☒ Y ☐ N  
Bottles arrive intact: ☒ Y ☐ N  
Correct bottles used: ☒ Y ☐ N  
Sufficient volume sent: ☒ Y ☐ N  
If Applicable  
VOA Zero Headspace: ☐ Y ☐ N  
Preservation Correct/Checked: ☒ Y ☐ N  
RAD Screen <0.5 mR/hr: ☒ Y ☐ N

Relinquished by: (Signature)

Keegan McDonald

Date:

2/15/24

Time:

10:16

Received by: (Signature)

Trip Blank Received: Yes / No

HCL / MeOH  
TBR

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Temp: DRAB°C

Bottles Received:

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date:

Time:

Received for lab by: (Signature)

Date:

Time:

Hold:

Condition:

NCF / ☒



