

Caerus Oil and Gas

Sample Delivery Group: L1605395

Samples Received: 04/14/2023

Project Number:

Description: 909J

Report To: Brett M. , Jake J. , Blair R.
143 Diamond Avenue
Parachute, CO 81635

Entire Report Reviewed By:


Chris Ward
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	4
Sr: Sample Results	5
20230413-OUSOURCE (200U-T) L1605395-01	5
Qc: Quality Control Summary	7
Wet Chemistry by Method 2320 B-2011	7
Wet Chemistry by Method 353.2	9
Wet Chemistry by Method 365.4	10
Wet Chemistry by Method 9040C	11
Wet Chemistry by Method 9050A	12
Wet Chemistry by Method 9056A	13
Metals (ICP) by Method 6010B	15
Volatile Organic Compounds (GC) by Method 8015D/GRO	17
Volatile Organic Compounds (GC/MS) by Method 8260B	18
Semi-Volatile Organic Compounds (GC) by Method 8015M	19
Gl: Glossary of Terms	20
Al: Accreditations & Locations	21
Sc: Sample Chain of Custody	22



SAMPLE SUMMARY

20230413-OUSOURCE (200U-T) L1605395-01 GW

Collected by: Will Harmon
 Collected date/time: 04/13/23 09:40
 Received date/time: 04/14/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 2320 B-2011	WG2045370	1	04/20/23 15:12	04/20/23 15:12	ARD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2041939	1	04/18/23 17:51	04/18/23 17:51	AEC	Mt. Juliet, TN
Wet Chemistry by Method 365.4	WG2043252	1	04/15/23 16:28	04/17/23 11:49	CAT	Mt. Juliet, TN
Wet Chemistry by Method 9040C	WG2042447	1	04/18/23 14:32	04/18/23 14:32	DB	Mt. Juliet, TN
Wet Chemistry by Method 9050A	WG2041510	1	04/19/23 17:33	04/19/23 17:33	NTG	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2042418	10	04/15/23 02:47	04/15/23 02:47	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2042418	100	04/15/23 07:50	04/15/23 07:50	GEB	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2042512	1	04/15/23 15:13	04/19/23 17:18	SPL	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2042512	10	04/15/23 15:13	04/20/23 14:57	SPL	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG2043016	50	04/17/23 18:04	04/17/23 18:04	JTO	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2042982	50	04/17/23 06:55	04/17/23 06:55	JCP	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG2042491	1	04/15/23 21:09	04/19/23 05:33	MWS	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG2042491	10	04/15/23 21:09	04/20/23 00:19	NH	Mt. Juliet, TN



CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward
Project Manager

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Alkalinity	1400		8.45	20.0	1	04/20/2023 15:12	WG2045370
Alkalinity,Bicarbonate	1400		8.45	20.0	1	04/20/2023 15:12	WG2045370
Alkalinity,Carbonate	U		8.45	20.0	1	04/20/2023 15:12	WG2045370

Sample Narrative:

L1605395-01 WG2045370: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Nitrate-Nitrite	U		0.0500	0.100	1	04/18/2023 17:51	WG2041939

Wet Chemistry by Method 365.4

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Phosphorus,Total	0.607		0.0350	0.100	1	04/17/2023 11:49	WG2043252

Wet Chemistry by Method 9040C

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	pH			date / time	
pH	7.41	T8	1	04/18/2023 14:32	WG2042447

Sample Narrative:

L1605395-01 WG2042447: 7.41 at 19.9C

Wet Chemistry by Method 9050A

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	umhos/cm		umhos/cm		date / time	
Specific Conductance	26300		10.0	1	04/19/2023 17:33	WG2041510

Sample Narrative:


L1605395-01 WG2041510: at 25C

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Bromide	49.1		3.53	10.0	10	04/15/2023 02:47	WG2042418
Chloride	8640		37.9	100	100	04/15/2023 07:50	WG2042418
Fluoride	U		0.640	1.50	10	04/15/2023 02:47	WG2042418
Nitrate as (N)	U		0.480	1.00	10	04/15/2023 02:47	WG2042418
Nitrite as (N)	U		0.420	1.00	10	04/15/2023 02:47	WG2042418
Sulfate	U		5.94	50.0	10	04/15/2023 02:47	WG2042418

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Barium	49.4	V	0.000736	0.00500	1	04/19/2023 17:18	WG2042512
Boron	1.94		0.0200	0.200	1	04/19/2023 17:18	WG2042512
Calcium	101	V	0.0793	1.00	1	04/19/2023 17:18	WG2042512
Iron	30.1	O1	0.0180	0.100	1	04/19/2023 17:18	WG2042512
Magnesium	20.5		0.0853	1.00	1	04/19/2023 17:18	WG2042512
Manganese	0.378		0.000934	0.0100	1	04/19/2023 17:18	WG2042512
Potassium	39.8		0.261	2.00	1	04/19/2023 17:18	WG2042512



Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Selenium	U		0.00735	0.0100	1	04/19/2023 17:18	WG2042512
Sodium	5640		5.04	30.0	10	04/20/2023 14:57	WG2042512
Strontium	14.8	<u>V</u>	0.000640	0.0100	1	04/19/2023 17:18	WG2042512

1 Cp

2 Tc

3 Ss

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
TPH (GC/FID) Low Fraction	71.2		1.57	5.00	50	04/17/2023 18:04	WG2043016
(S) a,a,a-Trifluorotoluene(FID)	111			78.0-120		04/17/2023 18:04	WG2043016

4 Cn

5 Sr

6 Qc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	2.73		0.00471	0.0500	50	04/17/2023 06:55	WG2042982
Toluene	9.32		0.0139	0.0500	50	04/17/2023 06:55	WG2042982
Ethylbenzene	0.461		0.00685	0.0500	50	04/17/2023 06:55	WG2042982
Xylenes, Total	10.0		0.00870	0.150	50	04/17/2023 06:55	WG2042982
Naphthalene	0.157	<u>J</u>	0.0500	0.250	50	04/17/2023 06:55	WG2042982
(S) Toluene-d8	114			80.0-120		04/17/2023 06:55	WG2042982
(S) 4-Bromofluorobenzene	109			77.0-126		04/17/2023 06:55	WG2042982
(S) 1,2-Dichloroethane-d4	106			70.0-130		04/17/2023 06:55	WG2042982

7 Gl

8 Al

9 Sc

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
C10-C28 Diesel Range	20.5		0.222	1.00	10	04/20/2023 00:19	WG2042491
C28-C36 Motor Oil Range	0.550		0.0118	0.100	1	04/19/2023 05:33	WG2042491
(S) o-Terphenyl	180	<u>J1</u>		52.0-156		04/20/2023 00:19	WG2042491
(S) o-Terphenyl	108			52.0-156		04/19/2023 05:33	WG2042491

Method Blank (MB)

(MB) R3915667-2 04/20/23 13:29

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Alkalinity	U		8.45	20.0
Alkalinity,Bicarbonate	U		8.45	20.0
Alkalinity,Carbonate	U		8.45	20.0

Sample Narrative:

BLANK: Endpoint pH 4.5

L1605206-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1605206-01 04/20/23 13:52 • (DUP) R3915667-3 04/20/23 13:57

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Alkalinity	208	210	1	0.840		20
Alkalinity,Bicarbonate	208	210	1	0.840		20
Alkalinity,Carbonate	U	U	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

L1605499-10 Original Sample (OS) • Duplicate (DUP)

(OS) L1605499-10 04/20/23 15:38 • (DUP) R3915667-4 04/20/23 15:43

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Alkalinity	250	250	1	0.0598		20
Alkalinity,Bicarbonate	250	250	1	0.0598		20
Alkalinity,Carbonate	U	U	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5



Laboratory Control Sample (LCS)

(LCS) R3915667-1 04/20/23 13:06

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Alkalinity	100	107	107	90.0-110	

Sample Narrative:

LCS: Endpoint pH 4.5

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3914579-1 04/18/23 17:19

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Nitrate-Nitrite	U		0.0500	0.100

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1604765-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1604765-01 04/18/23 17:26 • (DUP) R3914579-5 04/18/23 17:27

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Nitrate-Nitrite	0.474	0.481	1	1.47		20

L1605056-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1605056-01 04/18/23 18:02 • (DUP) R3914579-8 04/18/23 18:08

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Nitrate-Nitrite	2.84	2.84	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R3914579-2 04/18/23 17:20

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Nitrate-Nitrite	2.50	2.51	100	90.0-110	

L1604543-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1604543-01 04/18/23 17:22 • (MS) R3914579-3 04/18/23 17:23 • (MSD) R3914579-4 04/18/23 17:24

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Nitrate-Nitrite	2.50	0.650	3.06	3.00	96.4	94.0	1	90.0-110			1.98	20

L1604778-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1604778-01 04/18/23 17:34 • (MS) R3914579-6 04/18/23 17:36

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Nitrate-Nitrite	2.50	3.83	5.99	86.4	1	90.0-110	<u>EJ6</u>

Method Blank (MB)

(MB) R3913925-1 04/17/23 11:25

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Phosphorus,Total	U		0.0350	0.100

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1604922-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1604922-01 04/17/23 11:27 • (DUP) R3913925-3 04/17/23 11:28

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Phosphorus,Total	0.522	0.511	1	2.13		20

L1605331-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1605331-01 04/17/23 12:24 • (DUP) R3913925-8 04/17/23 12:25

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Phosphorus,Total	4.02	3.95	1	1.76		20

Laboratory Control Sample (LCS)

(LCS) R3913925-2 04/17/23 11:26

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Phosphorus,Total	2.47	2.50	101	83.2-116	

L1604922-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1604922-01 04/17/23 11:27 • (MS) R3913925-4 04/17/23 11:30 • (MSD) R3913925-5 04/17/23 11:31

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Phosphorus,Total	2.50	0.522	2.97	2.96	97.9	97.5	1	90.0-110			0.337	20

L1605248-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1605248-08 04/18/23 14:32 • (DUP) R3914468-2 04/18/23 14:32

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
su	su			%		%
pH	7.52	7.50	1	0.266		1

Sample Narrative:
 OS: 7.52 at 20.2C
 DUP: 7.5 at 20.2C

L1605248-10 Original Sample (OS) • Duplicate (DUP)

(OS) L1605248-10 04/18/23 14:32 • (DUP) R3914468-3 04/18/23 14:32

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
su	su			%		%
pH	7.80	7.82	1	0.256		1

Sample Narrative:
 OS: 7.8 at 20.7C
 DUP: 7.82 at 20.1C

Laboratory Control Sample (LCS)

(LCS) R3914468-1 04/18/23 14:32

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
su	su		%	%	
pH	10.0	10.0	100	99.0-101	

Sample Narrative:
 LCS: 10 at 19.3C

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3915106-1 04/19/23 17:33

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Specific Conductance	U		10.0	10.0

Sample Narrative:

BLANK: at 25C

L1604826-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1604826-01 04/19/23 17:33 • (DUP) R3915106-3 04/19/23 17:33

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Specific Conductance	7470	7480	1	0.134		20

Sample Narrative:

OS: at 25C
DUP: at 25C

L1605126-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1605126-05 04/19/23 17:33 • (DUP) R3915106-4 04/19/23 17:33

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Specific Conductance	341	340	1	0.294		20

Sample Narrative:

OS: at 25C
DUP: at 25C

Laboratory Control Sample (LCS)

(LCS) R3915106-2 04/19/23 17:33

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Specific Conductance	1120	1170	104	85.0-115	

Sample Narrative:

LCS: at 25C

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3914303-1 04/14/23 22:57

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	mg/l		mg/l	mg/l
Bromide	U		0.353	1.00
Chloride	U		0.379	1.00
Fluoride	U		0.0640	0.150
Nitrate	U		0.0480	0.100
Nitrite	U		0.0420	0.100
Sulfate	U		0.594	5.00

L1605360-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1605360-01 04/15/23 01:28 • (DUP) R3914303-5 04/15/23 07:18

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	mg/l	mg/l		%		%
Bromide	2.96	3.47	1	15.8	P1	15
Chloride	106	107	1	0.938		15
Fluoride	U	U	1	0.000		15
Nitrate	U	U	1	0.000		15
Nitrite	U	U	1	0.000		15
Sulfate	U	U	1	0.000		15

L1605431-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1605431-01 04/15/23 03:35 • (DUP) R3914303-6 04/15/23 09:09

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	mg/l	mg/l		%		%
Chloride	115	116	1	1.07		15
Nitrate	U	U	1	0.000		15

Laboratory Control Sample (LCS)

(LCS) R3914303-2 04/14/23 23:13

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	mg/l	mg/l	%	%	
Bromide	40.0	39.6	98.9	80.0-120	
Chloride	40.0	39.5	98.8	80.0-120	
Fluoride	8.00	7.64	95.6	80.0-120	
Nitrate	8.00	7.78	97.2	80.0-120	
Nitrite	8.00	8.20	102	80.0-120	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3914303-2 04/14/23 23:13

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Sulfate	40.0	39.4	98.6	80.0-120	

L1605291-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1605291-01 04/15/23 01:12 • (MS) R3914303-3 04/15/23 06:30 • (MSD) R3914303-4 04/15/23 06:46

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Bromide	50.0	U	39.7	38.8	79.4	77.6	1	80.0-120	<u>J6</u>	<u>J6</u>	2.29	15
Chloride	50.0	60.6	107	108	93.3	94.6	1	80.0-120			0.593	15
Fluoride	5.00	0.433	4.85	4.90	88.4	89.4	1	80.0-120			0.963	15
Nitrate	5.00	1.39	7.66	7.54	125	123	1	80.0-120	<u>J5</u>	<u>J5</u>	1.65	15
Nitrite	5.00	0.122	5.19	5.28	101	103	1	80.0-120			1.66	15
Sulfate	50.0	416	462	463	90.3	92.2	1	80.0-120	<u>E</u>	<u>E</u>	0.203	15

L1605431-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1605431-01 04/15/23 03:35 • (MS) R3914303-7 04/15/23 09:25

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	50.0	115	160	88.9	1	80.0-120	
Nitrate	5.00	U	5.10	102	1	80.0-120	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3915126-1 04/19/23 17:12

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	mg/l		mg/l	mg/l
Barium	U		0.000736	0.00500
Boron	U		0.0200	0.200
Calcium	U		0.0793	1.00
Iron	0.232		0.0180	0.100
Magnesium	U		0.0853	1.00
Manganese	0.00109	U	0.000934	0.0100
Potassium	U		0.261	2.00
Selenium	U		0.00735	0.0100
Sodium	U		0.504	3.00
Strontium	U		0.000640	0.0100

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

Laboratory Control Sample (LCS)

(LCS) R3915126-2 04/19/23 17:15

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	mg/l	mg/l	%	%	
Barium	1.00	1.04	104	80.0-120	
Boron	1.00	0.949	94.9	80.0-120	
Calcium	10.0	9.79	97.9	80.0-120	
Iron	10.0	9.58	95.8	80.0-120	
Magnesium	10.0	9.30	93.0	80.0-120	
Manganese	1.00	0.942	94.2	80.0-120	
Potassium	10.0	10.3	103	80.0-120	
Selenium	1.00	1.01	101	80.0-120	
Sodium	10.0	10.3	103	80.0-120	
Strontium	1.00	0.993	99.3	80.0-120	

⁷Gl

⁸Al

⁹Sc

L1605395-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1605395-01 04/19/23 17:18 • (MS) R3915126-4 04/19/23 17:24 • (MSD) R3915126-5 04/19/23 17:27

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
	mg/l	mg/l	mg/l	mg/l	%	%		%			%	%
Barium	1.00	49.4	48.8	48.9	0.000	0.000	1	75.0-125	U	U	0.265	20
Boron	1.00	1.94	2.76	2.77	82.2	83.6	1	75.0-125			0.490	20
Calcium	10.0	101	108	108	69.8	79.1	1	75.0-125	U		0.860	20
Iron	10.0	30.1	38.5	38.9	83.7	87.4	1	75.0-125			0.964	20
Magnesium	10.0	20.5	28.4	28.7	79.0	82.0	1	75.0-125			1.06	20
Manganese	1.00	0.378	1.28	1.28	89.8	90.0	1	75.0-125			0.197	20
Potassium	10.0	39.8	49.6	50.3	98.0	105	1	75.0-125			1.45	20

L1605395-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1605395-01 04/19/23 17:18 • (MS) R3915126-4 04/19/23 17:24 • (MSD) R3915126-5 04/19/23 17:27

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Selenium	1.00	U	1.17	1.17	117	117	1	75.0-125			0.149	20
Strontium	1.00	14.8	15.1	15.4	30.2	52.6	1	75.0-125	√	√	1.47	20

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc

Method Blank (MB)

(MB) R3914582-2 04/17/23 11:10

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
TPH (GC/FID) Low Fraction	U		0.0314	0.100
^(S) a,a,a-Trifluorotoluene(FID)	114			78.0-120

Laboratory Control Sample (LCS)

(LCS) R3914582-1 04/17/23 10:14

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	5.68	103	72.0-127	
^(S) a,a,a-Trifluorotoluene(FID)			113	78.0-120	

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3914395-2 04/17/23 01:31

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	mg/l		mg/l	mg/l
Benzene	U		0.0000941	0.00100
Toluene	U		0.000278	0.00100
Ethylbenzene	U		0.000137	0.00100
Xylenes, Total	U		0.000174	0.00300
Naphthalene	U		0.00100	0.00500
<i>(S) Toluene-d8</i>	109			80.0-120
<i>(S) 4-Bromofluorobenzene</i>	108			77.0-126
<i>(S) 1,2-Dichloroethane-d4</i>	107			70.0-130

Laboratory Control Sample (LCS)

(LCS) R3914395-1 04/17/23 00:53

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	mg/l	mg/l	%	%	
Benzene	0.00500	0.00581	116	70.0-123	
Toluene	0.00500	0.00564	113	79.0-120	
Ethylbenzene	0.00500	0.00526	105	79.0-123	
Xylenes, Total	0.0150	0.0156	104	79.0-123	
Naphthalene	0.00500	0.00443	88.6	54.0-135	
<i>(S) Toluene-d8</i>			108	80.0-120	
<i>(S) 4-Bromofluorobenzene</i>			104	77.0-126	
<i>(S) 1,2-Dichloroethane-d4</i>			108	70.0-130	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3914464-1 04/16/23 03:07

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
C10-C28 Diesel Range	0.0361	↓	0.0222	0.100
C28-C36 Motor Oil Range	U		0.0118	0.100
<i>(S) o-Terphenyl</i>	108			52.0-156

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3914464-2 04/16/23 03:29 • (LCSD) R3914464-3 04/16/23 03:51

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	1.50	1.56	1.65	104	110	50.0-150			5.61	20
<i>(S) o-Terphenyl</i>				97.0	103	52.0-156				

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
J1	Surrogate recovery limits have been exceeded; values are outside upper control limits.
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.
O1	The analyte failed the method required serial dilution test and/or subsequent post-spike criteria. These failures indicate matrix interference.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.
T8	Sample(s) received past/too close to holding time expiration.
V	The sample concentration is too high to evaluate accurate spike recoveries.



ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Company Name/Address:

Caerus Oil and Gas

143 Diamond Avenue
Parachute, CO 81635

Billing Information:

Accounts Payable
1001 17th St., Ste. 1600
Denver, CO 80202

Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page of



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>

SDG #

W605395

Table #

Acctnum: CAERUSPCO

Template: T215555

Prelogin: P963757

PM: 824 - Chris Ward

PB:

Shipped Via: FedEX Ground

Remarks

Sample # (lab only)

Report to:
Brett Middleton

Email To:
JJanicsek@caerusoilandgas.com; brollins@caerus

Project Description:
909 J

City/State
Collected: Parachute, CO

Please Circle:
PT MD CT ET

Phone: 970-285-2653

Client Project #

Lab Project #

Collected by (print):
WILL HARRON

Site/Facility ID #

P.O. #

Collected by (signature):
[Signature]

Rush? (Lab MUST Be Notified)
___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day

Quote #
\$
Date Results Needed
ASAP

Immediately Packed on Ice N Y X

No.
of
Cnts

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cnts
		GW				17
20230413-0150URCE(200VT)Grab		GW	Surface	04/13/2023	0940	17
		GW				17
		GW				17
		GW				17
		GW				17
		GW				17
		GW				17
		GW				17
		GW				17
		GW				17
		GW				17

V8260BTEXN 40mlAmb-HCl

V8260BTEXN 40mlAmb-HCl-Bik

pH 125mlHDPE-NoPres

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks: Metals - Ba,B,Ca,Fe,K,Mg,Mn,Na,Se,Sr

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist	
COC Seal Present/Intact: <u> </u> NP <u> </u> Y <u> </u> N	
COC Signed/Accurate: <u> </u> Y <u> </u> N	
Bottles arrive intact: <u> </u> Y <u> </u> N	
Correct bottles used: <u> </u> Y <u> </u> N	
Sufficient volume sent: <u> </u> Y <u> </u> N	
If Applicable	
VOA Zero Headspace: <u> </u> Y <u> </u> N	
Preservation Correct/Checked: <u> </u> Y <u> </u> N	
RAD Screen <0.5 mR/hr: <u> </u> Y <u> </u> N	

Samples returned via:
___ UPS ___ FedEx ___ Courier

Tracking #

Relinquished by: (Signature) *[Signature]*

Date: 4/13/23 Time: 1500

Received by: (Signature) *[Signature]*

Trip Blank Received: Yes No
HCL/MeOH
TBR

Relinquished by: (Signature) *[Signature]*

Date: 4/13/23 Time: 1530

Received by: (Signature) *[Signature]*

Temp: _____ °C Bottles Received: 16

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date: _____ Time: _____

Received for lab by: (Signature) *[Signature]*

Date: 4/14/23 Time: 0915

Hold: _____

Condition: NCF / OK