



<div>FORM</div> <div>6</div> <div>Rev 11/20</div>	<div>State of Colorado</div> <div>Energy &amp; Carbon Management Commission</div> <div>1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109</div>		<div></div>	<table><tr><td>DE</td><td>ET</td><td>OE</td><td>ES</td></tr></table>	DE	ET	OE	ES																												
	DE	ET	OE	ES																																
<div>WELL ABANDONMENT REPORT</div> <div>This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set. A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.</div>			<div>Replug By Other Operator</div> <div>Document Number: 403763335</div> <div>Date Received:</div>																																	
<div>ECMC Operator Number: 10711</div> <div>Name of Operator: PAINTED PEGASUS PETROLEUM LLC</div> <div>Address: 16820 BARKER SPRINGS RD #521</div> <div>City: HOUSTON State: TX Zip: 77084</div> <div>Contact Name: Deborah Abrams</div> <div>Phone: (303) 8942100</div> <div>Fax:</div> <div>Email: deborah.abrams@state.co.us</div>																																				
<div>For "Intent" 24 hour notice required, Name: Revas, Robbie Tel: (720) 661-7242</div> <div>ECMC contact: Email: robbie.revas@state.co.us</div>																																				
<div>Type of Well Abandonment Report: <input checked="" type="checkbox"/> Notice of Intent to Abandon <input type="checkbox"/> Subsequent Report of Abandonment</div>																																				
<div>API Number 05-123-09237-00</div> <div>Well Name: OSKARSON Well Number: 4 (OWP)</div> <div>Location: QtrQtr: SWSW Section: 33 Township: 2N Range: 68W Meridian: 6</div> <div>County: WELD Federal, Indian or State Lease Number:</div> <div>Field Name: SPINDLE Field Number: 77900</div>																																				
<div>Only Complete the Following Background Information for Intent to Abandon</div> <div>Latitude: 40.089685 Longitude: -105.015073</div> <div>GPS Data: GPS Quality Value: 2.5 Type of GPS Quality Value: Date of Measurement: 10/19/2010</div> <div>Reason for Abandonment: <input type="checkbox"/> Dry <input type="checkbox"/> Production Sub-economic <input type="checkbox"/> Mechanical Problems</div> <div><input checked="" type="checkbox"/> Other OWP</div> <div>Casing to be pulled: <input type="checkbox"/> Yes <input type="checkbox"/> No Estimated Depth:</div> <div>Fish in Hole: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, explain details below</div> <div>Wellbore has Uncemented Casing leaks: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, explain details below</div> <div>Details:</div>																																				
<div>Current and Previously Abandoned Zones</div> <table><thead><tr><th>Formation</th><th>Perf. Top</th><th>Perf. Btm</th><th>Abandoned Date</th><th>Method of Isolation</th><th>Plug Depth</th></tr></thead><tbody><tr><td>SHANNON</td><td>4984</td><td>4996</td><td></td><td></td><td></td></tr><tr><td>SUSSEX</td><td>4526</td><td>4576</td><td></td><td></td><td></td></tr></tbody></table> <div>Total: 2 zone(s)</div>				Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth	SHANNON	4984	4996				SUSSEX	4526	4576																		
Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth																															
SHANNON	4984	4996																																		
SUSSEX	4526	4576																																		
<div>Casing History</div> <table><thead><tr><th>Casing Type</th><th>Size of Hole</th><th>Size of Casing</th><th>Grade</th><th>Wt/Ft</th><th>Csg/Liner Top</th><th>Setting Depth</th><th>Sacks Cmt</th><th>Cmt Btm</th><th>Cmt Top</th><th>Status</th></tr></thead><tbody><tr><td>SURF</td><td>12+1/4</td><td>8+5/8</td><td>UNK</td><td>24</td><td>0</td><td>692</td><td>500</td><td>692</td><td>0</td><td>VISU</td></tr><tr><td>1ST</td><td>7+7/8</td><td>4+1/2</td><td>UNK</td><td>10.5</td><td>0</td><td>5085</td><td>200</td><td>5085</td><td>4200</td><td>CALC</td></tr></tbody></table>				Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status	SURF	12+1/4	8+5/8	UNK	24	0	692	500	692	0	VISU	1ST	7+7/8	4+1/2	UNK	10.5	0	5085	200	5085	4200	CALC
Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status																										
SURF	12+1/4	8+5/8	UNK	24	0	692	500	692	0	VISU																										
1ST	7+7/8	4+1/2	UNK	10.5	0	5085	200	5085	4200	CALC																										

Date Run: 4/22/2024 Doc [#403763335] Well Name: OSKARSON 4 (OWP)

Page 1 of 3

## Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 4909 with 2 sacks cmt on top. CIBP #2: Depth 4451 with 2 sacks cmt on top.  
CIBP #3: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top. CIBP #4: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.  
CIBP #5: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set <u>30</u> sks cmt from <u>742</u> ft. to <u>642</u> ft.	Plug Type: <u>ANNULUS</u>	Plug Tagged: <input type="checkbox"/>
Set <u>15</u> sks cmt from <u>742</u> ft. to <u>642</u> ft.	Plug Type: <u>CASING</u>	Plug Tagged: <input checked="" type="checkbox"/>
Set <u>135</u> sks cmt from <u>359</u> ft. to <u>0</u> ft.	Plug Type: <u>ANNULUS</u>	Plug Tagged: <input type="checkbox"/>
Set <u>10</u> sks cmt from <u>359</u> ft. to <u>0</u> ft.	Plug Type: <u>CASING</u>	Plug Tagged: <input type="checkbox"/>
Set _____ sks cmt from _____ ft. to _____ ft.	Plug Type: _____	Plug Tagged: <input type="checkbox"/>

Perforate and squeeze at 3430 ft. with 40 sacks. Leave at least 100 ft. in casing 3350 CICR Depth

Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth

Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth

(Cast Iron Cement Retainer Depth)

Set \_\_\_\_\_ sacks half in. half out surface casing from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Tagged: ☐

Set \_\_\_\_\_ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☐ No

Set \_\_\_\_\_ sacks in rat hole Set \_\_\_\_\_ sacks in mouse hole

### Additional Plugging Information for Subsequent Report Only

Casing Recovered: \_\_\_\_\_ ft. of \_\_\_\_\_ inch casing

Surface Plug Setting Date: \_\_\_\_\_ Cut and Cap Date: \_\_\_\_\_ Number of Days from Setting Surface Plug to Capping or Sealing the Well: \_\_\_\_\_

\*Wireline Contractor: \_\_\_\_\_

\*Cementing Contractor: \_\_\_\_\_

Type of Cement and Additives Used: \_\_\_\_\_

Flowline/Pipeline has been abandoned per Rule 1105 ☐ Yes ☐ No

Technical Detail/Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_

Print Name: Deborah Abrams

Title: OWP

Date: \_\_\_\_\_

Email: deborah.abrams@state.co.us

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: \_\_\_\_\_

Date: \_\_\_\_\_

### CONDITIONS OF APPROVAL, IF ANY LIST

Expiration Date: \_\_\_\_\_

#### COA Type

#### Description

0 COA	

**ATTACHMENT LIST**

**Att Doc Num**

**Name**

403763361

WELLBORE DIAGRAM

Total Attach: 1 Files

**General Comments**

**User Group**

**Comment**

**Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)