

From: [Coulfa, Tommy](#)
To: [Sharon Strum](#)
Cc: [Kautz, Brandy](#); [Dionne, Stephanie](#); [Barragan, Gabriel](#)
Subject: RE: [**EXTERNAL**] Re: Pre-Form 6 CPW Consultation HPH Locations June & July 2024
Date: Thursday, May 2, 2024 7:32:29 AM

Good morning Sharon,

Here is the updated table with Lexi's revisions made. Please let me know if you have any questions or concerns.

Proposed Schedule Date	Well Name	API Number	Status	Township (SF)	Range (SF)	Section (SF)	Project type	CPW Consult Required	HPH Type	Suggested BMPs
06/01/2024	ROACH N14-15	05-123-29670	In Progress	5	67	14	P&A	Yes	Aquatic Native Species Conservation Waters HPH	All fluids are in a contained system including lines, connections, valves, and tanks; Fluid containment ponds under stationary equipment; Silt fences where necessary; Earthen berms between tanks and water way.
06/01/2024	ROACH N13-33	05-123-29765	In Progress	5	67	14	P&A	Yes	Aquatic Native Species Conservation Waters HPH	All fluids are in a contained system including lines, connections, valves, and tanks; Fluid containment ponds under stationary equipment; Silt fences where necessary; Earthen berms between tanks and water way.
07/01/2024	HANSCOME G11-04	05-123-22194	In Progress	4	65	11	P&A	Yes	Bald Eagle Winter Night Roost HPH; Aquatic Native Species Conservation Waters HPH	Work will be done outside of the timing stipulation window for BEWNR (Nov 15-Mar 15); All fluids are in a contained system including lines, connections, valves, and tanks; Fluid containment ponds under stationary equipment; Silt fences where necessary; Earthen berms between tanks and water way.
07/01/2024	LUCCI BCB 01-12	05-123-14287	In Progress	5	64	1	P&A	Yes	Aquatic Native Species Conservation Waters HPH	All fluids are in a contained system including lines, connections, valves, and tanks; Fluid containment ponds under stationary equipment; Silt fences where necessary; Earthen berms between tanks and water way.
07/01/2024	GUTTERSEN D10-30D	05-123-29213	In Progress	3	64	9	P&A	Yes	Aquatic Native Species Conservation Waters HPH	All fluids are in a contained system including lines, connections, valves, and tanks; Fluid containment ponds under stationary equipment; Silt fences where necessary; Earthen berms between tanks and water way.
07/01/2024	FRICO 15-10	05-123-18946	In Progress				P&A	Yes	Bald Eagle Active Nest 1/4 mile Buffer; Bald Eagle Winter Night Roost HPH	Work will be scheduled to occur outside of the timing stipulation for BAEA Nesting (Dec 1-Jul 31), or after the nest has fledged, confirmed by a qualified biologist; Work will also be scheduled to be done outside of the timing stipulation for BEWNR (Nov 15- Mar 15).
07/01/2024	HANSCOME 03	05-123-12729	In Progress	4	65	11	P&A	Yes	Bald Eagle Winter Night Roost HPH	Work will be done outside of the timing stipulation window for BEWNR (Nov 15- Mar 15).
07/01/2024	JEPSEN 21-2	05-123-18021	In Progress				P&A	Yes	Bald Eagle Winter Night Roost HPH	Work will be done outside of the timing stipulation window for BEWNR (Nov 15 - Mar 15).
07/01/2024	LOWER LATHAM 35-13B	05-123-17415	In Progress	5	65	35	P&A	Yes	Bald Eagle Winter Night Roost HPH	Work will be done outside of the timing stipulation window for BEWNR (Nov 15 - Mar 15).

Thanks,
Tommy Coufal
Environmental Specialist 2
Tommy.Coufal@Chevron.com
Chevron Rockies Business Unit
2115 117th Avenue
Greeley, Co. 80634
Tel (970) 409-0246

From: Hamous-Miller - DNR, Lexi <lexi.hamous-miller@state.co.us>

Sent: Wednesday, May 1, 2024 3:26 PM

To: Coufal, Tommy <tommy.coufal@chevron.com>

Cc: Keller, Michael <michael.keller@chevron.com>; Porter, Phillip [PDC Energy] <Phillip.Porter@chevron.com>; Kautz, Brandy <brandykautz@chevron.com>; Dionne, Stephanie <stephanie.dionne@chevron.com>; Barragan, Gabriel <Gabriel.Barragan@chevron.com>; Strum, Sharon <Sharon.Strum@chevron.com>; Michael Grooms - DNR <michael.grooms@state.co.us>; Jackson Davis - DNR <jackson.davis@state.co.us>

Subject: [**EXTERNAL**] Re: Pre-Form 6 CPW Consultation HPH Locations June & July 2024

Be aware this external email contains an attachment and/or link.
Ensure the email and contents are expected. If there are concerns, please submit suspicious messages to the Cyber Intelligence Center using the Report Phishing button.

Hi Tommy,

Thank you for the notice of your planned P&A. After our review, CPW agrees with your listed BMPs except for **HANSCOME G11-04**, and **HANSCOME 03** because these are both in Bald Eagle Winter Night Roost HPH, not within the Bald Eagle Active nest buffer. CPW would ask that you change your BMPs to match the rest of the Bald Eagle winter night roost on these to avoid work from Nov 15- March 15. Please keep us up to date on the Bald Eagle nest surveys so we know if the eaglets have fledged prior to work beginning, thank you.

Please let me know if any questions arise. Have a great rest of your day.

-Stay Wild,

Lexi Hamous, MS (She/Her)
Northeast Region Land Use Coordinator


6060 Broadway, Denver, CO 80216
303-916-2987
lexi.hamous-miller@state.co.us
[CDOW's Energy Website](#)


-Stay Wild,

Lexi Hamous, MS (She/Her)
Northeast Region Land Use Coordinator
Colorado Parks and Wildlife


6060 Broadway, Denver, CO 80216
303-916-2987
lexi.hamous-miller@state.co.us
[CDOW's Energy Website](#)


On Wed, May 1, 2024 at 11:17 AM Coufal, Tommy <tommy.coufal@chevron.com> wrote:

Good morning Lexi,

The following wells are on Chevron's P&A schedule for June and July 2024. They fall within agreed upon Pre-Form 6 CPW Consultation HPH. Please see the table below for our suggested BMPs for these wells. Please let me know if you have any questions or concerns.

Proposed Schedule Date	Well Name	API Number	Status	Township (SF)	Range (SF)	Section (SF)	Project type	CPW Consult Required	HPH Type	Suggested BMPs
06/01/2024	ROACH N14-15	05-123-29670	In Progress	5	67	14	P&A	Yes	Aquatic Native Species Conservation Waters HPH	All fluids are in a contained system including lines, connections, valves, and tanks; Fluid containment ponds under stationary equipment; Silt fences where necessary; Earthen berms between tanks and water way.
06/01/2024	ROACH N13-33	05-123-29765	In Progress	5	67	14	P&A	Yes	Aquatic Native Species Conservation Waters HPH	All fluids are in a contained system including lines, connections, valves, and tanks; Fluid containment ponds under stationary equipment; Silt fences where necessary; Earthen berms between tanks and water way.
07/01/2024	HANSCOME G11-04	05-123-22194	In Progress	4	65	11	P&A	Yes	Bald Eagle 1/2 mile Buffer; Aquatic Native Species Conservation Waters HPH	Work will be scheduled to occur outside of the timing stipulation for BAEA Nesting (Dec 1-Jul 31), or after the nest has fledged, confirmed by a qualified biologist; All fluids are in a contained system including lines, connections, valves, and tanks; Fluid containment ponds under stationary equipment; Silt fences where necessary; Earthen berms between tanks and water way.
07/01/2024	LUCCI BCB 01-12	05-123-14287	In Progress	5	64	1	P&A	Yes	Aquatic Native Species Conservation Waters HPH	All fluids are in a contained system including lines, connections, valves, and tanks; Fluid containment ponds under stationary equipment; Silt fences where necessary; Earthen berms between tanks and water way.
07/01/2024	GUTTERSEN D10-30D	05-123-29213	In Progress	3	64	9	P&A	Yes	Aquatic Native Species Conservation Waters HPH	All fluids are in a contained system including lines, connections, valves, and tanks; Fluid containment ponds under stationary equipment; Silt fences where necessary; Earthen berms between tanks and water way.
07/01/2024	FRICO 15-10	05-123-18946	In Progress				P&A	Yes	Bald Eagle Active Nest 1/4 mile Buffer; Bald Eagle Winter Night Roost HPH	Work will be scheduled to occur outside of the timing stipulation for BAEA Nesting (Dec 1-Jul 31), or after the nest has fledged, confirmed by a qualified biologist; Work will also be scheduled to be done outside of the timing stipulation for BEWNR (Nov 15- Mar 15).
07/01/2024	HANSCOME 03	05-123-12729	In Progress	4	65	11	P&A	Yes	Bald Eagle Active Nest 1/2 mile buffer	Work will be scheduled to occur outside of the timing stipulation for BAEA Nesting (Dec 1-Jul 31), or after the nest has fledged, confirmed by a qualified biologist.
07/01/2024	JEPSEN 21-2	05-123-18021	In Progress				P&A	Yes	Bald Eagle Winter Night Roost HPH	Work will be done outside of the timing stipulation window (Nov 15 – Mar 15).
07/01/2024	LOWER LATHAM 35-13B	05-123-17415	In Progress	5	65	35	P&A	Yes	Bald Eagle Winter Night Roost HPH	Work will be done outside of the timing stipulation window (Nov 15 – Mar 15).

Thanks,
Tommy Coufal
Environmental Specialist 2
Tommy.Coufal@Chevron.com
Chevron Rockies Business Unit
2115 117th Avenue
Greeley, Co. 80634
Tel (970) 409-0246