

FORM  
5

Rev  
12/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403788299

Date Received:

DRILLING COMPLETION REPORT

Per Rule 308A, this form and all required attachments shall be submitted after completing the drilling operations to drill, sidetrack, or deepen a wellbore and after changing the casing and/or cement configuration of a wellbore. If any attempt has been made to test, complete, or produce the well, the operator shall also submit a Form 5A (Completed Interval Report) per Rule 308B. If the well has been plugged, the operator shall also submit a Form 6 (Well Abandonment Report) per Rule 311.

Completion Type  Final completion  Preliminary completion

ECMC Operator Number: 47120 Contact Name: Christina Hirtler
Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP Phone: (720) 929-6301
Address: P O BOX 173779 Fax:
City: DENVER State: CO Zip: 80217- Email: christina\_hirtler@oxy.com

API Number 05-123-52236-00 County: WELD
Well Name: LABRISA Well Number: 35-1HZ
Location: QtrQtr: NESW Section: 35 Township: 2N Range: 65W Meridian: 6
Footage at surface: Distance: 1387 feet Direction: FSL Distance: 1944 feet Direction: FWL
As Drilled Latitude: 40.091305 As Drilled Longitude: -104.633445
GPS Data: GPS Quality Value: 2.0 Type of GPS Quality Value: PDOP Date of Measurement: 12/14/2023
\*\* If directional footage at Top of Prod. Zone Dist: 0 feet Direction: FNL Dist: 304 feet Direction: FWL
\*\* If directional footage at Bottom Hole Dist: 88 feet Direction: FSL Dist: 274 feet Direction: FWL
Field Name: WATTENBERG Field Number: 90750
Federal, Indian or State Lease Number:

Spud Date: (when the 1st bit hit the dirt) 11/28/2023 Date TD: 01/30/2024 Date Casing Set or D&A: 01/31/2024
Rig Release Date: 03/18/2024 Per Rule 308A.b.

Well Classification:
 Dry  Oil  Gas/Coalbed  Disposal  Stratigraphic  Enhanced Recovery  Storage  Observation

Total Depth MD 18072 TVD\*\* 7148 Plug Back Total Depth MD 18014 TVD\*\* 7117
Elevations GR 4970 KB 4996 Digital Copies of ALL Logs must be Attached

List All Logs Run:
CBL, MWD/LWD, 1 Resistivity log was run on this well, the other on the LABRISA 35-8HZ api# 123-52243

FLUID VOLUMES USED IN DRILLING OPERATIONS
(Enter "0" if a type of a fluid was not used. Do not leave blank.)
Total Fluids (bbls): 4439 Fresh Water (bbls): 1225

Recycled or Reused Fluids That Offset the Use of Fresh Water (bbls): 2160

**CASING, LINER AND CEMENT**

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
CONDUCTOR	26	16	A252	36.94	0	80	64	80	0	VISU
SURF	13+1/2	9+5/8	L80	36	0	2149	1018	2149	0	VISU
1ST	7+7/8	5+1/2	P110	17	0	18061	1701	18072	860	CBL

Bradenhead Pressure Action Threshold 645 psig

This threshold is calculated per Rule 308A.b.(2)G. If this well is located in a bradenhead test area (see Rule 207.b) per an Order of the Commission, it may be subject to a different threshold.

Does the casing centralization comply with Rule 317.g? Yes

If "NO", provide details below.

**STAGE/TOP OUT/REMEDIAL CEMENT**

Cement work date: \_\_\_\_\_

Method used	String	Cementing tool setting/perf depth	Cement volume	Cement top	Cement bottom

Details of work:

**FORMATION LOG INTERVALS AND TEST ZONES**

FORMATION NAME	Measured Depth		Check if applies		COMMENTS (All DST and Core Analysis must be submitted to ECMC)
	Top	Bottom	DST	Cored	
PARKMAN	4,187				
SUSSEX	4,530				
SHARON SPRINGS	7,232				
NIOBRARA	7,282				

Operator Comments:

Due to anti-collision needs and the variability of directional drilling, our as-drilled BHL may be different than permitted  
 Per Rule 317.p Exception a Resistivity log was run on the this well and the LABRISA 35-8HZ api# 123-52243  
 As-drilled GPS data was taken after conductor was set.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Christina Hirtler

Title: Regulatory Date: \_\_\_\_\_ Email: christina\_hirtler@oxy.com

**ATTACHMENT LIST**

Att Doc Num	Document Name	attached ?	
<b><u>Attachment Checklist</u></b>			
403788355	CMT Summary *	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	Core Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
403788357	Directional Survey **	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	DST Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	Logs	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	Other	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<b><u>Other Attachments</u></b>			
403788346	LAS-CEMENT BOND	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403788348	PDF-CEMENT BOND	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403788349	PDF-RESISTIVITY	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403788351	LAS-RESISTIVITY	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403788360	DIRECTIONAL DATA	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403789695	PDF-MWD/LWD	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403789699	LAS-MWD/LWD	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>

**General Comments**

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)