

State of Colorado
Energy & Carbon Management Commission1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:

403766030

Receive Date:

04/24/2024

Report taken by:

Krystal Heibel

Site Investigation and Remediation Workplan (Initial Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by ECMC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Closure request is not available for an Initial Site Investigation and Remediation Workplan.

OPERATOR INFORMATION

Name of Operator: <u>BONANZA CREEK ENERGY OPERATING COMPANY LLC</u>	Operator No: <u>8960</u>	Phone Numbers
Address: <u>555 17TH STREET SUITE 3700</u>		Phone: <u>(303) 294-7864</u>
City: <u>DENVER</u>	State: <u>CO</u>	Zip: <u>80202</u>
Contact Person: <u>Jacob Evans</u>	Email: <u>jevans@civiresources.com</u>	Mobile: <u>()</u>

PROJECT, PURPOSE & SITE INFORMATION

PROJECT INFORMATION

Remediation Project #: 35364 Initial Form 27 Document #: 403766030

PURPOSE INFORMATION

- ☐ Rule 913.c.(1): Pit or Cuttings Trench closure.
- ☐ Rule 913.c.(2): Buried or partially buried vessel closure, which will be by removal.
- ☐ Rule 913.c.(3): Remediation of Spill and Releases pursuant to Rule 912.
- ☐ Rule 913.c.(4): Land treatment of Oily Waste pursuant to Rule 905.e.
- ☐ Rule 913.c.(5): Closure of Centralized E&P Waste Management Facilities pursuant to Rule 907.h.
- ☐ Rule 913.c.(6): Remediation of impacted Groundwater pursuant to Rule 915.e.(3).D, and the contaminant concentrations in Table 915-1.
- ☐ Rule 913.c.(7): Investigation and remediation of natural gas in soil or Groundwater.
- ☐ Rule 913.c.(8): When requested by the Director due to any potential risk to soil, Groundwater, or surface water.
- ☒ Rule 913.c.(9): Decommissioning of Oil and Gas Facilities.
- ☐ Rule 913.g: Changes of Operator.
- ☐ Rule 915.b: Request to leave elevated inorganics in situ.
- ☐ Other: _____

SITE INFORMATION

Yes ☐ Multiple Facilities ☐

Facility Type: <u>WELL</u>	Facility ID: _____	API #: <u>123-12088</u>	County Name: <u>WELD</u>
Facility Name: <u>FARR 2-19</u>		Latitude: <u>40.388940</u>	Longitude: <u>-104.371810</u>
		** correct Lat/Long if needed: Latitude: _____	Longitude: _____
QtrQtr: <u>NWNW</u>	Sec: <u>19</u>	Twp: <u>5N</u>	Range: <u>62W</u>
		Meridian: <u>6</u>	Sensitive Area? <u>No</u>
Facility Type: <u>LOCATION</u>	Facility ID: <u>322807</u>	API #: _____	County Name: <u>WELD</u>
Facility Name: <u>FARR-65N62W 19NWNW</u>		Latitude: <u>40.388940</u>	Longitude: <u>-104.371810</u>
		** correct Lat/Long if needed: Latitude: <u>40.389043</u>	Longitude: <u>-104.372052</u>
QtrQtr: <u>NWNW</u>	Sec: <u>19</u>	Twp: <u>5N</u>	Range: <u>62W</u>
		Meridian: <u>6</u>	Sensitive Area? <u>No</u>

Facility Type: FLOWLINE SYSTEM	Facility ID: 478703	API #:	County Name: WELD
Facility Name: BCEI Flowline System	Latitude: 40.371670	Longitude: -104.396120	
** correct Lat/Long if needed: Latitude: 40.388951		Longitude: -104.372161	
QtrQtr: SENE	Sec: 26	Twp: 5N	Range: 63W Meridian: 6 Sensitive Area? No

SITE CONDITIONS

General soil type - USCS Classifications SW Most Sensitive Adjacent Land Use Rangeland

Is domestic water well within 1/4 mile? No Is surface water within 1/4 mile? No

Is groundwater less than 20 feet below ground surface? No

Other Potential Receptors within 1/4 mile

No surface water within 1/4 of a mile.
The Monitoring Well (DWR Receipt 3661337; Permit 292287-) approx. 175-ft to the NE is the nearest permitted water well. This well was constructed to 1380-ft; the static water level recorded at 165-ft. The Monitoring Well (DWR Receipt 3659429; Permit 290984-) approx. 195-ft to the NE is the nearest permitted water well. This well was constructed to 1418-ft; the static water level recorded at 145-ft.
Groundwater less than 20 ft is not expected at the disturbance location.
This location is not within a HPH area. CPW consultation not required.

SITE INVESTIGATION PLAN

TYPE OF WASTE:

- ☐ E&P Waste ☐ Other E&P Waste ☒ Non-E&P Waste
- ☐ Produced Water ☐ Workover Fluids No waste has been generated to date
- ☐ Oil ☐ Tank Bottoms
- ☐ Condensate ☐ Pigging Waste
- ☐ Drilling Fluids ☐ Rig Wash
- ☐ Drill Cuttings ☐ Spent Filters
- ☐ Pit Bottoms
- ☐ Other (as described by EPA) _____

DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
UNDETERMINED	SOILS	N/A	Laboratory Analytical

INITIAL ACTION SUMMARY

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

A site investigation will be conducted pursuant to COGCC rule 911 at the FARR-65N62W 19NWNW (322807) oil and gas location pertaining to the cut/cap of the FARR 2-19 (05-123-12088), decommission of production facilities, decommission of the Farr 2-19/4/GP Line, and decommission of all on-location flowlines. See site map exhibit for details.

PROPOSED SAMPLING PLAN

Proposed Soil Sampling

☒ Will soil samples be collected as part of this investigation? (Number, type (grab/composite), analyses, and locations of samples):

Grab confirmation soil samples will be collected from beneath the above ground oil tank, water vault, separator, wellhead, and flowline start/end points. Potholes will be dug every 250 feet along the flowline path. These observation points will be photographed, and field screened. Additional soil samples will be collected when flowline repairs are observed, changes in flow direction, or when there is a change in the flowline material type. A grab confirmation soil sample will be collected from beneath the produced water vault as well as from the side wall that indicated the highest field screening levels. Soil samples will be analyzed by a certified laboratory for TPH (total volatile [C6-C10] and extractable [C10-C36] hydrocarbons), organic compounds in soil per COGCC Table 915-1, and EC, SAR, pH, metals, and boron. All samples collected will be analyzed by a certified laboratory using approved COGCC laboratory analysis methods.

Proposed Groundwater Sampling

☐ Will groundwater samples be collected as part of this investigation? (Number, analyses, and locations of samples):

If groundwater is encountered during the site investigation a grab groundwater sample will be collected and analyzed for all organic and inorganic compounds per ECMC Table 915-1.

Proposed Surface Water Sampling

☐ Will surface water samples be collected as part of this investigation? (Number, analyses, and locations of samples):

Additional Investigative Actions

☐ Additional alternative investigative actions described in attached Site Investigation Plan (summary):

Visual inspection of the location will occur during decommission activities. Field personnel will field screen all disturbed areas using visual and olfactory senses to determine if laboratory confirmation sampling is required. The COGCC Tank Battery Closure, Flowline Closure and Wellhead Closure Checklists will be utilized and filled out during the decommission process. A photolog will be submitted on the Subsequent Form 27.

SITE INVESTIGATION REPORT

SAMPLE SUMMARY

Soil

NA / ND

Number of soil samples collected 0

Highest concentration of TPH (mg/kg)

Number of soil samples exceeding 915-1 _____

Highest concentration of SAR _____

Was the areal and vertical extent of soil contamination delineated? _____

BTEX > 915-1 _____

Approximate areal extent (square feet) _____

Vertical Extent > 915-1 (in feet) _____

Groundwater

Number of groundwater samples collected _____ 0

Highest concentration of Benzene (µg/l) _____

Was extent of groundwater contaminated delineated? No _____

Highest concentration of Toluene (µg/l) _____

Depth to groundwater (below ground surface, in feet) _____

Highest concentration of Ethylbenzene (µg/l) _____

Number of groundwater monitoring wells installed _____

Highest concentration of Xylene (µg/l) _____

Number of groundwater samples exceeding 915-1 _____

Highest concentration of Methane (mg/l) _____

Surface Water

_____ 0 Number of surface water samples collected

_____ Number of surface water samples exceeding 915-1

If surface water is impacted, other agency notification may be required.

OTHER INVESTIGATION INFORMATION

☐ Were impacts to adjacent property or offsite impacts identified?

☐ Were background samples collected as part of this site investigation?

☐ Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) _____

Volume of liquid waste (barrels) _____

☐ Is further site investigation required?

REMEDIAL ACTION PLAN

SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

N/A

REMEDIAL SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

N/A

Soil Remediation Summary

☐ In Situ

☐ Ex Situ

_____ Bioremediation (or enhanced bioremediation)

_____ Excavate and offsite disposal

_____ Chemical oxidation

_____ If Yes: Estimated Volume (Cubic Yards) _____

_____ Air sparge / Soil vapor extraction

_____ Name of Licensed Disposal Facility or ECMC Facility ID # _____

_____ Natural Attenuation

_____ Excavate and onsite remediation

_____ Other _____

_____ Land Treatment

_____ Bioremediation (or enhanced bioremediation)

_____ Chemical oxidation

_____ Other _____

Groundwater Remediation Summary

_____ Bioremediation (or enhanced bioremediation)

_____ Chemical oxidation

_____ Air sparge / Soil vapor extraction

_____ Natural Attenuation

_____ Other _____

GROUNDWATER MONITORING

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

REMEDIATION PROGRESS UPDATE

PERIODIC REPORTING

Approved Reporting Schedule:

☒ Quarterly☐ Semi-Annually☐ Annually☐ Other

☐ Request Alternative Reporting Schedule:

☐ Semi-Annually☐ Annually☐ Other

Rule 913.e:

After initial approval of a Form 27, the Operator will provide quarterly update reports in a Supplemental Form 27 to document progress of site investigation and remediation, unless an alternative reporting schedule has been requested by the Operator and approved by the Director. The Director may request a more frequent reporting schedule based on site-specific conditions.

Report Type:

☐ Groundwater Monitoring☐ Land Treatment Progress Report☐ O&M Report☐ Other

Adequacy of Operator's General Liability Insurance and Financial Assurance

Describe the adequacy of the Operator's general liability insurance and Financial Assurance to fully address the anticipated costs of Remediation, including the estimated remaining cost for this project (below).

If this information has been provided on a Form 27 within the last 12 months, provide the Document Number of that form.

The General Liability coverage within the Civitas Resources insurance program includes coverage for bodily injury, property damage, and pollution clean-up costs arising from qualifying pollution events of a sudden and accidental nature subject to a \$1,000,000 per occurrence limit and \$2,000,000 aggregate limit. The Civitas Resources insurance program includes Excess Liability coverage of \$110,000,000 per occurrence and in the aggregate which sits over the sudden and accidental pollution within the General Liability coverage. It is the opinion of Civitas Resources that this total tower of limit is adequate to address the costs of remediation associated with any qualifying pollution event.

Operator anticipates the remaining cost for this project to be: \$ 20000

WASTE DISPOSAL INFORMATION

Was E&P waste generated as part of this remediation? ☐

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

Volume of E&P Waste (solid) in cubic yards

E&P waste (solid) description

ECMC Disposal Facility ID #, if applicable:

Non-ECMC Disposal Facility:

Volume of E&P Waste (liquid) in barrels

E&P waste (liquid) description

ECMC Disposal Facility ID #, if applicable:

Non-ECMC Disposal Facility:

RECLAMATION PLAN

RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

Reclamation will be in accordance with COGCC 1000 Series Rules.

Is the described reclamation complete? No _____

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

☐ Interim ☐ Final

Did the Surface Owner provide the seed mix? _____

If YES, does the seed mix comply with local soil conservation district recommendations? _____

Did the local soil conservation district provide the seed mix? _____

SITE RECLAMATION DATES

Proposed date of commencement of Reclamation. _____

Proposed date of completion of Reclamation. _____

IMPLEMENTATION SCHEDULE

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

PRIOR DATES

Date of Surface Owner notification/consultation, if required. 04/15/2024

Actual Spill or Release date, or date of discovery. _____

SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 05/24/2024

Proposed site investigation commencement. 05/27/2024

Proposed completion of site investigation. _____

REMEDIAL ACTION DATES

Proposed start date of Remediation. _____

Proposed date of completion of Remediation. _____

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

☐ Change from approved implementation schedule per Rule 913.d.(2).

Basis for change in implementation schedule:

OPERATOR COMMENT

This Form 27 Intent is submitted prior to decommissioning the following assets:

- FARR-65N62W 19NWNW (322807) oil and gas location
- Cut/cap of the FARR 2-19 (05-123-12088)
- Decommission of all on-location flowlines at FARR-65N62W 19NWNW (322807) ; includes FARR 2-19 wellhead line
- Decommission of off-location Farr 2-19/4/GP Line from within the Bonanza Creek Flowline System (478703)

Please see related flowline pre-abandonment notices for specifics on planned field operations

See attached Site Map for details.

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: Stephany Olsen

Title: Sr Regulatory Analyst

Submit Date: 04/24/2024

Email: regulatory@civiresources.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Krystal Heibel

Date: 05/15/2024

Remediation Project Number: 35364

COA Type

Description

	If groundwater is encountered, Operator will analyze groundwater samples for Table 915-1 Groundwater Inorganic Parameters (total dissolved solids, sulfate, chloride) and organic compounds in groundwater.
	Operators will collect and submit for laboratory analysis a soil sample collected from the areas most likely to have been impacted during the operational life of the flowline. These areas include, but are not limited to: where Flowlines connect to the wellhead, surface equipment, risers, valves, or manifolds; where Flowlines bend or were repaired in the past and at joints and hammer unions; where Flowlines connect to Flowlines or equipment of different material; and where Flowlines crossed drainages or surface water or are in contact with shallow groundwater.
2 COAs	

ATTACHMENT LIST

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

Att Doc Num

Name

403766030	FORM 27-INITIAL-SUBMITTED
403768684	SITE MAP

Total Attach: 2 Files

General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)