

FORM
5A

Rev
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

403801808

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. ECMC Operator Number: 10261

2. Name of Operator: BAYSWATER EXPLORATION & PRODUCTION LLC

3. Address: 730 17TH ST STE 500

City: DENVER State: CO Zip: 80202

4. Contact Name: Robert Carney

Phone: (720) 881-4509

Fax:

Email: RCarney@bayswater.us

5. API Number 05-123-51623-00

7. Well Name: Blehm

6. County: WELD

Well Number: 10

8. Location: QtrQtr: Lot 3 Section: 18 Township: 7N Range: 66W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: HYDRAULIC FRACTURING
Treatment Date: 06/03/2022 End Date: 06/22/2022 Date this Formation was Completed: 09/22/2022
Perforations Top: 7905 Bottom: 17926 No. Holes: 1397 Hole size: 0.433 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

334 bbls 15% HCl; 13,038 bbls Pump Down; 535,305 bbls FR Water. 1,791,500 lbs 100 Mesh Premium White sand; 16,231,200 lbs 30/50 Premium White sand; 154,125 lbs 40/70 Premium White sand. Flowback volume metered.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 548677 Max pressure during treatment (psi): 9185
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.33
Type of gas used in treatment: Min frac gradient (psi/ft): 1.00
Total acid used in treatment (bbl): 334 Number of staged intervals: 51
Recycled or Reused Fluids used in treatment (bbl): 0 Flowback volume recovered (bbl): 8267
Fresh water used in treatment (bbl): 548343 Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 18176825

Fracture stimulations must be reported on [FracFocus.org](https://fracfocus.org)

Test Information:

09/22/2022 Hours: 24 Bbl oil: 36 Mcf Gas: 31 Bbl H2O: 1417
Date Calculated 24 hour rate: Bbl oil: 36 Mcf Gas: 31 Bbl H2O: 1417 GOR: 861
Test Method: Flowback Casing PSI: 0 Tubing PSI: 1797 Choke Size: 14/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1405 API Gravity Oil: 41
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7731 Tbg setting date: 08/27/2022 Packer Depth: 7731

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

After the approval of the original Form 5A (doc #403253748), errors were found in the 3rd party frac summary report. The report has been corrected and this submittal is to report the corrected completion information.

Actual TPZ: 1,207' FSL & 319' FEL, Section 13-T7N-R67W
Actual BPZ: 1,143' FSL & 218' FWL, Section 14-T7N-R67W

The wellbore beyond the unit boundary setback is physically isolated with a plug and Bayswater certifies that none of the wellbore beyond the setback was completed.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Kelsi Welch

Title: Regulatory & Compliance Date: Email: kelsi.welch@iptwell.com

ATTACHMENT LIST

Att Doc Num Name

403801838 OPERATIONS SUMMARY

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)