

State of Colorado Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 03/24/2024 Document Number: 403722864

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

OGCC Operator Number: 10633 Contact Person: James Miller Company Name: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (720) 984-7460 Address: 555 17TH STREET SUITE 3700 Email: jmiller@civiresources.com City: DENVER State: CO Zip: 80202 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No [ ]

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 302199 Location Type: Production Facilities Name: Sprague Multi-Well Pad - SESW Number: County: WELD Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6 Latitude: 40.146907 Longitude: -104.897644

Description of Corrosion Protection

Crestone pipelines are covered in a protective external coating. Flowlines are subject to thorough inspections and fabrication standards during installation to minimize coating and pipe defects. Crestone maintains a chemical program to reduce internal corrosion. If a flowline is found to lack integrity, Crestone will investigate, report, and remediate any spills in accordance with the 900 series rules.

Description of Integrity Management Program

Crestone flowlines are pressure tested prior to placing flowlines into service. Flowlines are tested on an annual basis in accordance with COGCC 1104 series rules. If a flowline is found to lack integrity, Crestone will investigate the root cause, as well as report and remediate any spills in accordance with the 900 series rules. All repairs will be completed in accordance with COGCC 1102 Series rules.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

N/A

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 472735 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Well Site   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473509 Flowline Type: Process Piping Action Type: Realignment

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Production Facilities   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment**

Date: 03/24/2024

**Description of Realignment:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 472738 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Well Site   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 472739 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Well Site   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/23/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 472736 Flowline Type: Wellhead Line Action Type: Out of Service

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336274 Location Type: Well Site   
Name: SPRAGUE-62N67W Number: 9NWSW  
County: WELD No Location ID  
Qtr Qtr: NWSW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.151162 Longitude: -104.902269

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Native Materials Date Construction Completed: 07/24/2006  
Maximum Anticipated Operating Pressure (PSI): 500 Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Out of Service**

Date: 10/20/2022

Entire Line Removal  Partial Line Removal

**Description of Out of Service:**

The flowline servicing the Sprague 13-9 (05-123-23977) is now out of service as per rule 1102.O.(2). The most recent successful pressure test was conducted 6/13/2022.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473508 Flowline Type: Process Piping Action Type: Realignment

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Production Facilities   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment**

Date: 03/24/2024

**Description of Realignment:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473500 Flowline Type: Process Piping Action Type: Realignment

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Production Facilities

Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_

County: WELD No Location ID

Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6

Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment**

Date: 03/24/2024

**Description of Realignment:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 472741 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Well Site

Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_

County: WELD No Location ID

Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6

Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473292 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: \_\_\_\_\_ Well Site

Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_

County: WELD No Location ID

Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6

Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/01/2010

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473506 Flowline Type: Process Piping Action Type: Realignment

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Production Facilities   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment**

Date: 03/24/2024

**Description of Realignment:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 472740 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Well Site   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473502 Flowline Type: Process Piping Action Type: Realignment

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Production Facilities

Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_

County: WELD No Location ID

Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6

Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment**

Date: 03/24/2024

**Description of Realignment:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473505 Flowline Type: Process Piping Action Type: Realignment

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Production Facilities

Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_

County: WELD No Location ID

Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6

Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment**

Date: 03/24/2024

**Description of Realignment:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 472732 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Well Site   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473504 Flowline Type: Process Piping Action Type: Realignment

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Production Facilities   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_  
County: WELD No Location ID

Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6

Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment**

Date: 03/24/2024

**Description of Realignment:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473293 Flowline Type: Wellhead Line Action Type: Out of Service

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Well Site

Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_

County: WELD No Location ID

Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6

Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: Native Materials Date Construction Completed: 06/27/2010

Maximum Anticipated Operating Pressure (PSI): 275 Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Out of Service**

Date: 10/20/2022

Entire Line Removal

Partial Line Removal

**Description of Out of Service:**

The flowline servicing the Sprague 4-6-9 (05-123-31686) is now out of service as per rule 1102.O.(2). The most recent successful pressure test was conducted 6/13/2022.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473294 Flowline Type: Wellhead Line Action Type: Out of Service

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Well Site   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Native Materials Date Construction Completed: 07/06/2010  
Maximum Anticipated Operating Pressure (PSI): 725 Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Out of Service**

Date: 10/20/2022  Entire Line Removal  Partial Line Removal

**Description of Out of Service:**

The flowline servicing the Sprague 4-8-9 (05-123-30824) is now out of service as per rule 1102.O.(2). The most recent successful pressure test was conducted 6/13/2022.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473290 Flowline Type: Wellhead Line Action Type: Out of Service

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 306557 Location Type: Well Site   
Name: SPRAGUE-62N67W Number: 9SWSW  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.147430 Longitude: -104.902260

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Native Materials Date Construction Completed: 09/04/2006  
Maximum Anticipated Operating Pressure (PSI): 550 Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Out of Service**Date: 10/31/2022 Entire Line Removal Partial Line Removal**Description of Out of Service:**

The flowline servicing the Sprague 14-9 (05-123-24905) is now out of service as per rule 1102.O.(2). The most recent successful pressure test was conducted 6/13/2022.

**FLOWLINE FACILITY INFORMATION**Flowline Facility ID: \_\_\_\_\_ Flowline Type: Process Piping Action Type: Registration**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Well**Flowline Start Point Location Identification**Location ID: 302199 Location Type: Production Facilities Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_County: WELD No Location IDQtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6Latitude: 40.146907 Longitude: -104.897644Equipment at Start Point Riser: Separator**Flowline Description and Testing**Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000Bedding Material: Native Materials Date Construction Completed: 07/31/2006Maximum Anticipated Operating Pressure (PSI): 100 Testing PSI: 110Test Date: 07/19/2023**FLOWLINE FACILITY INFORMATION**Flowline Facility ID: 472731 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**Location ID: 302199 Location Type: Well Site Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_County: WELD No Location IDQtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6Latitude: 40.146907 Longitude: -104.897644Equipment at Start Point Riser: Well**Flowline Description and Testing**Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473291 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Well Site

Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_

County: WELD No Location ID

Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6

Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 03/24/2007

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473507 Flowline Type: Process Piping Action Type: Realignment

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Production Facilities

Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_

County: WELD No Location ID

Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6

Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment**

Date: 03/24/2024

**Description of Realignment:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 472733 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: \_\_\_\_\_ Well Site   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 472737 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: \_\_\_\_\_ Well Site   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_

County: WELD

No Location ID

Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6

Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473501 Flowline Type: Process Piping Action Type: Realignment

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Production Facilities

Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_

County: WELD No Location ID

Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6

Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment**

Date: 03/24/2024

**Description of Realignment:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 472742 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Well Site   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 472743 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Well Site   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473499 Flowline Type: Process Piping Action Type: Realignment

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Production Facilities   
Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment**

Date: 03/24/2024

**Description of Realignment:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 472734 Flowline Type: Wellhead Line Action Type: Out of Service

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336274 Location Type: Well Site   
Name: SPRAGUE-62N67W Number: 9NWSW  
County: WELD No Location ID  
Qtr Qtr: NWSW Section: 9 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.151162 Longitude: -104.902269

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Native Materials Date Construction Completed: 09/04/2006  
Maximum Anticipated Operating Pressure (PSI): 300 Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Out of Service**

Date: 10/20/2022

Entire Line Removal

Partial Line Removal

**Description of Out of Service:**

The flowline servicing the Sprague 2-4-9 (05-123-24118) is now out of service as per rule 1102.O.(2). The most recent successful pressure test was conducted 6/13/2022.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473503 Flowline Type: Process Piping Action Type: Realignment

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 302199 Location Type: Production Facilities

Name: Sprague Multi-Well Pad - SESW Number: \_\_\_\_\_

County: WELD No Location ID

Qtr Qtr: SESW Section: 9 Township: 2N Range: 67W Meridian: 6

Latitude: 40.146907 Longitude: -104.897644

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/24/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment**

Date: 03/24/2024

**Description of Realignment:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**OPERATOR COMMENTS AND SUBMITTAL**

Comments

Form 44 filed to report STATUS CHANGE notifications.

The following flowline(s) are now out of service:

12323977\_FL: services the Sprague 13-9 (05-123-23977)  
12324118\_FL: services the Sprague 2-4-9 (05-123-24118)  
12324905\_FL: services the Sprague 14-9 (05-123-24905)  
12330824\_FL: services the Sprague 4-8-9 (05-123-30824)  
12331686\_FL: services the Sprague 4-6-9 (05-123-31686)  
Pressure test(s) attached.

The following flowline(s) have been reassessed and determined to be on-location. Form 44 submitted to inactivate registration:

12339266\_IA: Sprague 3C-9H-N267 Supply Gas  
12339267\_IA: Sprague 3A-9H-N267 Supply Gas  
12339268\_IA: Sprague 3E-9H-N267 Supply Gas  
12339269\_IA: Sprague 3I-9H-N267 Supply Gas  
12339270\_IA: Sprague 3G-9H-N267 Supply Gas  
12339271\_IA: Sprague 3D-9H-N267 Supply Gas  
12339272\_IA: Sprague 3B-9H-N267 Supply Gas  
12339273\_IA: Sprague 3H-9H-N267 Supply Gas  
12339274\_IA: Sprague 3F-9H-N267 Supply Gas  
12339275\_IA: Sprague 3J-9H-N267 Supply Gas  
12340292\_IA: Sprague 3AA-9H-N267 Supply Gas  
These lines will no longer be included in GIS data.

Form 44 filed to report REGISTRATION of previously constructed flowline(s):  
Sprague 9H-N267 Common Supply Gas  
Pressure test attached.

All other flowlines will remain as previously reported.  
Updated GIS data attached.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 03/24/2024 Email: flowlines@civiresources.com

Print Name: Stephany Olsen Title: Sr. Regulatory Analyst

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: \_\_\_\_\_

## Conditions of Approval

**COA Type**

**Description**

--	--

### Attachment Check List

**Att Doc Num**

**Name**

403722877	PRESSURE TEST
403722892	PRESSURE TEST
403722931	PRESSURE TEST
403722943	PRESSURE TEST
403722946	PRESSURE TEST
403724888	PRESSURE TEST
403724904	OFF-LOCATION FLOWLINE GIS SHP

Total Attach: 7 Files

### General Comments

**User Group**

**Comment**

**Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)