

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403812422

Date Received:

06/03/2024

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

1 of 1 CAs from the FIR responded to on this Form

1 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

ECMC Operator Number: 69175

Name of Operator: PDC ENERGY INC

Address: 1099 18TH STREET SUITE 1500

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Phone

Email

Tyranny Bergin

970-313-5547

EHSCOGCCInspections@pdce.com

ECMC INSPECTION SUMMARY:

FIR Document Number: 701900901

Inspection Date: 05/31/2023

FIR Submit Date: 06/29/2023

FIR Status: _____

Inspected Operator Information:

Company Name: PDC ENERGY INC

Company Number: 69175

Address: 1775 SHERMAN STREET - STE 3000

City: DENVER State: CO Zip: 80203

LOCATION - Location ID: 328363

Location Name: ELDER-65N64W Number: 21SWSW County: _____

Qtrqtr: SWS Sec: 21 Twp: 5N Range: 64W Meridian: 6
W

Latitude: 40.379656 Longitude: -104.562745

FACILITY - API Number: 05-123-00 Facility ID: 328363

Facility Name: ELDER-65N64W Number: 21SWSW

Qtrqtr: SWS Sec: 21 Twp: 5N Range: 64W Meridian: 6
W

Latitude: 40.379656 Longitude: -104.562745

CORRECTIVE ACTIONS:

1 ☒ CA# 174223

Corrective Action: Comply with Rule 1004. Reseed disturbance areas using a seed mixture requested by the surface owner, or a mixture prescribed by the local county NRCS. Establish vegetation with total perennial, non-invasive uniform plant cover of at least eighty (80) percent of reference area levels. Ensure erosion controls are implemented to stabilize the seeded soil. Operator shall continue to monitor and manage this site until the location meets Rule 1004 standards, including stormwater and weed management.

Date: 05/31/2023

The corrective date is not intended to be the date for which the Operator shall complete the corrective actions but rather the corrective date is the date the location was observed out of compliance.

Response: CA COMPLETED

Date of Completion: 05/07/2024

Operator
Comment:

Work has been done, and we will continue to monitor through the maintenance program. CA complete.

ECMC Decision: Approved pending re-inspection

ECMC
Representative:

Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC standards.

OPERATOR COMMENT AND SUBMITTAL

Comment:

Work has been done, and we will continue to monitor through the maintenance program. CA complete.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Tyranny Bergin

Signed: _____

Title: H&S Specialist

Date: 6/3/2024 9:19:06 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on ECMC website (<http://ecmcweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403812422	FIR RESOLUTION SUBMITTED
403812423	Elder

Total Attach: 2 Files