

CASING TALLY SHEET

WELL:

G.V. 5-33

LOCATION:

Rig #9

DRILL PIPE STRAPPING ON TD:

CASING STRAPPING ON TD:

INSTRUCTIONS:

- (1) Number Joints Tallied in Column "A"
- (2) Number Joints Run in Column "B"
- (3) Assemble Shoe Joint and Measure Overall
- (4) Consider Port Collar As One Joint

| | | | | |
|-------|----|-------|----|------|
| Joint | To | Grade | Wt | Cplg |
| Joint | To | Grade | Wt | Cplg |
| Joint | To | Grade | Wt | Cplg |
| Joint | To | Grade | Wt | Cplg |

| A | B | FOOTAGE | A | B | FOOTAGE | A | B | FOOTAGE | A | B | FOOTAGE |
|----|---------|---------|---------|-------|----------|-------|---------|---------|---|---|---------|
| 1 | 41.45 | 44.18 | 31 | 42.44 | 61 | 43.15 | 91 | 39.10 | | | |
| 2 | 41.98 | 51.43 | 32 | 44.38 | 62 | 37.08 | 92 | 41.02 | | | |
| 3 | 43.45 | 33 | 42.46 | 63 | 42.43 | 93 | 40.86 | | | | |
| 4 | 42.26 | 34 | 42.52 | 64 | 40.10 | 94 | 37.44 | | | | |
| 5 | 38.53 | 35 | 35.87 | 65 | 41.22 | 95 | 43.03 | | | | |
| 6 | 37.69 | 36 | 40.40 | 66 | 40.47 | 96 | 35.53 | | | | |
| 7 | 34.36 | 37 | 39.21 | 67 | 42.60 | 97 | 41.78 | | | | |
| 8 | 41.19 | 38 | 42.18 | 68 | 40.13 | 98 | 43.29 | | | | |
| 9 | 41.76 | 39 | 41.79 | 69 | 41.95 | 99 | 39.26 | | | | |
| 10 | 41.94 | 40 | 38.73 | 70 | 41.14 | 100 | 41.59 | | | | |
| 11 | 42.53 | 41 | 40.15 | 71 | 42.95 | 101 | 40.89 | | | | |
| 12 | 41.59 | 42 | 40.25 | 72 | 43.04 | 102 | 41.92 | | | | |
| 13 | 42.75 | 43 | 39.44 | 73 | 41.83 | 103 | 41.41 | | | | |
| 14 | 44.70 | 44 | 41.46 | 74 | 36.45 | 104 | 41.44 | | | | |
| 15 | 42.05 | 45 | 38.77 | 75 | 39.92 | 105 | 36.40 | | | | |
| 16 | 40.10 | 46 | 41.63 | 76 | 39.33 | 106 | 43.99 | | | | |
| 17 | 42.06 | 47 | 42.28 | 77 | 42.73 | 107 | 42.02 | | | | |
| 18 | 39.77 | 48 | 38.73 | 78 | 42.78 | 108 | 37.22 | | | | |
| 19 | 43.22 | 49 | 41.46 | 79 | 43.02 | 109 | 41.45 | | | | |
| 20 | 39.32 | 50 | 40.82 | 80 | 42.14 | 110 | 40.84 | | | | |
| 21 | 37.98 | 51 | 41.62 | 81 | 39.47 | 111 | 39.20 | | | | |
| 22 | 42.29 | 52 | 39.30 | 82 | 43.70 | 112 | 39.74 | | | | |
| 23 | 39.84 | 53 | 41.87 | 83 | 38.08 | 113 | 41.68 | | | | |
| 24 | 37.82 | 54 | 42.05 | 84 | 43.90 | 114 | 40.24 | | | | |
| 25 | 39.10 | 55 | 36.04 | 85 | 34.93 | 115 | 39.83 | | | | |
| 26 | 39.58 | 56 | 39.76 | 86 | 42.82 | 116 | 43.14 | | | | |
| 27 | 41.37 | 57 | 39.19 | 87 | 41.05 | 117 | 44.73 | | | | |
| 28 | 42.60 | 58 | 35.64 | 88 | 42.71 | 118 | 42.43 | | | | |
| 29 | 42.31 | 59 | 37.97 | 89 | 42.05 | 119 | 38.85 | | | | |
| 30 | 41.35 | 60 | 42.31 | 90 | 43.06 | 120 | 41.85 | | | | |
| | 1229.12 | | 1210.72 | | 1236.23 | | 1222.17 | | | | |
| | | | | | 3,676.07 | | | | | | |

| | | | | | | | | |
|-----------------------|-----|----------|--------------------------------------|-----|----------|--------------------|-----|---------|
| TOTAL AS TALLIED | JTS | FOOTAGE | TOTAL AS RUN | JTS | FOOTAGE | CASING FOOTAGE RUN | JTS | FOOTAGE |
| | 30 | 1229.12 | | 156 | 6,387.08 | | | |
| Add Above Columns "A" | | 1210.72 | Add Above Columns "B" | X-0 | 11.68 | CUT OFF LAST JT | | |
| | | 1236.07 | | X-0 | 39.13 | | | |
| | | 1222.17 | | X-0 | 40.41 | NET CASING IN HOLE | | |
| TOTAL | 120 | 4,898.24 | TOTAL | | 6480.42 | | | |
| TOTAL PIPE LENGTH | | | WIRE-LINE MEASURE- MENT ON FLOAT: | | | SUPERVISOR: | | |
| LESS: SHOE JOINT | | | | | | | | |

3755.58 Fr. TD
Cor Added DVT, Top JT 92
DV Tool @
2723.69-6m level

X-0
9.45 Top FC
11.68-Top DVT
39.13-Bottom DVT
40.41-Topstring
100.67

4.896.04
1.490.96
91.22
6477.22

Total
6480.42

Barrett Energy Co.

CASING TALLY SHEET

Date 12-22-1989WELL: G.V. 5-33LOCATION: Ry #9

DRILL PIPE STRAPPING ON TD: _____

CASING STRAPPING ON TD: _____

INSTRUCTIONS:

- (1) Number Joints Tallied in Column "A"
 (2) Number Joints Run in Column "B"
 (3) Assemble Shoe Joint and Measure Overall
 (4) Consider Port Collar as One Joint

| | | | | |
|-------|----|-------|----|------|
| Joint | To | Grade | Wt | Cplg |
| Joint | To | Grade | Wt | Cplg |
| Joint | To | Grade | Wt | Cplg |
| Joint | To | Grade | Wt | Cplg |

| A | B | FOOTAGE | A | B | FOOTAGE | A | B | FOOTAGE | A | B | FOOTAGE |
|-----------------------|---|---------|---------|---------------------------------|---------|-------------|---------|--------------------|-----|-----|---------|
| 121 | | 42.88 | 151 | | 40.49 | 181 | | | 211 | | |
| 122 | | 39.39 | 152 | | 34.68 | 182 | | | 212 | | |
| 123 | | 42.82 | 153 | | 39.80 | 183 | | | 213 | | |
| 124 | | 41.86 | 154 | | 41.29 | 184 | | | 214 | | |
| 125 | | 39.87 | 155 | | 41.96 | 185 | | | 215 | | |
| 126 | | 39.76 | 156 | | 42.88 | 186 | | | 216 | | |
| 127 | | 43.04 | 157 | | 39.13 | 187 | | | 217 | | |
| 128 | | 42.85 | 158 | | 40.41 | 188 | | | 218 | | |
| 129 | | 40.96 | 159 | X-0 | 11.68 | 189 | | | 219 | | |
| 130 | | 43.79 | 160 | | | 190 | | | 220 | | |
| 131 | | 40.60 | 161 | | | 191 | | | 221 | | |
| 132 | | 40.10 | 162 | | | 192 | | | 222 | | |
| 133 | | 43.25 | 163 | | | 193 | | | 223 | | |
| 134 | | 43.03 | 164 | | | 194 | | | 224 | | |
| 135 | | 40.03 | 165 | | | 195 | | | 225 | | |
| 136 | | 40.12 | 166 | | | 196 | | | 226 | | |
| 137 | | 41.35 | 167 | | | 197 | | | 227 | | |
| 138 | | 39.68 | 168 | | | 198 | | | 228 | | |
| 139 | | 42.66 | 169 | | | 199 | | | 229 | | |
| 140 | | 42.13 | 170 | | | 200 | | | 230 | | |
| 141 | | 43.48 | 171 | | | 201 | | | 231 | | |
| 142 | | 42.67 | 172 | | | 202 | | | 232 | | |
| 143 | | 42.48 | 173 | | | 203 | | | 233 | | |
| 144 | | 42.05 | 174 | | | 204 | | | 234 | | |
| 145 | | 35.69 | 175 | | | 205 | | | 235 | | |
| 146 | | 42.95 | 176 | | | 206 | | | 236 | | |
| 147 | | 42.92 | 177 | | | 207 | | | 237 | | |
| 148 | | 41.05 | 178 | | | 208 | | | 238 | | |
| 149 | | 43.60 | 179 | | | 209 | | | 239 | | |
| 150 | | 41.80 | 180 | | | 210 | | | 240 | | |
| | | 1249.86 | | | 332.32 | | | | | | |
| TOTAL AS TALLIED | | JTS | FOOTAGE | TOTAL AS RUN | | JTS | FOOTAGE | CASING FOOTAGE RUN | | JTS | FOOTAGE |
| | | 30 | 1249.86 | | | 120 | 4898.24 | | | 156 | 6389.20 |
| Add Above Columns "A" | | 6 | 241.10 | Add Above Columns "B" | | 36 | 1490.56 | CUT OFF LAST JT | | | 91.22 |
| TOTAL | | 36 | 1490.96 | TOTAL | | 156 | 6389.20 | NET CASING IN HOLE | | 160 | 6480.42 |
| TOTAL PIPE LENGTH | | 1334.00 | | WIRE-LINE MEASUREMENT ON FLOAT: | | SUPERVISOR: | | | | | |
| LESS: SHOE JOINT | | | | | | | | | | | |

156 Jts. + X-0 = 6477.22

1.20

2010

1.60 6480.42

CASING TALLY SHEET

WELL: CV 5-33

LOCATION: Sec 33 T6S R96W

DRILL PIPE STRAPPING ON TD: _____

CASING STRAPPING ON TD: _____

INSTRUCTIONS:

- (1) Number Joints Tallied in Column "A"
- (2) Number Joints Run in Column "B"
- (3) Assemble Shoe Joint and Measure Overall
- (4) Consider Port Collar As One Joint

| | | | | |
|----------------|---------------|----------------|----------------|--------------------|
| Joint <u>1</u> | To <u>6</u> | Grade <u>V</u> | Wt <u>3.25</u> | Cplg <u>19</u> |
| Joint <u>6</u> | To <u>120</u> | Grade <u>V</u> | Wt <u>3.25</u> | Cplg <u>6-J-60</u> |
| Joint _____ | To _____ | Grade _____ | Wt _____ | Cplg _____ |
| Joint _____ | To _____ | Grade _____ | Wt _____ | Cplg _____ |

UE. 10-R
Hydri II

2 1/2 IS
Tail String

| A | B | FOOTAGE | A | B | FOOTAGE | A | B | FOOTAGE | A | B | FOOTAGE |
|-----------------------|---|---------|----------------------|-----------------------|---------|-------------|---------|--------------------|-----|-----|---------|
| 1 | | 32.45 | 31 | | 32.68 | 61 | | 32.64 | 91 | | 30.74 |
| 2 | | 32.65 | 32 | | 30.62 | 62 | | 32.60 | 92 | | 30.88 |
| 3 | | 32.10 | 33 | | 32.65 | 63 | | 32.75 | 93 | | 32.84 |
| 4 | | 33.75 | 34 | | 32.58 | 64 | | 32.50 | 94 | | 32.60 |
| 5 | | 33.45 | 35 | | 32.60 | 65 | | 32.61 | 95 | | 30.48 |
| 6 | | 33.40 | 36 | | 32.48 | 66 | | 32.73 | 96 | | 30.73 |
| 7 | | 29.03 | 37 | | 31.06 | 67 | | 32.68 | 97 | | 30.96 |
| 8 | | 29.65 | 38 | | 32.66 | 68 | | 32.60 | 98 | | 32.57 |
| 9 | | 32.48 | 39 | | 30.82 | 69 | | 32.63 | 99 | | 32.48 |
| 10 | | 30.80 | 40 | | 32.65 | 70 | | 32.65 | 100 | | 30.75 |
| 11 | | 32.46 | 41 | | 32.56 | 71 | | 32.66 | 101 | | 30.98 |
| 12 | | 31.03 | 42 | | 30.80 | 72 | | 31.02 | 102 | | 31.02 |
| 13 | | 32.68 | 43 | | 32.78 | 73 | | 31.16 | 103 | | 30.96 |
| 14 | | 32.52 | 44 | | 32.58 | 74 | | 32.75 | 104 | | 32.68 |
| 15 | | 32.63 | 45 | | 30.96 | 75 | | 32.75 | 105 | | 32.73 |
| 16 | | 32.71 | 46 | | 30.98 | 76 | | 32.51 | 106 | | 31.14 |
| 17 | | 32.59 | 47 | | 32.65 | 77 | | 32.62 | 107 | | 32.60 |
| 18 | | 32.43 | 48 | | 32.66 | 78 | | 32.50 | 108 | | 30.78 |
| 19 | | 32.40 | 49 | | 30.81 | 79 | | 32.87 | 109 | | 30.96 |
| 20 | | 32.34 | 50 | | 32.59 | 80 | | 32.46 | 110 | | 32.63 |
| 21 | | 30.98 | 51 | | 30.12 | 81 | | 32.60 | 111 | | 32.59 |
| 22 | | 32.62 | 52 | | 32.65 | 82 | | 32.57 | 112 | | 30.72 |
| 23 | | 30.07 | 53 | | 30.92 | 83 | | 30.93 | 113 | | 32.60 |
| 24 | | 32.60 | 54 | | 31.08 | 84 | | 32.70 | 114 | | 30.91 |
| 25 | | 32.68 | 55 | | 32.62 | 85 | | 32.53 | 115 | | 31.00 |
| 26 | | 30.87 | 56 | | 32.57 | 86 | | 32.56 | 116 | | 30.98 |
| 27 | | 30.80 | 57 | | 30.43 | 87 | | 32.51 | 117 | | 32.64 |
| 28 | | 30.52 | 58 | | 32.78 | 88 | | 32.60 | 118 | | 30.95 |
| 29 | | 32.57 | 59 | | 32.63 | 89 | | 30.96 | 119 | | 30.90 |
| 30 | | 32.61 | 60 | | 32.75 | 90 | | 32.56 | 120 | | 32.58 |
| 30 | | 960.07 | 30 | | 958.72 | 30 | | 972.21 | 30 | | 947.38 |
| 30 | | 960.07 | 30 | | 958.72 | 30 | | 972.21 | 30 | | 947.38 |
| TOTAL AS TALLIED | | JTS | FOOTAGE | TOTAL AS RUN | | JTS | FOOTAGE | CASING FOOTAGE RUN | | JTS | FOOTAGE |
| | | 30 | 960.07 | | | 30 | 960.07 | | | 120 | 3838.38 |
| | | 30 | 958.72 | | | 30 | 958.72 | | | | |
| Add Above Columns "A" | | 30 | 972.21 | Add Above Columns "B" | | 30 | 972.21 | CUT OFF LAST JT | | | |
| | | 30 | 947.38 | | | 30 | 947.38 | NET CASING IN HOLE | | | |
| TOTAL | | 120 | 3838.38 | TOTAL | | 120 | 3838.38 | | | | |
| TOTAL PIPE LENGTH | | | WIRE-LINE MEASURE- | | | SUPERVISOR: | | | | | |
| LESS: SHOE JOINT | | | MENT ON FLOAT: _____ | | | Ralph | | | | | |

939 96

WELL: CV 5-33LOCATION: Sec 33 T6S R96W

DRILL PIPE STRAPPING ON TD: _____

CASING STRAPPING ON TD: _____

INSTRUCTIONS:

- (1) Number Joints Talled in Column "A"
(2) Number Joints Run in Column "B"
(3) Assemble Shoe Joint and Measure Overall
(4) Consider Port Collar as One Joint

| | | | | | | | | | |
|-------|------------|----|------------|-------|----------|----|-------------|------|------------|
| Joint | <u>121</u> | To | <u>191</u> | Grade | <u>V</u> | Wt | <u>3.25</u> | Cplg | <u>A-J</u> |
| Joint | ___ | To | ___ | Grade | ___ | Wt | ___ | Cplg | ___ |
| Joint | ___ | To | ___ | Grade | ___ | Wt | ___ | Cplg | ___ |
| Joint | ___ | To | ___ | Grade | ___ | Wt | ___ | Cplg | ___ |

60 Hyd. 11

| A | B | FOOTAGE | A | B | FOOTAGE | A | B | FOOTAGE | A | B | FOOTAGE |
|-----------------------|-----|---------|---------------------------------|-----|---------|-------------------------|----|-------------|---------|------------|---------|
| 121 | | 30.72 | 151 | | 30.84 | 181 | | 32.62 | 211 | | |
| 122 | | 31.21 | 152 | | 29.23 | 182 | | 29.30 | 212 | | |
| 123 | | 32.68 | 153 | | 32.53 | 183 | | 32.65 | 213 | | |
| 124 | | 32.30 | 154 | | 30.85 | 184 | | 31.01 | 214 | | |
| 125 | | 28.81 | 155 | | 32.60 | 185 | | 32.61 | 215 | | |
| 126 | | 32.77 | 156 | | 30.88 | 186 | | 32.56 | 216 | | |
| 127 | | 32.63 | 157 | | 32.59 | 187 | | 32.62 | 217 | | |
| 128 | | 32.66 | 158 | | 30.90 | 188 | | 32.56 | 218 | | |
| 129 | | 32.65 | 159 | | 32.60 | 189 | | 32.61 | 219 | | |
| 130 | | 32.70 | 160 | | 29.28 | 190 | | 32.65 | 220 | | |
| 131 | | 32.68 | 161 | | 32.58 | 191 | | 29.10 | 221 | | |
| 132 | | 29.52 | 162 | | 32.53 | 192 | | | 222 | | |
| 133 | | 32.65 | 163 | | 32.58 | 193 | | | 223 | | |
| 134 | | 32.68 | 164 | | 32.50 | 194 | | | 224 | | |
| 135 | | 32.71 | 165 | | 32.53 | 195 | | | 225 | | |
| 136 | | 30.70 | 166 | | 32.41 | 196 | | | 226 | | |
| 137 | | 32.61 | 167 | | 32.92 | 197 | | | 227 | | |
| 138 | | 31.26 | 168 | | 31.20 | 198 | | | 228 | | |
| 139 | | 32.65 | 169 | | 32.61 | 199 | | | 229 | | |
| 140 | | 32.60 | 170 | | 32.54 | 200 | | | 230 | | |
| 141 | | 32.44 | 171 | | 32.70 | 201 | | | 231 | | |
| 142 | | 32.64 | 172 | | 32.65 | 202 | | | 232 | | |
| 143 | | 32.58 | 173 | | 30.88 | 203 | | | 233 | | |
| 144 | | 32.69 | 174 | | 32.56 | 204 | | | 234 | | |
| 145 | | 30.86 | 175 | | 30.81 | 205 | | | 235 | | |
| 146 | | 32.62 | 176 | | 32.70 | 206 | | | 236 | | |
| 147 | | 32.68 | 177 | | 32.70 | 207 | | | 237 | | |
| 148 | | 30.80 | 178 | | 32.63 | 208 | | | 238 | | |
| 149 | | 32.53 | 179 | | 31.05 | 209 | | | 239 | | |
| 150 | | 32.64 | 180 | | 32.59 | 210 | | | 240 | | |
| 30 | | 961.67 | 30 | | 957.97 | 11 | | 350.29 | | | |
| | 30 | 961.67 | | 30 | 957.97 | | 11 | 350.29 | | | |
| TOTAL AS TALLIED | JTS | FOOTAGE | TOTAL AS RUN | JTS | FOOTAGE | 469. CASING FOOTAGE RUN | | JTS | FOOTAGE | 71 2269.93 | |
| | 30 | 961.67 | | 30 | 961.67 | | | | | | |
| Add Above Columns "A" | 30 | 957.97 | Add Above Columns "B" | 30 | 957.97 | CUT OFF LAST JT | | | | | |
| | 11 | 350.29 | | 11 | 350.29 | | | | | | |
| TOTAL | 71 | 2269.93 | TOTAL | 71 | 2269.93 | NET CASING IN HOLE | | | | | |
| TOTAL PIPE LENGTH | | | WIRE-LINE MEASUREMENT ON FLOAT: | | | | | SUPERVISOR: | | Ralph | |
| LESS: SHOE JOINT | | | | | | | | | | | |