

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
403772697
Receive Date:
04/30/2024
Report taken by:
Taylor Robinson

Site Investigation and Remediation Workplan (Supplemental Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by ECMC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Closure request is not available for an Initial Site Investigation and Remediation Workplan.

OPERATOR INFORMATION

Name of Operator: <u>KERR MCGEE OIL & GAS ONSHORE LP</u>	Operator No: <u>47120</u>	Phone Numbers Phone: <u>(970) 336-3500</u> Mobile: <u>(713) 350-4906</u>
Address: <u>P O BOX 173779</u>		
City: <u>DENVER</u>	State: <u>CO</u>	Zip: <u>80217-3779</u>
Contact Person: <u>Ariana Ochoa</u>	Email: <u>DJRemediation_Forms@oxy.com</u>	

PROJECT, PURPOSE & SITE INFORMATION

PROJECT INFORMATION

Remediation Project #: 30488 Initial Form 27 Document #: 403448682

PURPOSE INFORMATION

- Rule 913.c.(1): Pit or Cuttings Trench closure.
- Rule 913.c.(2): Buried or partially buried vessel closure, which will be by removal.
- Rule 913.c.(3): Remediation of Spill and Releases pursuant to Rule 912.
- Rule 913.c.(4): Land treatment of Oily Waste pursuant to Rule 905.e.
- Rule 913.c.(5): Closure of Centralized E&P Waste Management Facilities pursuant to Rule 907.h.
- Rule 913.c.(6): Remediation of impacted Groundwater pursuant to Rule 915.e.(3).D, and the contaminant concentrations in Table 915-1.
- Rule 913.c.(7): Investigation and remediation of natural gas in soil or Groundwater.
- Rule 913.c.(8): When requested by the Director due to any potential risk to soil, Groundwater, or surface water.
- Rule 913.c.(9): Decommissioning of Oil and Gas Facilities.
- Rule 913.g: Changes of Operator.
- Rule 915.b: Request to leave elevated inorganics in situ.
- Other: _____

SITE INFORMATION

No Multiple Facilities

Facility Type: <u>LOCATION</u>	Facility ID: <u>432204</u>	API #: _____	County Name: <u>WELD</u>
Facility Name: <u>McKINSTRY 2C-21HZ</u>	Latitude: <u>40.216703</u>	Longitude: <u>-104.981393</u>	
** correct Lat/Long if needed: Latitude: <u>40.218393</u>		Longitude: <u>-104.981121</u>	
QtrQtr: <u>NENE</u>	Sec: <u>22</u>	Twp: <u>3N</u>	Range: <u>68W</u> Meridian: <u>6</u> Sensitive Area? <u>Yes</u>

SITE CONDITIONS

General soil type - USCS Classifications SC Most Sensitive Adjacent Land Use Crop land
Is domestic water well within 1/4 mile? No Is surface water within 1/4 mile? Yes
Is groundwater less than 20 feet below ground surface? Yes

Other Potential Receptors within 1/4 mile

Water Well: none
Surface Water: approximately 245' N
Wetlands: approximately 180' N
Springs: none
Livestock: none
Occupied Building: approximately 560' NW

SITE INVESTIGATION PLAN

TYPE OF WASTE:

- E&P Waste Other E&P Waste Non-E&P Waste
- Produced Water Workover Fluids
- Oil Tank Bottoms
- Condensate Pigging Waste
- Drilling Fluids Rig Wash
- Drill Cuttings Spent Filters
- Pit Bottoms
- Other (as described by EPA)

DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
Yes	GROUNDWATER	TBD	Groundwater samples/laboratory analytical results
Yes	SOILS	55' (E-W) x 25' (N-S) x 18' bgs	Inspection/soil samples/laboratory analytical results

INITIAL ACTION SUMMARY

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

Assessment activities were completed at the McKinstry 28N 21N 7C 2N O SA facility on June 7, 2023, to assess a release from a water line failure due to corrosion. Visual inspection and field screening of soils at the release location was completed and soil sample Initial Waste Characterization@3" was collected and submitted for laboratory analysis of the full ECMC Table 915-1 suite using ECMC-approved methods appropriate for detecting the target analytes. Analytical results indicated that the BTEX, TPH, naphthalene, TMBs, boron, SAR, EC, 1-methylnaph, 2-methylnaph, benzo(a)anthracene, arsenic, and barium concentrations in soil sample Initial Waste Characterization@3" exceeded the applicable ECMC Table 915-1 standards. As such, a Form 19-Initial Spill/Release Report (ECMC Document No. 403426060) was submitted on June 9, 2023, and the ECMC issued Spill/Release Point ID 484800. Additional assessment and excavation activities were completed to remove soil impacts through October 5, 2023. Groundwater was encountered during excavation activities at approximately 13 feet bgs. A topographic Site Location Map showing the geographic setting of the site location is provided as Figure 1. Soil sample location and field screening data is presented in Table 1. The soil sample and field screening locations are illustrated on Figure 2. The laboratory analytical reports are provided as Attachment A. The field notes and a photographic log are provided as Attachment B.

PROPOSED SAMPLING PLAN

Proposed Soil Sampling

Will soil samples be collected as part of this investigation? (Number, type (grab/composite), analyses, and locations of samples):

From June 7 - October 5, 2023, excavation activities were conducted to address remaining soil impacts at the former separator location, and 20 confirmation soil samples were collected from the base and sidewalls of the final excavation extent at depths ranging from approximately 3 to 18 feet bgs. Based on waste characterization results (Initial Waste Characterization@3"), the confirmation soil samples were submitted for laboratory analysis of BTEX, naphthalene, TMBs, TPH, boron, SAR, EC, PAHs (except benzo(a)pyrene, benzo(b)fluo., benzo(k)fluor.), As, Ba, Se, and Cd. Analytical results for the soil samples collected from the final excavation extent were in compliance with the applicable ECMC Table 915-1 standards with exception to the As, Ba, Se, boron, SAR, and/or EC concentrations in multiple samples. However, Kerr-McGee is requesting the Director's approval to leave the remaining metal impacts in-place at this time, to be addressed through quarterly groundwater monitoring.

Proposed Groundwater Sampling

Will groundwater samples be collected as part of this investigation? (Number, analyses, and locations of samples):

Groundwater was encountered in the excavation area at approximately 13 feet bgs. On September 5, 2023, groundwater sample GW-01 was collected from the excavation area and submitted for laboratory analysis of BTEX, naphthalene, 1,2,4- and 1,3,5-TMB, by USEPA Method 8260D. Analytical results indicate that the benzene concentration in groundwater sample GW-01 exceed the ECMC Table 915-1 standard. Based on the remaining metal impacts in the excavation area, future groundwater samples will be submitted for the ECMC Table 915-1 groundwater analytical suite, as well as dissolved arsenic, barium, and selenium. The groundwater sample location is illustrated on Figure 2, and groundwater analytical results are summarized in Table 6.

Proposed Surface Water Sampling

Will surface water samples be collected as part of this investigation? (Number, analyses, and locations of samples):

Additional Investigative Actions

Additional alternative investigative actions described in attached Site Investigation Plan (summary):

SITE INVESTIGATION REPORT

SAMPLE SUMMARY

Soil

Number of soil samples collected 50
Number of soil samples exceeding 915-1 44
Was the areal and vertical extent of soil contamination delineated? Yes
Approximate areal extent (square feet) 1375

NA / ND

-- Highest concentration of TPH (mg/kg) 962
-- Highest concentration of SAR 58.8
BTEX > 915-1 Yes
Vertical Extent > 915-1 (in feet) 18

Groundwater

Number of groundwater samples collected 1
Was extent of groundwater contaminated delineated? No
Depth to groundwater (below ground surface, in feet) 13
Number of groundwater monitoring wells installed 0
Number of groundwater samples exceeding 915-1 1

-- Highest concentration of Benzene (µg/l) 37.3
-- Highest concentration of Toluene (µg/l) 14
-- Highest concentration of Ethylbenzene (µg/l) 2.83
-- Highest concentration of Xylene (µg/l) 48.2
ND Highest concentration of Methane (mg/l)

Surface Water

0 Number of surface water samples collected
 Number of surface water samples exceeding 915-1
If surface water is impacted, other agency notification may be required.

OTHER INVESTIGATION INFORMATION

Were impacts to adjacent property or offsite impacts identified?

Were background samples collected as part of this site investigation?

Background soil samples SEP-BG01@3" - SEP-BG04@3" were collected from non-impacted areas with similar lithology and land use to the release location. The background soil samples were submitted for laboratory analysis of the Soil Suitability for Reclamation Parameters and Table 915 -1 Metals in Soils using standard methods appropriate for detecting target analytes in Table 915-1. Analytical results for the background soil samples are presented in Tables 3 and 5.

Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) Volume of liquid waste (barrels)

Is further site investigation required?

Groundwater monitoring wells will be installed at the site to fully define the extent and magnitude of the remaining soil impacts. Based on the remaining metal impacts in the separator excavation area, the temporary groundwater monitoring wells will be sampled on a quarterly basis and submitted for laboratory analysis of the ECOM Table 915-1 groundwater analytical suite, as well as dissolved arsenic, barium, and selenium.

REMEDIAL ACTION PLAN

Does this Supplemental Form 27A include changes to a previously approved Remedial Action Plan? No

SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

Between June 7, 2023 - October 5, 2023, approximately 1180 cubic yards of impacted material were excavated and transported to the Front Range Landfill in Erie, Colorado for disposal; approximately 843 barrels of impacted groundwater and approximately 324 cubic yards of impacted hydro-excavation soil slurry were removed from the separator excavation area via vacuum truck and transported to the Kerr-McGee Aggregate Recycle Facility for recycling. Laboratory analytical results indicate that constituent concentrations in the confirmation soil samples collected from the final lateral and vertical extents of the excavation area were in compliance with ECOM Table 915-1 standards, with exception to the arsenic, barium, selenium, SAR, EC, and/or boron concentrations in multiple samples. However, due to the release location being on an active facility pad, Kerr-McGee is requesting the Director's approval to leave the remaining metal impacts in-place at this time, to be addressed through quarterly groundwater monitoring. The excavation areas will be backfilled and contoured to match pre-existing conditions.

REMEDICATION SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

Laboratory analytical results indicate that constituent concentrations in the confirmation soil samples collected from the final lateral and vertical extents of the excavation area were in compliance with ECMC Table 915-1 standards, with exception to the arsenic, barium, selenium, SAR, EC, and/or boron concentrations in multiple samples. However, due to the release location being on an active facility pad, Kerr-McGee is requesting the Director's approval to leave the remaining metal impacts in-place at this time, to be addressed through quarterly groundwater monitoring. Groundwater monitoring wells will be installed at the site to fully define the extent and magnitude of the remaining soil impacts. Based on the remaining metal impacts in the separator excavation area, the temporary groundwater monitoring wells will be sampled on a quarterly basis and submitted for laboratory analysis of the ECMC Table 915-1 groundwater analytical suite, as well as dissolved arsenic, barium, and selenium. Estimated time to attain NFA is TBD based on the groundwater concentrations, the extent of impacted groundwater, and the efficacy of the selected remedial technologies.

Soil Remediation Summary

In Situ

Ex Situ

<p>_____ Bioremediation (or enhanced bioremediation)</p> <p>_____ Chemical oxidation</p> <p>_____ Air sparge / Soil vapor extraction</p> <p>_____ Natural Attenuation</p> <p>_____ Other _____</p>	<p>Yes</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>	<p>Excavate and offsite disposal</p> <p>If Yes: Estimated Volume (Cubic Yards) _____ 1504</p> <p>Name of Licensed Disposal Facility or ECMC Facility ID # _____ 434766</p> <p>Excavate and onsite remediation</p> <p>_____ Land Treatment</p> <p>_____ Bioremediation (or enhanced bioremediation)</p> <p>_____ Chemical oxidation</p> <p>_____ Other _____</p>
--	--	---

Groundwater Remediation Summary

_____ Bioremediation (or enhanced bioremediation)

_____ Chemical oxidation

_____ Air sparge / Soil vapor extraction

_____ Natural Attenuation

_____ Other _____

GROUNDWATER MONITORING

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

Groundwater monitoring wells will be installed at the site to fully define the extent and magnitude of the remaining soil impacts. Based on the remaining metal impacts to soil in the separator excavation area, the temporary groundwater monitoring wells will be sampled on a quarterly basis and submitted for laboratory analysis of the ECMC Table 915-1 groundwater analytical suite, as well as dissolved arsenic, barium, and selenium. A groundwater monitoring location figure illustrating the locations of the surveyed temporary monitoring wells will be provided in a Form 27-Supplemental update.

Is additional groundwater monitoring to be conducted? _____

Operator shall comply with the ECMC 1000-Series Reclamation Requirements for all impacted and disturbed areas.

RECLAMATION PLAN

RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

The site will be reclaimed in accordance with ECMC 1000 Series Reclamation Rules.

Is the described reclamation complete? _____

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

Interim

Final

Did the Surface Owner provide the seed mix? _____

If YES, does the seed mix comply with local soil conservation district recommendations? _____

Did the local soil conservation district provide the seed mix? _____

SITE RECLAMATION DATES

Proposed date of commencement of Reclamation. _____

Proposed date of completion of Reclamation. _____

IMPLEMENTATION SCHEDULE

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

PRIOR DATES

Date of Surface Owner notification/consultation, if required. 06/07/2023

Actual Spill or Release date, or date of discovery. 06/07/2023

SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 06/07/2023

Proposed site investigation commencement. 06/07/2023

Proposed completion of site investigation. 10/05/2023

REMEDIAL ACTION DATES

Proposed start date of Remediation. 06/07/2023

Proposed date of completion of Remediation. 07/01/2025

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

Change from approved implementation schedule per Rule 913.d.(2).

Basis for change in implementation schedule:

OPERATOR COMMENT

--

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: Ariana Ochoa

Title: Sr. HSE Advisor

Submit Date: 04/30/2024

Email: DJRemediation_Forms@oxy.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Taylor Robinson

Date: 06/27/2024

Remediation Project Number: 30488

COA Type**Description**

	<p>ECMC agrees with the operator's proposal to leave elevated Barium and Selenium in place and address them through groundwater monitoring as they fall between GWSSLs and RSSLs.</p> <p>However, as arsenic concentrations in confirmation soil samples exceed the Table 915-1 Residential Soil Screening Level Concentrations and are greater than 1.25 times the arsenic concentration in the background sample. Operator will provide additional data to characterize arsenic concentrations at the site and to determine its source in the next quarterly report.</p>
1 COA	

ATTACHMENT LIST

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

Att Doc Num	Name
403772697	INVESTIGATION/REMEDATION WORKPLAN (SUPPLEMENTAL)
403772886	PHOTO DOCUMENTATION
403772887	SITE MAP
403772894	SOIL SAMPLE LOCATION MAP
403772913	ANALYTICAL RESULTS
403772917	ANALYTICAL RESULTS
403838696	FORM 27-SUPPLEMENTAL-SUBMITTED

Total Attach: 7 Files

General Comments

User Group	Comment	Comment Date
		Stamp Upon Approval

Total: 0 comment(s)