

FORM
5A

Rev
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:
403835005

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. ECMC Operator Number: <u>47120</u>	4. Contact Name: <u>Christina Hirtler</u>
2. Name of Operator: <u>KERR MCGEE OIL & GAS ONSHORE LP</u>	Phone: <u>(720) 929-6301</u>
3. Address: <u>P O BOX 173779</u>	Fax: _____
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80217-</u>	Email: <u>christina_hirtler@oxy.com</u>

5. API Number <u>05-123-52254-00</u>	6. County: <u>WELD</u>
7. Well Name: <u>LIZZY NORTH</u>	Well Number: <u>36-9HZ</u>
8. Location: QtrQtr: <u>SENE</u> Section: <u>36</u> Township: <u>1N</u> Range: <u>68W</u> Meridian: <u>6</u>	
9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>	

Completed Interval

FORMATION: CODELL-FORT HAYS Status: SHUT IN Treatment Type: HYDRAULIC FRACTURING

Treatment Date: _____ End Date: _____ Date this Formation was Completed: _____

Perforations Top: 8937 Bottom: 19129 No. Holes: 624 Hole size: 0.46 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

95 BBL 15% HCL ACID; 48 BBL 7.5% HCL ACID; 6,759 BBL PUMP DOWN; 358,931 BBL SLICKWATER; 365,833 BBL TOTAL FLUID; 10,449,226 LBS WHITE 30/50 GENOA/SAND HILLS; 589,538 LBS 100 MESH GENOA/SAND HILLS; 11,038,764 LBS TOTAL PROPPANT.

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): 365833 Max pressure during treatment (psi): 8401

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment: _____ Min frac gradient (psi/ft): 0.84

Total acid used in treatment (bbl): 143 Number of staged intervals: 26

Recycled or Reused Fluids used in treatment (bbl): 4920 Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): 360770 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 11038764

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: CODELL Status: COMMINGLED Treatment Type: HYDRAULIC FRACTURING

Treatment Date: _____ End Date: _____ Date this Formation was Completed: _____

Perforations Top: 9730 Bottom: 18362 No. Holes: 504 Hole size: 0.46 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

CODELL PERFS: 9730-12994, 13423-18362

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Date: _____ Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____
Reason for Non-Production:
Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____
** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: FORT HAYS Status: COMMINGLED Treatment Type: HYDRAULIC FRACTURING

Treatment Date: _____ End Date: _____ Date this Formation was Completed: _____
Perforations Top: 8937 Bottom: 19129 No. Holes: 120 Hole size: 0.46 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

FORT HAYS PERFS: 8937-9682, 13041-13378, 18409-19129

This formation is commingled with another formation: Yes No
Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Date: _____ Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____
Reason for Non-Production:
Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____
** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

Comment:

The estimated TPZ footages on the Form 5 should be revised to 85'FSL / 1770'FWL

This well was immediately shut in after frac and therefore does not have a date of first production, flowback volumes or test data yet. Another 5A will be submitted when the well is turned on to production.

Kerr-McGee certifies compliance with Rule 408.u.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Christina Hirtler

Title: Regulatory Date: _____ Email christina_hirtler@oxy.com

ATTACHMENT LIST

Att Doc Num **Name**

--	--

Total Attach: 0 Files

General Comments

User Group **Comment** **Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)