

Bringelson #H Proposed WBD



Details	DEPTH	WELLBORE	DEPTH	Details
*Cement is Class G 1.15 cu ft/sk yield 15.8# *OH assume 20% cement loss			Surf	Top off cement
<div>Existing Cement</div> <div>New Cement</div>				
8-5/8" Surface Casing: (unk cement to surface)	176		226	70sx Cement Plug Surface shoe and surface Isolation (226' plug)
	1,200			
110sx Cement Plug Fox Hills Isolation (300' plug)	1,500			
	3,320			
110sx Cement Plug Upper Pierre Isolation (300' plug)	3,620			
	5,925			
75sx Cement Plug Niobrara Isolation (200' plug)	6,125			
7-7/8" Production Hole TD:	6,421			

WELL: Bringelson #H

LOCATION: SENE Sec 34 9N 58W
2040 FNL 600 FEL
40.709342 / -103.842452

FORMATION: J SAND 7/23/1988 Dry Hole

API #: 05-123-14027

Field: WILDCAT - #99999

DATE 6/10/2024
PDOP 1.4

CURRENT STATUS: 7/23/1988 DA

Spud: 7/19/1988

Type	Size	Weight	Top	Bottom	Hole Size	Assumption
Surface	8-5/8"	24 ppf	0	176'	unk	12-1/4"
Open Hole	unk	n/a	0	6,421'	unk	7-7/8"

Elevation Data

GL	4713	feet
KB	4723	feet
Difference	10	feet

Formation Tops Data

Formation	Depth		
Base of Fox Hills	1,450	MD	Est From Induction Log LILLI UNIT #14-34
Base of Upper Pierre	3,570	MD	Est From Induction Log LILLI UNIT #14-34
Niobrara	6,075	MD	From Cook State LD 36-78HN
D Sand	6,256	MD	
J Sand	6,338	MD	