

State of Colorado
Energy & Carbon Management Commission



1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:
403798553

Date Received:
05/21/2024

FIR RESOLUTION FORM

Overall Status:

CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

ECMC Operator Number: 100322

Name of Operator: NOBLE ENERGY INC

Address: 1099 18TH STREET SUITE 1500

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: _____

Phone: () Fax: ()

Email: _____

Additional Operator Contact:

Contact Name

Phone

Email

WHITE, JEFFERY

jeffery.white@chevron.com

rbucogccinspectionreports@chevron.onmicrosoft.com

ECMC INSPECTION SUMMARY:

FIR Document Number: 708200947

Inspection Date: 02/29/2024

FIR Submit Date: 03/06/2024

FIR Status: _____

Inspected Operator Information:

Company Name: NOBLE ENERGY INC

Company Number: 100322

Address: 1099 18TH STREET SUITE 1500

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 328321

Location Name: N36-16 Number: Pad County: _____

Qtrqtr: SESE Sec: 36 Twp: 5N Range: 67W Meridian: 6

Latitude: 40.350920 Longitude: -104.833620

FACILITY - API Number: 05-123-00 Facility ID: 328321

Facility Name: N36-16 Number: Pad

Qtrqtr: SESE Sec: 36 Twp: 5N Range: 67W Meridian: 6

Latitude: 40.350920 Longitude: -104.833620

CORRECTIVE ACTIONS:

1 CA# 192679

Corrective Action: Immediately install or repair required BMPs per Rule 1002.f. in accordance with good engineering practices.

Date: 03/08/2024

Response: CA COMPLETED

Date of Completion: 05/20/2024

Operator Comment: Complied with Rule 1002.f.

ECMC Decision: _____

ECMC
Representative:

2 CA# 192736

Corrective Action: Comply with Rule 1004. Perform reclamation activities and reseed disturbance areas using a seed mixture requested by the surface owner, or a mixture prescribed by the local county NRCS. Establish vegetation with total perennial, non-invasive uniform plant cover of at least eighty (80) percent of reference area levels. Ensure erosion controls are implemented to stabilize the seeded soil. Operator shall continue to monitor and manage this site until the location meets Rule 1004 standards, including stormwater and weed management.

Date: 04/30/2024

Response: CA COMPLETED

Date of Completion: 05/20/2024

Operator
Comment: Complied with Rule 1004 Standards

ECMC Decision: _____

ECMC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment: Site will be monitored and maintained.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Jeff White

Signed: _____

Title: HSE

Date: 5/21/2024 11:30:36 AM

ATTACHMENT LIST

View Attachments in Imaged Documents on ECMC website (<http://ecmcweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403798553	FIR RESOLUTION SUBMITTED
403798566	photos

Total Attach: 2 Files