

**State of Colorado**  
**Energy & Carbon Management Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>403793246</b>			
Date Received:			

**SUNDRY NOTICE**

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: <u>96850</u>	Contact Name <u>Christian Carroll</u>
Name of Operator: <u>TEP ROCKY MOUNTAIN LLC</u>	Phone: <u>(985) 707-3640</u>
Address: <u>1058 COUNTY ROAD 215</u>	Fax: ( )
City: <u>PARACHUTE</u> State: <u>CO</u> Zip: <u>81635</u>	Email: <u>ccarroll@terraep.com</u>

**FORM 4 SUBMITTED FOR:**

Facility Type: WELL

API Number : 05- 045 06619 00 ID Number: 210861

Name: UNION Number: GV 5-33

Location QtrQtr: NWSE Section: 33 Township: 6S Range: 96W Meridian: 6

County: GARFIELD Field Name: GRAND VALLEY

**Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information**

**Location(s)**

Location ID	Location Name and Number
335237	UNION-66S96W 33NWSE

**OGDP(s)**

No OGDP

**WELL LOCATION CHANGE OR AS-BUILT GPS REPORT**

- Change of Location for Well \*     As-Built GPS Location Report     As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

**SURFACE LOCATION GPS DATA**    Data must be provided for Change of Surface Location and As Built Reports.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

GPS Quality Value: \_\_\_\_\_ Type of GPS Quality Value: \_\_\_\_\_ Measurement Date: \_\_\_\_\_

Well Ground Elevation: \_\_\_\_\_ feet (Required for change of Surface Location.)

**WELL LOCATION CHANGE**

Well plan is: \_\_\_\_\_ (Vertical, Directional, Horizontal)

				FNL/FSL		FEL/FWL	
Change of <b>Surface</b> Footage <b>From:</b>				<input type="text" value="1966"/>	<input type="text" value="FSL"/>	<input type="text" value="1647"/>	<input type="text" value="FEL"/>
Change of <b>Surface</b> Footage <b>To:</b>				<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Current <b>Surface</b> Location <b>From</b>	QtrQtr <input type="text" value="NWSE"/>	Sec <input type="text" value="33"/>	Twp <input type="text" value="6S"/>	Range <input type="text" value="96W"/>	Meridian <input type="text" value="6"/>		
New <b>Surface</b> Location <b>To</b>	QtrQtr <input type="text"/>	Sec <input type="text"/>	Twp <input type="text"/>	Range <input type="text"/>	Meridian <input type="text"/>		
Change of <b>Top of Productive Zone</b> Footage <b>From:</b>				<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Change of <b>Top of Productive Zone</b> Footage <b>To:</b>				<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Current <b>Top of Productive Zone</b> Location		Sec <input type="text"/>	Twp <input type="text"/>	Range <input type="text"/>			
New <b>Top of Productive Zone</b> Location		Sec <input type="text"/>	Twp <input type="text"/>	Range <input type="text"/>			

\*\*

Change of **Base of Productive Zone** Footage **From:**

Change of **Base of Productive Zone** Footage **To:**

\*\*

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

Change of **Bottomhole** Footage **To:**

\*\*

Current **Bottomhole** Location

Sec

Twp

Range

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

### SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

- Building: \_\_\_\_\_ Feet
- Building Unit: \_\_\_\_\_ Feet
- Public Road: \_\_\_\_\_ Feet
- Above Ground Utility: \_\_\_\_\_ Feet
- Railroad: \_\_\_\_\_ Feet
- Property Line: \_\_\_\_\_ Feet

#### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

### SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? \_\_\_\_\_

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: \_\_\_\_\_ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

### Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

### LOCATION CHANGE COMMENTS

### CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>	<u>Add</u>	<u>Modify</u>	<u>No Change</u>	<u>Delete</u>
WILLIAMS FORK - CAMEO	WFCM	0	160	SE4			X	



Comments:

**ENGINEERING AND ENVIRONMENTAL WORK**

REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_

Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

**TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK**

Details of work must be described in full in the COMMENTS below or provided as an attachment.

NOTICE OF INTENT/REQUEST FOR APPROVAL      Approximate Start Date    06/19/2024

SUBSEQUENT REPORT      Date of Activity \_\_\_\_\_

- |   |  |  |
|---|--|--|
| <input checked="" type="checkbox"/> Bradenhead Plan   | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement           |
| <input type="checkbox"/> Change Drilling Plan   | <input type="checkbox"/> Repair Well                   | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change  |  |  |
| <input type="checkbox"/> Underground Injection Control  |  |  |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)                    |  |  |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) |  |  |
| <input type="checkbox"/> Other  |  |  |

Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_

(No Sample Provided)

Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

TEP Rocky Mountain LLC (TEP) is reporting the results of recent diagnostic testing and requesting ECMC approval to increase the bradenhead threshold pressure on the Union GV 5-33 before proceeding with connecting the bradenhead to the sales line. This well currently has a ECMC calculated bradenhead threshold pressure of 97 psi. The Union GV 5-33 exceeded the calculated bradenhead threshold pressure on April 5, 2024. The Form 17 reporting the results of the recent bradenhead test is included in the "Related Forms" section. The bradenhead pressure has recently increased since an annual bradenhead test was performed on January 30, 2024. TEP has investigated this increase in bradenhead pressure, and the cause is unknown. Even with the increase in bradenhead pressure, the bradenhead will blow down to 0 psi in less than five minutes with an insignificant flowrate. Per ECMC staff request, the historic monthly bradenhead pressure data for this well is included in the attachments.

TEP is requesting a revised bradenhead threshold pressure of 130 psi to allow the bradenhead connection to the sales line to effectively manage the annulus pressure. Third-party gathering line pressures average 105 psi with occasional increases due to operational related maintenance. The requested bradenhead threshold pressure of 130 psi takes into consideration these temporary fluctuations in line pressure. Recent echo-meter data indicated that the fluid level in the bradenhead annulus is 239 feet from surface. The surface casing has both a MD and TVD of 324 feet which was confirmed from a survey performed in 2002. The requested bradenhead threshold pressure of 130 psi, when considering the surface casing depth and fluid level, would be less than 80% of the statewide calculated threshold pressure.

A review of the original drilling and completion reports confirms a DV tool within the production string. An updated wellbore diagram indicating the DV tool depth is attached along with the original casing tally. After reviewing the CBL, TEP has concluded that the TOC is at 1,900 feet which is indicated on the updated wellbore diagram. A copy of the CBL, covering the 600 to 2,200 foot interval of the wellbore, is included in the attachments. There are two water wells (monitoring wells) located approximately 1,300 feet from the Union GV 5-33 with depths of 8 and 40 feet. The depths of these monitoring wells are covered by the Union GV 5-33 surface casing. The closest injection well is approximately 12,900 feet from the Union GV 5-33. Wellbore integrity has been confirmed via bradenhead testing and a comparison analysis of the analytical results of the production and bradenhead gas. As indicated on the attached analytical results of the gas samples, the production gas and bradenhead gas are compositionally different.

Upon approval of the of the requested bradenhead threshold increase and the connection of the bradenhead to the sales line, TEP will proceed with completing the bradenhead connection to the sales line and inform the ECMC via a subsequent Form 4 submittal.

GAS CAPTURE

VENTING AND FLARING:

Operation type: \_\_\_\_\_ Operational phase requiring venting/flaring: \_\_\_\_\_

Reason for venting/flaring: \_\_\_\_\_

Describe Other reason for venting/flaring:

\_\_\_\_\_

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

\_\_\_\_\_

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

\_\_\_\_\_

Total volume of gas vented or flared: \_\_\_\_\_ mcf  estimated  measured

Total duration of emission event: \_\_\_\_\_ hours  consecutive  cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: \_\_\_\_\_

GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

\_\_\_\_\_

A Gas Capture Plan that meets the requirements of Rule 903.e is attached.

CASING PROGRAM

(No Casing Provided)

POTENTIAL FLOW AND CONFINING FORMATIONS

**H2S REPORTING**

- Intentional release of H2S gas due to Upset Condition or malfunction.
- Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million)                      Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

**OIL & GAS LOCATION UPDATES**

OGDP ID \_\_\_\_\_ OGDP Name \_\_\_\_\_

**SITE EQUIPMENT LIST UPDATES**

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____		Vapor Recovery Towers _____	

**OTHER PERMANENT EQUIPMENT UPDATES**

**OTHER TEMPORARY EQUIPMENT UPDATES**

**CULTURAL AND SAFETY SETBACK UPDATES**

**OTHER LOCATION CHANGES AND UPDATES**

Provide a description of other changes or updates to technical information for this Location:

[Empty text box]

**POTENTIAL OGDG UPDATES**

**PROPOSED CHANGES TO AN APPROVED OGDG**

This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- Add Oil and Gas Location(s)
- Add Drilling and Spacing Unit(s)
- Amend Oil and Gas Location(s)
- Amend Drilling and Spacing Unit(s)
- Remove Oil and Gas Location(s)
- Remove Drilling and Spacing Unit(s)
- Oil and Gas Location attachment or plan updates
- Amend the lands subject to the OGDG
- Other

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

[Empty text box]

**Best Management Practices**

**No BMP/COA Type**

**Description**

<b><u>No BMP/COA Type</u></b>	<b><u>Description</u></b>

Operator Comments:

[Empty text box for operator comments]

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Scott Ghan

Title: Sr. Regulatory Specialist Email: sghan@terraep.com Date: \_\_\_\_\_

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: \_\_\_\_\_ Date: \_\_\_\_\_

**CONDITIONS OF APPROVAL, IF ANY LIST**

**COA Type**

**Description**

<b><u>COA Type</u></b>	<b><u>Description</u></b>
0 COA	

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Engineer	sent back to draft for CBL and information on increase in BH pressure	06/26/2024
Total: 1 comment(s)		

**ATTACHMENT LIST**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
403829716	WELLBORE DIAGRAM
403829719	ANALYTICAL RESULTS
403829722	ANALYTICAL RESULTS
403829726	OTHER
403837282	OTHER
403848864	OTHER
Total Attach: 6 Files	