



<div>FORM 6</div> <div>Rev 11/20</div>	<div>State of Colorado</div> <div>Energy & Carbon Management Commission</div> <div>1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109</div>	<div></div>	<table><tr><td>DE</td><td>ET</td><td>OE</td><td>ES</td></tr></table>	DE	ET	OE	ES																													
	DE	ET	OE	ES																																
<div>WELL ABANDONMENT REPORT</div> <div><p>This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set. A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.</p></div>			<div>Document Number: 403853564</div> <div>Date Received:</div>																																	
<div><div>ECMC Operator Number: 100322</div><div>Contact Name: Kevin Monaghan</div><div>Name of Operator: NOBLE ENERGY INC</div><div>Phone: (303) 228-4000</div><div>Address: 1099 18TH STREET SUITE 1500</div><div>Fax:</div><div>City: DENVER State: CO Zip: 80202</div><div>Email: Kevin.Monaghan@chevron.com</div><div><div>For "Intent" 24 hour notice required,</div><div>Name:</div><div>Tel:</div><div>ECMC contact:</div><div>Email:</div></div></div>																																				
<div>Type of Well Abandonment Report: <input type="checkbox"/> Notice of Intent to Abandon <input checked="" type="checkbox"/> Subsequent Report of Abandonment</div>																																				
<div><div>API Number 05-123-24529-00</div><div>Well Name: HEINZE - USX AB Well Number: 29-10</div><div>Location: QtrQtr: NWSE Section: 29 Township: 7N Range: 64W Meridian: 6</div><div>County: WELD Federal, Indian or State Lease Number:</div><div>Field Name: WATTENBERG Field Number: 90750</div></div>																																				
<div>Only Complete the Following Background Information for Intent to Abandon</div> <div><div>Latitude: 40.542080 Longitude: -104.571550</div><div>GPS Data: GPS Quality Value: 1.6 Type of GPS Quality Value: PDOP Date of Measurement: 05/10/2007</div><div><div>Reason for Abandonment: <input type="checkbox"/> Dry <input type="checkbox"/> Production Sub-economic <input type="checkbox"/> Mechanical Problems</div><div><input type="checkbox"/> Other</div></div><div><div>Casing to be pulled: <input type="checkbox"/> Yes <input type="checkbox"/> No Estimated Depth:</div><div>Fish in Hole: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, explain details below</div><div>Wellbore has Uncemented Casing leaks: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, explain details below</div><div>Details:</div></div></div>																																				
<div>Current and Previously Abandoned Zones</div> <table><tr><th>Formation</th><th>Perf. Top</th><th>Perf. Btm</th><th>Abandoned Date</th><th>Method of Isolation</th><th>Plug Depth</th></tr><tr><td>CODELL</td><td>7104</td><td>7116</td><td>03/20/2024</td><td>B PLUG CEMENT TOP</td><td>6762</td></tr><tr><td>NIOBRARA</td><td>6812</td><td>6948</td><td>03/20/2024</td><td>B PLUG CEMENT TOP</td><td>6762</td></tr></table> <div>Total: 2 zone(s)</div>				Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth	CODELL	7104	7116	03/20/2024	B PLUG CEMENT TOP	6762	NIOBRARA	6812	6948	03/20/2024	B PLUG CEMENT TOP	6762															
Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth																															
CODELL	7104	7116	03/20/2024	B PLUG CEMENT TOP	6762																															
NIOBRARA	6812	6948	03/20/2024	B PLUG CEMENT TOP	6762																															
<div>Casing History</div> <table><tr><th>Casing Type</th><th>Size of Hole</th><th>Size of Casing</th><th>Grade</th><th>Wt/Ft</th><th>Csg/Liner Top</th><th>Setting Depth</th><th>Sacks Cmt</th><th>Cmt Btm</th><th>Cmt Top</th><th>Status</th></tr><tr><td>SURF</td><td>12+1/4</td><td>8+5/8</td><td>J55</td><td>24</td><td>0</td><td>681</td><td>325</td><td>681</td><td>0</td><td>VISU</td></tr><tr><td>1ST</td><td>7+7/8</td><td>4+1/2</td><td>M80</td><td>11.6</td><td>0</td><td>7263</td><td>990</td><td>7263</td><td>2071</td><td>CBL</td></tr></table>				Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status	SURF	12+1/4	8+5/8	J55	24	0	681	325	681	0	VISU	1ST	7+7/8	4+1/2	M80	11.6	0	7263	990	7263	2071	CBL
Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status																										
SURF	12+1/4	8+5/8	J55	24	0	681	325	681	0	VISU																										
1ST	7+7/8	4+1/2	M80	11.6	0	7263	990	7263	2071	CBL																										

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 6762 with 2 sacks cmt on top. CIBP #2: Depth 3697 with 2 sacks cmt on top.
CIBP #3: Depth 2628 with 10 sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 67 sks cmt from 881 ft. to 0 ft. Plug Type: CASING Plug Tagged: ☒

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Perforate and squeeze at 881 ft. with 227 sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set _____ sacks half in. half out surface casing from _____ ft. to _____ ft. Plug Tagged: ☐

Set _____ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☐ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. of _____ inch casing

Surface Plug Setting Date: 03/21/2024 Cut and Cap Date: 06/13/2024 Number of Days from Setting Surface Plug to Capping or Sealing the Well: 84

*Wireline Contractor: AXIS Energy Services

*Cementing Contractor: AXIS Energy Services

Type of Cement and Additives Used: Class G Neat

Flowline/Pipeline has been abandoned per Rule 1105 ☐ Yes ☒ No

Technical Detail/Comments:

Form 17 doc # 403727318
Form 27 doc # 403679029
Form 42 doc # 403723548
Form 44 doc #: flowline will be AB'd
CIBP @ 6762' w/ 2 sxs cmt (3/20/2024)
CIBP @ 3697' w/ 2 sxs cmt (3/20/2024)
CIBP @ 2628' w/ 10 sxs cmt (3/20/2024)
Shoot perfs @ 881'
Surface/Squeeze plug @ 881', pumped 294 sxs cmt total = 67 sxs cmt inside casing and 227 sxs squeeze through perfs into annulus

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Valerie Danson

Title: Reg Analyst

Date: _____

Email: DenverRegulatory@chevron.onmicrosoft.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: _____

Date: _____

CONDITIONS OF APPROVAL, IF ANY LIST

<u>COA Type</u>	<u>Description</u>
0 COA	

ATTACHMENT LIST

<u>Att Doc Num</u>	<u>Name</u>
403853566	OPERATIONS SUMMARY
403853567	CEMENT JOB SUMMARY
403853568	WIRELINE JOB SUMMARY
403853569	WELLBORE DIAGRAM

Total Attach: 4 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)