

State of Colorado  
Energy & Carbon Management Commission1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

ECMC RECEPTION

Receive Date:

06/14/2024

Document Number:

403804758

## Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

ECMC Operator Number: 10633 Contact Person: James Miller  
Company Name: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (720) 984-7460  
Address: 555 17TH STREET SUITE 3700 Email: jmiller@civiresources.com  
City: DENVER State: CO Zip: 80202  
Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes ☒ No ☐

## OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 329735 Location Type: Production Facilities  
Name: PRATT F UNIT Number: 1  
County: WELD  
Qtr Qtr: NWNW Section: 29 Township: 1N Range: 68W Meridian: 6  
Latitude: 40.028000 Longitude: -105.035460

## Description of Corrosion Protection

Crestone pipelines are covered in a protective external coating. Flowlines are subject to thorough inspections and fabrication standards during installation to minimize coating and pipe defects. Crestone maintains a chemical program to reduce internal corrosion. If a flowline is found to lack integrity, Crestone will investigate, report, and remediate any spills in accordance with the 900 series rules.

## Description of Integrity Management Program

Crestone flowlines are pressure tested prior to placing flowlines into service. Flowlines are tested on an annual basis in accordance with COGCC 1104 series rules. If a flowline is found to lack integrity, Crestone will investigate the root cause, as well as report and remediate any spills in accordance with the 900 series rules. All repairs will be completed in accordance with COGCC 1102 Series rules.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

N/A

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 467608 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 329735 Location Type: Well Site ☐  
Name: PRATT F UNIT Number: 1  
County: WELD No Location ID  
Qtr Qtr: NWNW Section: 29 Township: 1N Range: 68W Meridian: 6  
Latitude: 40.028000 Longitude: -105.035460  
Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 3.000  
Bedding Material:  Date Construction Completed: 07/09/2012  
Maximum Anticipated Operating Pressure (PSI):  Testing PSI:   
Test Date:

**OFF LOCATION FLOWLINE Pre-Abandonment Notice**

Date: 07/14/2024

**Pre-Abandonment 30-day Notice**

- ☒ Removed per Rule 1105.d.(2)
- ☐ Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:
- ☐ A. A surface owner agreement executed by a surface owner allows abandonment in place.
  - ☐ B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
  - ☐ C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
  - ☐ D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
  - ☐ E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
  - ☐ F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
  - ☐ G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
  - ☐ H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.
- ☐ Abandoned In Place per Rule 1105.d.(3)

**Description of Pre-Abandonment Notice:**

The flowline serving the Pratt 0-2-29 (05-123-32377) will be removed in its entirety. Bellholes will be dug on average every 80 feet and the line pulled. Once the flowline is removed, any areas that need it will be backfilled and the land surface will be graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473337 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 329735 Location Type: Well Site

Name: PRATT F UNIT Number: 1

County: WELD No Location ID

Qtr Qtr: NWNW Section: 29 Township: 1N Range: 68W Meridian: 6

Latitude: 40.028000 Longitude: -105.035460

Equipment at Start Point Riser: Well

### Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: Date Construction Completed: 07/18/2012

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

### OFF LOCATION FLOWLINE Pre-Abandonment Notice

Date: 07/14/2024

#### Pre-Abandonment 30-day Notice

☒ Removed per Rule 1105.d.(2)

☐ Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:

- ☐ A. A surface owner agreement executed by a surface owner allows abandonment in place.
- ☐ B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
- ☐ C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
- ☐ D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
- ☐ E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
- ☐ F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
- ☐ G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
- ☐ H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.

☐ Abandoned In Place per Rule 1105.d.(3)

#### Description of Pre-Abandonment Notice:

The flowline serving the Pratt 2-0-29 (05-123-32376) will be removed in its entirety. Bellholes will be dug on average every 80 feet and the line pulled. Once the flowline is removed, any areas that need it will be backfilled and the land surface will be graded.

### FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 467607 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

### OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

#### Flowline Start Point Location Identification

Location ID: 329735 Location Type: Well Site

Name: PRATT F UNIT

Number: 1

County: WELD

No Location ID

Qtr Qtr: NWNW

Section: 29

Township: 1N

Range: 68W

Meridian: 6

Latitude: 40.028000

Longitude: -105.035460

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 3.000

Bedding Material: Date Construction Completed: 06/30/2012

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

**OFF LOCATION FLOWLINE Pre-Abandonment Notice**

Date: 07/14/2024

**Pre-Abandonment 30-day Notice**☒ Removed per Rule 1105.d.(2)☐ Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:

- ☐ A. A surface owner agreement executed by a surface owner allows abandonment in place.
- ☐ B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
- ☐ C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
- ☐ D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
- ☐ E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
- ☐ F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
- ☐ G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
- ☐ H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.

☐ Abandoned In Place per Rule 1105.d.(3)**Description of Pre-Abandonment Notice:**

The flowline serving the Pratt 12-29 (05-123-32432) will be removed in its entirety. Bellholes will be dug on average every 80 feet and the line pulled. Once the flowline is removed, any areas that need it will be backfilled and the land surface will be graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473336 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**Location ID: 329735 Location Type: Well Site ☐

Name: PRATT F UNIT

Number: 1

County: WELD

No Location ID

Qtr Qtr: NWNW Section: 29 Township: 1N Range: 68W Meridian: 6

Latitude: 40.028000 Longitude: -105.035460

Equipment at Start Point Riser: Well

### **Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/07/2012

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

### **OFF LOCATION FLOWLINE Pre-Abandonment Notice**

Date: 07/14/2024

#### **Pre-Abandonment 30-day Notice**

☒ Removed per Rule 1105.d.(2)

☐ Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:

- ☐ A. A surface owner agreement executed by a surface owner allows abandonment in place.
- ☐ B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
- ☐ C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
- ☐ D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
- ☐ E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
- ☐ F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
- ☐ G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
- ☐ H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.

☐ Abandoned In Place per Rule 1105.d.(3)

#### **Description of Pre-Abandonment Notice:**

The flowline serving the Pratt 2-4-29 (05-123-32387) will be removed in its entirety. Bellholes will be dug on average every 80 feet and the line pulled. Once the flowline is removed, any areas that need it will be backfilled and the land surface will be graded.

### **FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473335 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

### **OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

#### **Flowline Start Point Location Identification**

Location ID: \_\_\_\_\_ Location Type: \_\_\_\_\_ Well Site ☐

Name: PRATT F UNIT Number: 1

County: WELD No Location ID

Qtr Qtr: NWNW Section: 29 Township: 1N Range: 68W Meridian: 6

Latitude: 40.028000 Longitude: -105.035460

Equipment at Start Point Riser: Well

### **Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/16/2012

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

### **OFF LOCATION FLOWLINE Pre-Abandonment Notice**

Date: 07/14/2024

#### **Pre-Abandonment 30-day Notice**

☒ Removed per Rule 1105.d.(2)

☐ Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:

- ☐ A. A surface owner agreement executed by a surface owner allows abandonment in place.
- ☐ B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
- ☐ C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
- ☐ D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
- ☐ E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
- ☐ F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
- ☐ G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
- ☐ H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.

☐ Abandoned In Place per Rule 1105.d.(3)

#### **Description of Pre-Abandonment Notice:**

The flowline serving the Pratt 4-2-29 (05-123-32430) will be removed in its entirety. Bellholes will be dug on average every 80 feet and the line pulled. Once the flowline is removed, any areas that need it will be backfilled and the land surface will be graded.

### **FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473338 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

### **OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

#### **Flowline Start Point Location Identification**

Location ID: 329735 Location Type: Well Site ☐  
Name: PRATT F UNIT Number: 1

County: WELD No Location ID

Qtr Qtr: NWNW Section: 29 Township: 1N Range: 68W Meridian: 6

Latitude: 40.028000 Longitude: -105.035460

Equipment at Start Point Riser: Well

### Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: Date Construction Completed: 07/06/2012

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

### OFF LOCATION FLOWLINE Pre-Abandonment Notice

Date: 07/14/2024

### Pre-Abandonment 30-day Notice

☒ Removed per Rule 1105.d.(2)

☐ Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:

- ☐ A. A surface owner agreement executed by a surface owner allows abandonment in place.
- ☐ B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
- ☐ C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
- ☐ D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
- ☐ E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
- ☐ F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
- ☐ G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
- ☐ H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.

☐ Abandoned In Place per Rule 1105.d.(3)

### Description of Pre-Abandonment Notice:

The flowline serving the Pratt 21-29 (05-123-32428) will be removed in its entirety. Bellholes will be dug on average every 80 feet and the line pulled. Once the flowline is removed, any areas that need it will be backfilled and the land surface will be graded.

### FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473306 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

### OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

### Flowline Start Point Location Identification

Location ID: 329735 Location Type: Well Site ☐

Name: PRATT F UNIT Number: 1

County: WELD No Location ID

Qtr Qtr: NWNW Section: 29 Township: 1N Range: 68W Meridian: 6

Latitude: 40.028000 Longitude: -105.035460

Equipment at Start Point Riser: Well

### **Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 07/12/2012

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

### **OFF LOCATION FLOWLINE Pre-Abandonment Notice**

Date: 07/14/2024

#### **Pre-Abandonment 30-day Notice**

☒ Removed per Rule 1105.d.(2)

☐ Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:

- ☐ A. A surface owner agreement executed by a surface owner allows abandonment in place.
- ☐ B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
- ☐ C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
- ☐ D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
- ☐ E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
- ☐ F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
- ☐ G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
- ☐ H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.

☐ Abandoned In Place per Rule 1105.d.(3)

#### **Description of Pre-Abandonment Notice:**

The flowline serving the Pratt 22-29 (05-123-32434) will be removed in its entirety. Bellholes will be dug on average every 80 feet and the line pulled. Once the flowline is removed, any areas that need it will be backfilled and the land surface will be graded.

### **OPERATOR COMMENTS AND SUBMITTAL**

Comments Form 44 filed to report PRE-ABANDONMENT notification. The following flowlines will be removed in their entirety:

12332430\_FL: services the Pratt 4-2-29 (05-123-32430)  
12332432\_FL: services the Pratt 12-29 (05-123-32432)  
12332377\_FL: serviced the Pratt 0-2-29 (05-123-32377)  
12317769\_FL: services the Pratt 2-0-29 (05-123-32376)  
12317769\_FL: services the Pratt 2-4-29 (05-123-32387)  
12317769\_FL: serviced the Pratt 21-29 (05-123-32428)  
12317769\_FL: serviced the Pratt 22-29 (05-123-32434)

GIS data has previously been submitted. It is anticipated that abandonment operations will start on or about 07/14/2024.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 06/14/2024 Email: flowlines@civiresources.com

Print Name: Stephany Olsen

Title: Sr. Regulatory Analyst

Based on the information provided herein, this Flowline Report complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: \_\_\_\_\_

**Director of ECMC**

Date: \_\_\_\_\_

## CONDITIONS OF APPROVAL, IF ANY LIST

COA Type

Description

--	--

### ATTACHMENT LIST

Att Doc Num

Name

--	--

Total Attach: 0 Files

### General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	------------------------

Total: 0 comment(s)