

**FORM
INSP**Rev
X/20**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

07/09/2024

Submitted Date:

07/11/2024

Document Number:

713601228

FIELD INSPECTION FORMLoc ID 324497 Inspector Name: COSTA, RYAN On-Site Inspection ☐ 2A Doc Num: _____**Operator Information:**

ECMC Operator Number: 66561

Name of Operator: OXY USA INC

Address: PO BOX 173779

City: DENVER State: CO Zip: 80217-

Status Summary:

- ☒ THIS IS A FOLLOW UP INSPECTION
- ☒ FOLLOW UP INSPECTION REQUIRED
- ☐ NO FOLLOW UP INSPECTION REQUIRED

Findings:

3 Number of Comments

1 Number of Corrective Actions

- ☒ Corrective Action Response Requested

**ANY CORRECTIVE ACTION(S) FROM
PREVIOUS INSPECTIONS THAT HAVE NOT
BEEN ADDRESSED ARE STILL APPLICABLE****Contact Information:**

Contact Name	Phone	Email	Comment
Newville, Toni		toni_newville@oxy.com	
OXY		ECMCInspections@Oxy.com	

Inspected Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
324497	LOCATION	AC			-	SHEEP MOUNTAIN UNIT- 628S70W 1SESW	RI

General Comment:

This is a follow up of the previous inspection (#713600956) at the SHEEP MOUNTAIN UNIT #13-1 wellsite.
See attached photos and additional details within this report.

Location**Lease Road:**

Type	Access		
comment:			
Corrective Action		Date:	

Overall Good: ☒**Signs/Marker:**

Type	WELLHEAD		
Comment:			
Corrective Action:		Date:	

Emergency Contact Number:

Comment:		
Corrective Action:		Date: _____

Good Housekeeping:

Type	WEEDS		
Comment:	Recent noxious weed control was performed.		
Corrective Action:		Date:	

Overall Good: ☐**Spills:**

Type	Area	Volume		
------	------	--------	--	--

In Containment: No

Comment: ☐ Multiple Spills and Releases?**Fencing/:**

Type	LOCATION		
Comment:	The perimeter fence around the location is not maintained and there are posts and wire laying on the ground. The fence should be removed as it has not been in use for a long time. Previous corrective action was not completed.		
Corrective Action:	Comply with the fencing requirements per the 1002a rules. Or, Comply with Rule 606 to remove unused fence.	Date:	05/10/2024

Venting:

Yes/No			
Comment:			
Corrective Action:		Date:	

Flaring:

Type		
Comment:		
Corrective Action:		Date:

Attached DocumentsYou can go to ECMC Images ([https://ecmc.state.co.us/weblink/](https://ecmc.state.co.us/webblink/)) and search by document number:

Inspector Name: COSTA, RYAN

Document Num	Description	URL
403851283	INSPECTION SUBMITTED	https://ecmc.state.co.us/weblink/DownloadDocumentPDF.aspx?DocumentId=6618728
713601229	Inspection Photos	https://ecmc.state.co.us/weblink/DownloadDocumentPDF.aspx?DocumentId=6618727