



ISOTOPIC NATURAL GAS ANALYSIS

PRIMARY DB KEY: **05-045-13367** NAME/DESCRIP : **N.PARACHUTE WF09D #M14 596**
 LEASE #: **110165130** **PRODUCTION CASING**
 FIELD/AREA: **GRAND VALLEY - #31290**

PROJECT NO. : **202405044** ANALYSIS NO. : **01**
 COMPANY NAME : **CAERUS OIL & GAS LLC** ANALYSIS DATE: **MAY 22, 2024 00:00**
 OFFICE / BRANCH: **PARACHUTE, CO** SAMPLE DATE : **MAY 2, 2024 15:00**
 CUSTOMER REF: **TO:**
 PRODUCER : **CAERUS PICEANCE LLC** EFFECTIVE DATE:

*****FIELD DATA*****

SAMPLE CYCLE: SAMPLE TYPE: **SPOT**
 SAMPLE PRES. : **24** psig PROBE : **NO**
 FLOW PRES. : psig CYLINDER NO. : **ECA-785**
 LAB PRES: psig SAMPLED BY : **MIKE KELLEY**
 SAMPLE TEMP. : **63** °f SAMPLING COMPANY: **CAERUS OIL & GAS LLC**
 AMBIENT TEMP.: °f H2S BY STAIN TUBE: **-** ppm mol
 H2O BY STAIN TUBE: **-** #/mmcf CO2 BY STAIN TUBE: **-** Mol %
 FIELD COMMENTS:
 LAB COMMENTS: **Trace Olefins present.**

COMPONENTS	NORM. MOLE%	GPM @ 14.65	d13C % VPDB	dD % VSMOW
HELIUM	0.03	-	-	-
HYDROGEN	0.61	-	-	-
OXYGEN/ARGON	0.07	-	-	-
NITROGEN	4.44	-	-	-
CO2	0.05	-	-29.1	-
METHANE	91.51	-	-33.6	-156
ETHANE	0.74	0.1998	-29.8	-
PROPANE	0.22	0.0599	-30.5	-
ISOBUTANE	0.03	0.0100	-30.0	-
N-BUTANE	0.10	0.0310	-31.5	-
ISOPENTANE	0.20	0.0619	-30.4	-
N-PENTANE	0.28	0.1009	-31.7	-
HEXANES+	1.72	0.6923	-	-
TOTAL	100.00	1.1558		

BTU @ 60 DEG F

14.65
 GROSS DRY REAL = **1049.7** /scf
 GROSS SATURATED REAL = **1031.3** /scf

RELATIVE DENSITY (AIR=1 @14.696 PSIA 60F) **0.629**
 GRAVITY (LB/SCF) **0.04801**
 COMPRESSIBILITY FACTOR : **0.99790**

NOTE: REFERENCE GPA 2261(ASTM D1945 & ASME-PTC), 2145, & 2172 CURRENT PUBLICATIONS

Reference: Per GPA 2172-14 sec 9 **The C6+ is derived from the following ratios of C6, C7 & C8+ respectively: 60% 30% 10%**

The NG Composition File #: **202405044-01-A-139**
 The Isotopic Data File #: **DIG-035442**

Note: Stable isotope results based on multi-point laboratory calibration

Precision δ¹³C < 0.5 ‰ Precision δD < 5.0 ‰

Values in red represent low peak heights. Interpret with caution.

The data presented herein has been acquired by means of current analytical techniques and represents the judicious conclusion EMPACT Analytical Systems, Inc. Results of the analysis can be affected by the sampling conditions, therefore, are only warranted through proper lab protocol. EMPACT assumes no responsibility for interpretation or any consequences from application of the reported information and is the sole liability of the user. The reproduction in any media of this reported information may not be made, in portion or as a whole, without the written permission of EMPACT Analytical Systems, Inc.