KPK
K.P. KAUFFMAN COMPANY, INC.

Site Name: Klein 24-8			Boring/MW Number: BG #1
Address, City, State	Operator No: 46290	Remediation Project #: 479262	Drill Rig Type: DPT
Logged By: Dan M.	Date: Start Date: 3-7-24	0850	Boring/Well Diameter: 3.25
Drilling Contractor: EWI	Date: Date Completed: ✓	Depth-to-Completion 15	Total Depth of Boring: 15 (feet)
Ticket Number (Locates): 04064030 09	Date: Date Backfilled:	Groundwater Depth: — (feet)	Elevation (TOC):

Depth (feet)	Sample Type	Sample Number	Blow Counts (blows/foot)	Graphic Log	Lithology Soil Group Name: modifier, color, moisture, density/consistency, grain size, other descriptors	PID Reading (ppm)
0-5	A				Fine Sands w/trace clay Brown	<1.0
5-10	A				Fine Sands 5-7' clay w/trace sands 7-10 Brown	<1.0
10-15	A				Fine sands - slightly moist, Brown	<1.0

Boring Log: Sheet ____ of ____

Stabilized Ground water

Groundwater at time of Drilling

K.P. KAUFFMAN COMPANY, INC.

Site Name: Kleen 24-8			Boring/MW Number: BG#2
Address, City, State	Operator No: 46290	Remediation Project #: 470262	Drill Rig Type: DPT
Logged By: Dan M.	Date: Start Date: 3-7-24	0928	Boring/Well Diameter: 3.25"
Drilling Contractor: EW I	Date: Date Completed: ✓	Depth-to-Completion 15	Total Depth of Boring: 15 (feet)
Ticket Number (Locates): B406403009	Date: Date Backfilled:	Groundwater Depth: — (feet)	Elevation (TOC): —

Depth (feet)	Sample Type	Sample Number	Blow Counts (blows/foot)	Graphic Log	Lithology Soil Group Name: modifier, color, moisture, density/consistency, grain size, other descriptors	PID Reading (ppm)
0-5	X				Fine Sands 0-3.5 Stiff clay 3.5-4.5 Fine sands 4.5-5.0 Brown	<1.0
5-10	X				Fine Sands 5-6' Stiff clay w/fine sands 6-9' moist Sandy clay 9-10 Brown	<1.0
10-15	X				Stiff clay 10-11 Fine sands 11-15	<1.0

Boring Log: Sheet ____ of ____

Stabilized Ground water

Groundwater at time of Drilling

K.P. KAUFMAN COMPANY, INC.

Site Name: Klein 24-8			Boring/MW Number: BG#3
Address, City, State	Operator No: 46290	Remediation Project #: 476262	Drill Rig Type: DPT
Logged By: Dan M.	Date: Start Date: 3-7-24	0953	Boring/Well Diameter: 3.25
Drilling Contractor: EWI	Date: Date Completed: ✓	Depth-to-Completion 15	Total Depth of Boring: 15 (feet)
Ticket Number (Locates): B4640300	Date: Date Backfilled: ✓	Groundwater Depth: — (feet)	Elevation (TOC): —

Depth (feet)	Sample Type	Sample Number	Blow Counts (blows/foot)	Graphic Log	Lithology Soil Group Name: modifier, color, moisture, density/consistency, grain size, other descriptors	PID Reading (ppm)
0-5	K				Fine sands Brown	<1.0
5-10	K				Fine sands 5-7' Stiff clay 7-10' moist Brown	<1.0
10-15	K				Sandy clay 10-11 Stiff clay 11-13 Fine sands 13-5	<1.0

Boring Log: Sheet ____ of ____

Stabilized Ground water

Groundwater at time of Drilling

K.P. KAUFFMAN COMPANY, INC.

Site Name: Klein 24-8			Boring/MW Number: BG #4
Address, City, State	Operator No: 46290	Remediation Project #: 470262	Drill Rig Type: DPT
Logged By: Dan M.	Date: Start Date: 3-7-24	1014	Boring/Well Diameter: 3.25
Drilling Contractor: EWI	Date: Date Completed:	Depth-to-Completion 15	Total Depth of Boring: 15 (feet)
Ticket Number (Locates): B406403009	Date: Date Backfilled:	Groundwater Depth: — (feet)	Elevation (TOC): —

Depth (feet)	Sample Type	Sample Number	Blow Counts (blows/foot)	Graphic Log	Lithology Soil Group Name: modifier, color, moisture, density/consistency, grain size, other descriptors	PID Reading (ppm)
0-5					Fine sands 0-4.5 Stiff clay 4.5-5.0 BROWN	2.0
5-10					Fine sands 5.0-7.7 Stiff moist clay 7-10 BROWN	<1.0
10-15					Fine sands BROWN + clay	2.1

Boring Log: Sheet ____ of ____

Stabilized Ground water

Groundwater at time of Drilling