

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>403835675</u>			
Date Received: <u>06/25/2024</u>			

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: <u>100322</u>	Contact Name <u>Erica Zuniga</u>
Name of Operator: <u>NOBLE ENERGY INC</u>	Phone: <u>(970) 278-6934</u>
Address: <u>1099 18TH STREET SUITE 1500</u>	Fax: ()
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>ericazuniga@chevron.com</u>

FORM 4 SUBMITTED FOR:

Facility Type: LOCATION

API Number : 05- 123 00 ID Number: 310417

Name: AB32-01 Number: Pad

Location QtrQtr: NENE Section: 32 Township: 7N Range: 64W Meridian: 6

County: WELD Field Name: WATTENBERG

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
310417	AB32-01 Pad

OGDP(s)

OGDP ID	OGDP Name
481741	WR OGDP 4

GROUNDWATER SAMPLING

Uses of Groundwater Sampling Section

Request exceptions to current Groundwater sampling requirements in Rules 615.c and 907.b.(9) or to request exceptions to the requirements in previous Rules 318A.f and 609.

Request a previously sampled Water Source in the COGIS database be used to meet sampling requirements described in Rules 615.c.(3) and 907.b.(9).A or requirements in previous Rules 318A.f and 609.d.(3).

NOTE: If this Sundry Notice is being submitted to request a Groundwater Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- Request an Exception to Groundwater Sampling Requirements per previous Rule 318A.f: There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- Request exceptions to current Groundwater sampling requirements in Rules 615.c and 907.b.(9) or previous Rule 609.c.
 - 2 Number of Water Sources located within one-half mile of an oil or gas well or multi-well site (Rule 615.c) or within one (1) mile of a Centralized E&P Waste Management Facility (Rule 907.b.(9)).
 - 2 Number of Water Source Exceptions requested per Rule 615.c or Rule 907.b.(9).
 - 2 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
 - 0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**

Request a previously sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 615.d.(3) and 907.b.(9) or as described in previous Rules 318A.f.(2).A and 609.d.(3).

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Well permit #331764, Receipt # 10030638 (drilled and constructed in May 2024) and Well permit #10022641, Receipt 328381 (drilled and constructed in June 2024) have been drilled and wells have been constructed but the landowner confirmed that they have not yet installed a pump in either well and will not do so until after the scheduled spud date. Please see attached figure for details.

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Trent Watne
Title: Senior Scientist Email: twatne@olsson.com Date: 6/25/2024

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: KOEPSSELL, ARTHUR Date: 7/26/2024

CONDITIONS OF APPROVAL, IF ANY LIST

<u>COA Type</u>	<u>Description</u>
0 COA	

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)

ATTACHMENT LIST

<u>Att Doc Num</u>	<u>Name</u>
403835675	SUNDRY NOTICE APPROVED-GW
403835725	REFERENCE AREA MAP
403866738	FORM 4 SUBMITTED

Total Attach: 3 Files