

Depth Reference is Rotary Kelly Bushing
Elevation 1,000.00 ft above Mean Sea Level
All Depths Measured in Feet
Time Curves Scale (1 inch/100 ft)
Thank You For Using Our Services!











Repeat Pass

Database File	pdo:pdo_george_3na_rcbl_final\pdo_george_3na_rcbl_final.db
Dataset Pathname	pass_2
Presentation Format	rbl_all_0_2022_1
Dataset Creation	Thu Jun 13 12:56:59 2024
Charted by	Depth in Feet scaled 1:240



Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			CHD-AES (000001) "Cable Head"	1.04	1.69	2.00
CCL	14.04		CCL-CCDS-0100 (CCDS-0100_base) "Probe 6 MAGNET CCL"	2.72	2.75	30.00
			CENT-Overbody	2.00	4.50	3.00
TEMP	10.15					
			PROBE-RST-DIGITAL-RBL-DCT (140139_DD1) "Probe 2 3/4" RadG Bond with Temp Corrosion Package	9.21	2.75	105.00
WVFS8	7.85					
WVFS7	7.85					
WVFS6	7.85					
WVFS5	7.85					
WVFS4	7.85					
WVFS3	7.85					
WVFS2	7.85					
WVFS1	7.85					
WVFCAL	7.85					
WVF3FT	7.85					
WVF5FT	6.85					
			CENT-Overbody	2.00	4.50	3.00
			GR-probe 2.75 (080632)	3.67	2.75	100.00
GR	1.13					

Dataset:	PDC_George_3NA_RCBL_Final.db: field\well\run1\pass5.1
Total length:	16.63 ft
Total weight:	243.00 lb
O.D.:	4.50 in

Calibration Report

Database File	C:\ProgramData\Warrior\Data\PDC\PDC_George_3NA_RCBL_Final\PDC_George_3NA_RCBL_Final.db
Dataset Pathname	pass5.1
Dataset Creation	Thu Jun 13 12:54:57 2024

Gamma Ray Calibration Report

Serial Number:	080632	
Tool Model:	probe 2.75	
Performed:	Wed Aug 30 13:58:17 2023	
Calibrator Value:	207.0	GAPI
Background Reading:	112.3	cps
Calibrator Reading:	404.7	cps
Sensitivity:	0.7080	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	140139_DD1	
Tool Model:	RBL-DCT	
Calibration Casing Diameter:	5.500	in
Calibration Depth:	151.208	ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.000	0.886	0.500	71.921	79.497	0.500
CAL	0.014	1.025				
5'	0.000	0.949	0.500	71.921	84.161	0.500
SUM						
S1	-0.009	1.074	0.000	100.000	92.346	0.828
S2	-0.000	1.038	0.000	100.000	96.368	0.013
S3	-0.000	1.001	0.000	100.000	99.899	0.009
S4	0.000	0.925	0.000	100.000	108.158	-0.001
S5	-0.042	0.920	0.000	100.000	103.909	4.414
S6	0.000	0.964	0.000	100.000	103.748	-0.001
S7	0.000	1.051	0.000	100.000	95.162	-0.001
S8	0.000	1.089	0.000	100.000	91.856	-0.001

Air Zero Calibration, performed (Not Performed):

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

Temperature Calibration Report

Serial Number:	140139_DD1	
Tool Model:	RBL-DCT	
Performed:	Sun Nov 19 10:23:30 2023	
	Reference	Reading
Low Reference:	0.00 degF	0.00 degF
High Reference:	1.00 degF	1.00 degF
Gain:	0.82	
Offset:	0.00	
Delta Spacing:	1	

Company	PDC Energy
Well	George 03NA
Field	Wattenberg
County	Weld
State	Colorado

Country